



## INDEX-RBC

pp. 04 -06	REVO 14 inch
pp. 07 -09	REVO 16 inch
pp. 10 -12	REVO 18 inch
pp. 13 -15	REVO 20 inch
pp. 16 -18	REVO PRO 20 inch
pp. 20 -22	DICE 16 inch
pp. 23 -25	DICE 18 inch
pp. 26 -28	DICE 20 inch
pp. 29 -31	DICE FS 20 inch
pp. 32 -34	EVOL 20 inch
pp. 35 -37	SAIKO 18 inch
pp. 38 -40	SAIKO 20 inch
pp. 41 -43	DARKO 20 inch
pp. 44 -45	VALAC 20 inch
pp. 46 -47	ASTRON 20 inch
pp. 48 -49	COMRAD 20 inch
pp. 50 -51	FIEND 26 inch
pp. 52 -53	GRIFFIN 26 inch
pp. 54 -55	GRIFFIN PRO 26 inch
pp. 56 -57	SIREN 26 inch
pp. 58 -59	ASURA 26 inch
pp. 60 -61	ASURA PRO 26 inch
pp. 62 -63	LEGION 26 inch
pp. 64 -65	LEGION 29 inch
pp. 66 -67	CEPTOR 26 inch
pp. 68 -69	<b>DIVIDE 700</b> c







#### WHO IS RADIO?-NOT JUST A BIKE COMPANY

Born from the foundations of one of the most successful and innovative rider owned bike companies of the 1990's Radio Bikes is proud to enter the dawn of it's second decade with a new focus and drive, cementing the core principals of the brand and bringing high quality and well-designed bikes to a wide array of customers across the globe.

We see each complete bike as an opportunity to give our customers a product that will inspire and ignite a life long love of riding bikes. Every Radio product is meticulously thought through, designed and constructed in a way to ensure that the bike looks and performs unlike anything else - on a budget to suit every form of rider.

Designed, developed, ridden and run by a team of dedicated bike riders, every Radio Bikes product is made with an injection of pure passion and innovation, all whilst having a constant finger on the fast beating pulse of the bike industry.

#### WHO IS A RADIO COSTUMER?-EVERYONE...

Far from just another generic brand to "fill in the gaps", Radio Bikes is unlike any other brand on the market. Radio was born out of the need for a line of bikes, that simply just didn't exist. Where many brands try to reduce the cost of the bike through downgrading quality and using cheaper components - we see a chance to innovate the design and to ensure the bike functions just as well, but at a more competitive price.

Every year that has passed, we have built onto the principal and now

the Radio Bikes line has evolved, refined and grown into the all-en compassing range, that caters to the need of every bike rider. From a 14" REVO for first time rider, an 18" Alloy DICE for the younger rider wanting to progress on a lighter bike, 26" and 29" LEGION wheelie bikes for the new wave of urban warriors, all the way to the PRO-level 26" SIREN Slopestyle bike for experienced mountain bike riders, Radio has something for every customer!

#### WHAT IS RADIO IN 2020?-BEYOND THE BIKE.

2020 is the year that Radio goes beyond. Radio has the unique advantage of being one of the most flexible and reputable bike companies on the market, and this is the year that we fully seal this claim. Having the past 10 years to solidify our direction and product line, this year is the year that Radio rises to take it's place among it's sister brands and is seen for the global all-encompassing bicycle brand it was always destined to be.

2020 is going to be a year that we work together with distributions on a global level to build the brand presence of Radio through event sponsorships, new PRO team riders, product innovations, world tours, increased media attention and jaw dropping video parts which will all be seen on a global level.

Our goal for this year is to make Radio Bikes a brand, that is talked about in every bike shop, at every skatepark and on every street corner.

If you love bikes, you'll love Radio.

R







## **REVO-14** INCH



FRAME full 1020 hi-ten

FORK RADIO "ROOKIE" hi-ten fork

BARS hi-ten bar

**GRIPS** RADIO "JUNIOR" grips

STEM RADIO "JUNIOR" top load stem, 40mm reach

**HEADSET** FSA "A-HEADSET" loose ball

GYRO -

**LEVER** RADIO "JUNIOR" alloy brake lever, front & rear

BRAKES RADIO "AM" alloy caliper brake front/RADIO "AM-V" alloy v-brake rear

CRANKS RADIO "ROOKIE" OPC forged crank crmo 102mm

**BB** USA size, loose ball

PEDALS RADIO "ROOKIE" nylon pedals

CHAIN KMC "S1" chain

**SPROCKET** RADIO "ROOKIE" steel 25T sprocket

**DRIVER** 9T cassette driver

FRONT HUB RADIO "ROOKIE" steel hub, lb, 20h

**REAR HUB** RADIO "ROOKIE" cassette hub, lb, 9T, 20h

FRONT RIM
REAR RIM
REAT RIM
RADIO "ROOKIE" rim, single wall
RADIO "CENTURY" railed seat
SEAT RADIO "AM" alloy seat post


**SEAT CLAMP** alloy seat clamp


TIRES RADIO "ROOKIE" tires, 14" x 2.0" front & rear

PEGS

**WEIGHT** 9.48kg / 20.8lbs

COLOR black metallic cyan





A - TOP TUBE LENGTH	14.5"	<b>BAR GEOMETRY</b>	
B - CHAIN STAY LENGTH	10.6"		
C - HEAD TUBE ANGLE	72°	G - RISE	6.5"
D - SEAT TUBE ANGLE	73°	H - WIDTH	22.4"
E - BB HEIGHT	8.75"	I - BACKSWEEP	10°
F - STANDOVER HEIGHT	5.5"	J - UPSWEEP	3°











### **REVO**-16 INCH

FRAME full 1020 hi-ten

FORK RADIO "ROOKIE" hi-ten fork

BARS hi-ten bar

GRIPS RADIO "JUNIOR" grips

STEM RADIO "JUNIOR" top load stem, 40mm reach

**HEADSET** FSA "A-HEADSET" loose ball

GYRO -

**LEVER** RADIO "JUNIOR" alloy brake lever, front & rear

BRAKES RADIO "AM" alloy caliper brake front/RADIO "AM-U" alloy u-brake rear

CRANKS RADIO "ROOKIE" OPC forged crank crmo 140mm

**BB** USA size, loose ball

PEDALS RADIO "ROOKIE" nylon pedals

CHAIN KMC "S1" chain

**SPROCKET** RADIO "ROOKIE" steel 25T sprocket

**DRIVER** 9T cassette driver

FRONT HUB RADIO "ROOKIE" steel hub, lb, 28h

REAR HUB RADIO "ROOKIE" cassette hub, lb, 9T, 28h

FRONT RIM
REAR RIM
REAT RADIO "ROOKIE" rim, single wall
REAT RADIO "CENTURY" railed seat
SEAT POST
RADIO "AM" alloy seat post


SEAT CLAMP alloy seat clamp


TIRES RADIO "ROOKIE" tires, 16" x 2.25" front & rear

PEGS -

**WEIGHT** 10.42kg / 22.9lbs

COLOR black lime





A - TOP TUBE LENGTH	15.75"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	10.8"		
C - HEAD TUBE ANGLE	75°	G - RISE	6.8"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	23.6"
E - BB HEIGHT	9.75"	I - BACKSWEEP	10°
F - STANDOVER HEIGHT	6.6"	J - UPSWEEP	3°

# **REVO**-18 INCH







### **REVO**-18 INCH

**STO** 

FRAME full 1020 hi-ten

FORK RADIO "ROOKIE" hi-ten fork

BARS hi-ten bar

**GRIPS** RADIO "AM" grips

STEM RADIO "JUNIOR" top load stem, 40mm reach

**HEADSET** FSA "A-HEADSET" loose ball

GYRO -

**LEVER** RADIO "JUNIOR" alloy brake lever, front & rear

BRAKES RADIO "AM" alloy caliper brake front/RADIO "AM-U" alloy u-brake rear

CRANKS RADIO "ROOKIE" OPC forged crank crmo 152mm

**BB** USA size, loose ball

PEDALS RADIO "ROOKIE" nylon pedals

CHAIN KMC "S1" chain

**SPROCKET** RADIO "ROOKIE" steel 25T sprocket

**DRIVER** 9T cassette driver

FRONT HUB RADIO "ROOKIE" steel hub, lb, 28h

**REAR HUB** RADIO "ROOKIE" cassette hub, lb, 9T, 28h

FRONT RIM RADIO "ROOKIE" rim, single wall
REAR RIM RADIO "ROOKIE" rim, single wall

SEAT RADIO "CENTURY" mid padded combo seat

SEAT POST


**SEAT CLAMP** alloy seat clamp


TIRES RADIO "ROOKIE" tires, 18" x 2.25" front & rear

PEGS

**WEIGHT** 11.21kg / 24.7lbs

COLOR black red





A - TOP TUBE LENGTH	17.55"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	12.55"		
C - HEAD TUBE ANGLE	75°	G - RISE	7.9"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	26.5"
E - BB HEIGHT	10.75"	I - BACKSWEEP	10°
F - STANDOVER HEIGHT	7.3"	J - UPSWEEP	3°





# **REVO-20** INCH







#### **REVO-20** INCH

FRAME full 1020 hi-ten

FORK RADIO "ROOKIE" hi-ten fork

BARS hi-ten bar

**GRIPS** RADIO "AM" grips

STEM RADIO "AM" top load stem, 50mm reach

**HEADSET** FSA "A-HEADSET" loose ball

GYRO -

**LEVER** RADIO "AM" alloy brake lever, front & rear

BRAKES RADIO "AM" alloy caliper brake front/RADIO "AM-U" alloy u-brake rear

CRANKS RADIO "ROOKIE" OPC forged crank crmo 170mm

**BB** USA size, loose ball

PEDALS RADIO "ROOKIE" nylon pedals

CHAIN KMC "S1" chain

**SPROCKET** RADIO "ROOKIE" steel 25T sprocket

**DRIVER** 9T cassette driver

FRONT HUB RADIO "ROOKIE" steel hub, lb, 36h

REAR HUB RADIO "ROOKIE" cassette hub, lb, 9T, 36h

FRONT RIM RADIO "ROOKIE" rim, single wall
REAR RIM RADIO "ROOKIE" rim, single wall

SEAT RADIO "CENTURY" mid padded combo seat

SEAT POST -


SEAT CLAMP alloy seat clamp


TIRES RADIO "ROOKIE" tires, 20" x 2.25" front & rear

PEGS

**WEIGHT** 12.35kgs / 27.2lbs

COLOR black orange





A - TOP TUBE LENGTH	20"	<b>BAR GEOMETRY</b>	
B - CHAIN STAY LENGTH	13.2"		
C - HEAD TUBE ANGLE	75°	G - RISE	8.6"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	28.75"
E - BB HEIGHT	11.75"	I - BACKSWEEP	11°
F - STANDOVER HEIGHT	7.9"	J - UPSWEEP	2°

# REVO PRO-20 INCH







#### REVO PRO-20 INCH

FRAME full 1020 hi-ten

FORK RADIO "ROOKIE" hi-ten fork

BARS hi-ten bar

GRIPS RADIO "AM" grips

STEM RADIO "AM" top load stem, 50mm reach

**HEADSET** FSA "A-HEADSET" loose ball

GYRO -

**LEVER** RADIO "AM" alloy brake lever, front & rear

BRAKES RADIO "AM" alloy caliper brake front/RADIO "AM-U" alloy u-brake rear

CRANKS RADIO "AM" 3PC forged crank crmo 165mm

**BB** USA size, loose ball

PEDALS RADIO "ROOKIE" nylon pedals

CHAIN KMC "S1" chain

**SPROCKET** RADIO "ROOKIE" steel 25T sprocket

**DRIVER** 9T cassette driver

FRONT HUB RADIO "ROOKIE" steel hub, lb, 36h

REAR HUB RADIO "ROOKIE" cassette hub, lb, 9T, 36h

FRONT RIM RADIO "ROOKIE" rim, single wall
REAR RIM RADIO "ROOKIE" rim, single wall

SEAT RADIO "CENTURY" mid padded combo seat

SEAT POST


**SEAT CLAMP** alloy seat clamp


TIRES RADIO "ROOKIE" tires, 20" x 2.25" front & rear

PEGS -

**WEIGHT** 12.63kgs / 27.8lbs

COLOR black orange





A - TOP TUBE LENGTH	20"	<b>BAR GEOMETRY</b>	
B - CHAIN STAY LENGTH	13.2"		
C - HEAD TUBE ANGLE	75°	G - RISE	8.6"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	28.75"
E - BB HEIGHT	11.75"	I - BACKSWEEP	11°
F - STANDOVER HEIGHT	7.9"	J - UPSWEEP	2°

## RBC.





RADIO BIKE CO

## DICE-16 INCH



PLEASE NOTE: Full 6061 alloy frame





**PLEASE NOTE:**Full 6061 alloy frame



### DICE-16 INCH



FRAME full 6061 alloy

FORK RADIO "ROOKIE 16" 1020 hi-ten fork, tapered legs

BARS RADIO "ROOKIE 16" bar, 1020 hi-ten

**GRIPS** RADIO "AM" grips

STEM RADIO "JUNIOR" top load stem, 40mm reach

**HEADSET** FSA "A-HEADSET" loose ball

GYRO -

**LEVER** RADIO "AM" alloy brake lever, front & rear

BRAKES RADIO "AM" alloy caliper brake front / RADIO "AM-U" alloy u-brake rear

CRANKS RADIO "ROOKIE" tubular 3pc crank crmo 140mm, 8 spline

BB BSA (68), 19mm, sealed

**PEDALS** RADIO "VP225" nylon/fiberglass pedals

CHAIN KMC "S1" chain

**SPROCKET** RADIO "ROOKIE" steel 25T sprocket

**DRIVER** 10T cassette driver, lb

FRONT HUB RADIO "AM" alloy hub, lb, 3/8"s male axle, 28h

REAR HUB RADIO "AM" cassette hub, semi-sealed, 10t, 14mm axle, 28h

FRONT RIMRADIO "ROOKIE" rim, single wallREAR RIMRADIO "ROOKIE" rim, single wallSEATRADIO "ROOKIE" combo seat

SEAT POST


**SEAT CLAMP** alloy seat clamp


TIRES SALT "TRACER" tires, 2.2" front & rear

PEGS

WEIGHT tba kg / tba lbs

COLOR matt black neon green






A - TOP TUBE LENGTH	16"	<b>BAR GEOMETRY</b>	
B - CHAIN STAY LENGTH	11.1"		
C - HEAD TUBE ANGLE	75°	G - RISE	6.75"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	23.6"
E - BB HEIGHT	9.75"	I - BACKSWEEP	10°
F - STANDOVER HEIGHT	6.2"	J - UPSWEEP	3°



PLEASE NOTE:







## DICE-18 INCH







FRAME full 6061 alloy

**FORK** RADIO "ROOKIE 18" 1020 hi-ten fork, tapered legs

BARS RADIO "ROOKIE 18" bar, 1020 hi-ten

**GRIPS** RADIO "AM" grips

STEM RADIO "JUNIOR" top load stem, 40mm reach

**HEADSET** FSA "A-HEADSET" loose ball

GYRO

**LEVER** RADIO "AM" alloy brake lever, rear **BRAKES** RADIO "AM" alloy u-brake rear

CRANKS RADIO "ROOKIE" tubular 3pc crank crmo 152mm, 8 spline

ВВ BSA (68), 19mm, sealed

**PEDALS** RADIO "VP536" nylon/fiberglass pedals

CHAIN KMC "S1" chain

SPROCKET RADIO "ROOKIE" steel 25T sprocket

DRIVER 10T cassette driver, lb

**FRONT HUB** RADIO "AM" alloy hub, lb, 3/8"s male axle, 36h

**REAR HUB** RADIO "AM" cassette hub, semi-sealed, 10t, 14mm axle, 36h

**FRONT RIM** RADIO "ROOKIE" rim, single wall **REAR RIM** RADIO "ROOKIE" rim, single wall

SEAT RADIO "CENTURY" slim padded combo seat

**SEAT POST** 


SEAT CLAMP alloy seat clamp


TIRES SALT "TRACER" tires, 2.2" front & rear

PEGS

WEIGHT tba kg / tba lbs

COLOR matt black neon green





A - TOP TUBE LENGTH	18"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	12.2"		
C - HEAD TUBE ANGLE	75°	G - RISE	7.9"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	26.5"
E - BB HEIGHT	10.75"	I - BACKSWEEP	10°
F - STANDOVER HEIGHT	6.8"	J - UPSWEEP	3°

# DICE-20 INCH





## DICE-20 INCH



FRAME full 1020 hi-ten

FORK RADIO "ROOKIE 20" 1020 hi-ten fork, tapered legs

BARS RADIO "ROOKIE 20" bar, 1020 hi-ten

**GRIPS** RADIO "AM" grips

STEM RADIO "AM" top load stem, 50mm reach

**HEADSET** FSA "A-HEADSET" loose ball

GYRO -

LEVER RADIO "AM" alloy brake lever, rear

BRAKES RADIO "AM" alloy u-brake rear

CRANKS RADIO "ROOKIE" tubular 3pc crank crmo 165mm, 8 spline

BB mid size, press fit, sealed bearing
PEDALS RADIO "VP536" nylon/fiberglass pedals

CHAIN KMC "S1" chain

**SPROCKET** RADIO "AM" steel 25T sprocket

**DRIVER** 9T cassette driver, lb

FRONT HUB RADIO "ROOKIE" steel hub, lb 3/8"s, 36h

**REAR HUB** RADIO "AM" cassette hub, semi-sealed, 9t, 14mm axle, 36h

FRONT RIM RADIO "ROOKIE" rim, single wall
REAR RIM RADIO "ROOKIE" rim, single wall

SEAT RADIO "CENTURY" slim padded combo seat

SEAT POST -


**SEAT CLAMP** alloy seat clamp


TIRES SALT "TRACER" tires, 2.35" front & rear

PEGS -

WEIGHT tba kg / tba lbs

COLOR matt black neon green





A - TOP TUBE LENGTH	20"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	13.2"		
C - HEAD TUBE ANGLE	75°	G - RISE	8.8"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	28.9"
E - BB HEIGHT	11.75"	I - BACKSWEEP	11°
F - STANDOVER HEIGHT	7.9"	J - UPSWEEP	2°





## DICE FS-20 INCH







#### DICE FS-20 INCH

FRAME full 1020 hi-ten

FORK RADIO "ROOKIE 20" 1020 hi-ten fork, tapered legs

BARS RADIO "ROOKIE 20" bar, 1020 hi-ten

GRIPS RADIO "AM" grips

STEM RADIO "AM" front load stem, 48mm reach

**HEADSET** FSA "A-HEADSET" loose ball

GYRO SALT "AM" rotor with SALT "AM" rotor cables

LEVER RADIO "AM" alloy brake lever, front & rear

BRAKES RADIO "AM" alloy u-brake rear

CRANKS RADIO "ROOKIE" tubular 3pc crank crmo 165mm, 8 spline

BB mid size, press fit, sealed bearing
PEDALS RADIO "VP536" nylon/fiberglass pedals

CHAIN KMC "S1" chain

**SPROCKET** RADIO "AM" steel 25T sprocket

**DRIVER** 9T cassette driver, lb

FRONT HUB RADIO "ROOKIE" steel hub, lb 3/8"s, 36h

**REAR HUB** RADIO "AM" cassette hub, semi-sealed, 9t, 14mm axle, 36h

FRONT RIM RADIO "ROOKIE" rim, single wall REAR RIM RADIO "ROOKIE" rim, single wall

SEAT RADIO "CENTURY" slim padded combo seat

SEAT POST -


SEAT CLAMP alloy seat clamp


TIRES SALT "TRACER" tires, 2.35" front & rear

PEGS -

WEIGHT tba kg / tba lbs

COLOR matt black neon green





A - TOP TUBE LENGTH	20"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	13.2"		
C - HEAD TUBE ANGLE	75°	G - RISE	8.8"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	28.9"
E - BB HEIGHT	11.75"	I - BACKSWEEP	11°
F - STANDOVER HEIGHT	7.9"	J - UPSWEEP	2°

## EVOL-20 INCH







#### EVOL-20 INCH



FRAME crmo top tube, 1020 hi-ten

FORK RADIO "AM" 1020 hi-ten fork, crmo steerer, tapered legs

BARS RADIO "AM 20" bar, 1020 hi-ten
GRIPS SALT "EX" grips, flangless

STEM RADIO "AM" top load stem, 50mm reach
HEADSET SALT "PRO" int. headset, sealed bearing

GYRO holes for removable gyro tabs

LEVER RADIO "AM" alloy brake lever, rear

BRAKES RADIO "AM" alloy u-brake rear

CRANKS RADIO "ROOKIE" tubular 3pc crank crmo 165mm, 8 spline

BB mid size, press fit, sealed bearing
PEDALS RADIO "PRO" nylon/fiberglass pedals

CHAIN SALT "AM" chain, Z1 type

**SPROCKET** RADIO "VISION" steel 25T sprocket

**DRIVER** 9T cassette driver, lb

FRONT HUB RADIO "ROOKIE" steel hub, lb 3/8"s, 36h

**REAR HUB** RADIO "AM" cassette hub, semi-sealed, 9t, 14mm axle, 36h

FRONT RIM RADIO "ROOKIE" rim, single wall REAR RIM RADIO "ROOKIE" rim, single wall

SEAT RADIO "CENTURY" slim padded combo seat

SEAT POST -


**SEAT CLAMP** RADIO "SLIM" alloy seat clamp


TIRES RADIO "ROOKIE" tires, 2.3" front & rear

PEGS -

WEIGHT tba kg / tba lbs

COLOR matt black matt hot pink





A - TOP TUBE LENGTH	20.3"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	13.2"		
C - HEAD TUBE ANGLE	75°	G - RISE	8.8"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	28.9"
E - BB HEIGHT	11.75"	I - BACKSWEEP	11°
F - STANDOVER HEIGHT	8.25"	J - UPSWEEP	2°





# **SAIKO**-18 INCH





FRAME crmo down tube, 1020 hi-ten

FORK RADIO "SAIKO 18" 1020 hi-ten fork, crmo steerer, tapered legs

BARS RADIO "AM 18" bar, 1020 hi-ten

**GRIPS** RADIO "AM" grips

STEM SALT "JUNIOR" top load stem, 40mm reach **HEADSET** SALT "PRO" int. headset, sealed bearing

GYRO holes for removable gyro tabs **LEVER** RADIO "AM" alloy brake lever, rear **BRAKES** RADIO "AM" alloy u-brake rear

CRANKS RADIO "AM" tubular 3pc crank crmo 152mm, 8 spline

ВВ mid size, press fit, sealed bearing **PEDALS** RADIO "PRO" nylon/fiberglass pedals

**CHAIN** SALT "AM" chain, Z1 type

SPROCKET RADIO "VISION" steel 25T sprocket

DRIVER 9T cassette driver, lb

**FRONT HUB** RADIO "AM" alloy hub, lb, 3/8"s male axle, 36h

**REAR HUB** RADIO "AM" cassette hub, semi-sealed, 9t, 14mm axle, 36h

**FRONT RIM** RADIO "AM" rim, single wall **REAR RIM** RADIO "AM" rim, single wall

SEAT RADIO "CENTURY" slim padded combo seat

SEAT POST


SEAT CLAMP RADIO "SLIM" alloy seat clamp


TIRES SALT "TRACER" tires, 2.2" front & rear

PEGS

WEIGHT tba kg / tba lbs

COLOR black metallic cyan





A - TOP TUBE LENGTH	18"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	12.2"		
C - HEAD TUBE ANGLE	75°	G - RISE	7.9"
D - SEAT TUBE ANGLE	70.5°	H - WIDTH	26.5"
E - BB HEIGHT	10.75"	I - BACKSWEEP	10°
F - STANDOVER HEIGHT	7.5"	J - UPSWEEP	3°

# SAIKO-20 INCH







## SAIKO-20 INCH

SALT CO

FRAME crmo top tube & down tube, 1020 hi-ten

FORK RADIO "SAIKO 20" 1020 hi-ten fork, crmo steerer, tapered legs

BARS RADIO "SAIKO" bar, 1020 hi-ten

**GRIPS** RADIO "AM" grips

STEM SALT "PRO" top load stem, 50mm reach
HEADSET SALT "PRO" int. headset, sealed bearing

GYRO holes for removable gyro tabs

LEVER RADIO "AM" alloy brake lever, rear

BRAKES RADIO "AM" alloy u-brake rear

CRANKS RADIO "AM" tubular 3pc crank crmo 165mm, 8 spline

BB mid size, press fit, sealed bearing
PEDALS RADIO "PRO" nylon/fiberglass pedals

CHAIN SALT "AM" chain, Z1 type

**SPROCKET** RADIO "VISION" steel 25T sprocket

**DRIVER** 9T cassette driver, lb

FRONT HUB RADIO "AM" alloy hub, lb, 3/8"s male axle, 36h

**REAR HUB** RADIO "AM" cassette hub, semi-sealed, 9t, 14mm axle, 36h

FRONT RIM RADIO "AM" rim, single wall REAR RIM RADIO "AM" rim, single wall

SEAT RADIO "CENTURY" slim padded combo seat

SEAT POST -


**SEAT CLAMP** RADIO "SLIM" alloy seat clamp


TIRES SALT "TRACER" tires, 2.35" front & rear

PEGS -

WEIGHT tba kg / tba lbs

COLOR black metallic cyan





A - TOP TUBE LENGTH	19.25"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	13.2"		
C - HEAD TUBE ANGLE	75°	G - RISE	8.2"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	28"
E - BB HEIGHT	11.75"	I - BACKSWEEP	11°
F - STANDOVER HEIGHT	8"	J - UPSWEEP	2°



# DARKO-20 INCH











### **DARKO**-20

FRAME crmo top tube & down tube, 1020 hi-ten, removable brake mounts & guides

FORK RADIO "AM" 1020 hi-ten fork, crmo steerer, tapered legs

BARS RADIO "DARKO" bar, 1020 hi-ten

**GRIPS** RADIO "AM XL" grips

SALT "PRO" top load stem, 50mm reach STEM **HEADSET** SALT "PRO" int. headset, sealed bearing

GYRO holes for removable gyro tabs **LEVER** RADIO "AM" alloy brake lever, rear **BRAKES** RADIO "AM" alloy u-brake rear

CRANKS RADIO "AM" tubular 3pc crank crmo 170mm, 8 spline

ВВ mid size, press fit, sealed bearing **PEDALS** RADIO "PRO" nylon/fiberglass pedals

**CHAIN** SALT "AM" chain, Z1 type

SPROCKET RADIO "VISION" steel 25T sprocket DRIVER 9T cassette driver, sealed bearing

**FRONT HUB** RADIO "AM" alloy hub, lb, 3/8"s male axle, 36h

**REAR HUB** SALT "AM" cassette hub, fully-sealed, 9t, 14mm axle, 36h

**FRONT RIM** SALT "FRACTION" rim, single wall **REAR RIM** SALT "FRACTION" rim, single wall

SEAT RADIO "CENTURY" fat padded combo seat

SEAT POST


SEAT CLAMP integrated "SLIM" seat clamp


TIRES SALTPLUS "BURN" tires, 2.35" front & rear

**PEGS** 

WEIGHT tba kg / tba lbs

COLOR matt black gold





A - TOP TUBE LENGTH	20.5" / 21"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	13.2"		
C - HEAD TUBE ANGLE	75°	G - RISE	9"
D - SEAT TUBE ANGLE	71°	H - WIDTH	29.5"
E - BB HEIGHT	11.7"	I - BACKSWEEP	12°
F - STANDOVER HEIGHT	8.6" / 8.9"	J - UPSWEEP	2°

# VALAC-20 INCH





**RADIO BIKE CO.**-MY 2020













FRAME chainstays crmo, top tube & down tube, 1020 hi-ten, removable brake mounts & guides

FORK RADIO "PRO" full crmo fork, crmo steerer, 26mm offset

BARS RADIO "PRO" full crmo bar **GRIPS** RADIO "AM XL" grips

STEM SALT "ZION" top load stem, 50mm reach **HEADSET** SALT "PRO" int. headset, sealed bearing

**GYRO** holes for removable gyro tabs **LEVER** RADIO "AM" alloy brake lever, rear **BRAKES** SALTPLUS "GEO XL" alloy u-brake rear

CRANKS RADIO "AM" tubular 3pc crank crmo 170mm, 8 spline

ВВ mid size, press fit, sealed bearing **PEDALS** RADIO "PRO" nylon/fiberglass pedals

**CHAIN** SALT "AM" chain, Z1 type

SPROCKET RADIO "VISION" steel 25T sprocket DRIVER 9T cassette driver, sealed bearing

**FRONT HUB** SALT "EX" alloy hub, sb, male axle 3/8"s, 36h

**REAR HUB** SALT "EX" alloy cassette hub, sb, 9t, 14mm axle, 36h

**FRONT RIM** SALTPLUS "BRACE" rim, double wall **REAR RIM** SALTPLUS "BRACE" rim, double wall SEAT RADIO "CENTURY" fat padded combo seat

SEAT POST


SEAT CLAMP integrated "SLIM" seat clamp


TIRES SALTPLUS "BURN" tires, 2.35" front & rear

**PEGS** 

WEIGHT tba kg / tba lbs

COLOR matt mint/purple fade





A - TOP TUBE LENGTH	20.75"	<b>BAR GEOMETRY</b>	
B - CHAIN STAY LENGTH	13.2"		
C - HEAD TUBE ANGLE	76°	G - RISE	9"
D - SEAT TUBE ANGLE	71°	H - WIDTH	29.5
E - BB HEIGHT	11.8"	I - BACKSWEEP	12°
F - STANDOVER HEIGHT	9"	J - UPSWEEP	2°

# ASTRON-20 INCH















FRAME full crmo, removable brake mounts & guides

FORK RADIO "PRO" full crmo fork, crmo steerer, 26mm offset

BARS RADIO "PRO" full crmo bar **GRIPS** SALT "EX" grips, flangeless

STEM SALT "COMP" top load stem, 50mm reach **HEADSET** SALT "PRO" int. headset, sealed bearing **GYRO** SALT "AM" rotor with SALT "AM" rotor cables

**LEVER** SALT "MOTO" alloy brake lever, rear **BRAKES** SALTPLUS "GEO XL" alloy u-brake rear

CRANKS RADIO "AM" tubular 3pc crank crmo 170mm, 8 spline

ВВ mid size, press fit, sealed bearing **PEDALS** RADIO "SLIM" nylon/fiberglass pedals

**CHAIN** SALT "AM" chain, Z1 type

SPROCKET RADIO "VISION" steel 25T sprocket DRIVER 9T cassette driver, sealed bearing

FRONT HUB RADIO "PRO" alloy hub, sb, 3/8"s female axle, 36h

**REAR HUB** RADIO "PRO" alloy cassette hub, sb, 9t, 14mm hollow axle, 36h

**FRONT RIM** SALTPLUS "BRACE" rim, double wall **REAR RIM** SALTPLUS "BRACE" rim, double wall

SEAT RADIO "CENTURY" slim padded combo seat

SEAT POST


SEAT CLAMP integrated "SLIM" seat clamp


TIRES SALTPLUS "BURN" tires, 2.30" front & rear

**PEGS** 

WEIGHT tba kg / tba lbs

COLOR metallic teal





A - TOP TUBE LENGTH	20.6"	<b>BAR GEOMETRY</b>	
B - CHAIN STAY LENGTH	13.2"		
C - HEAD TUBE ANGLE	76°	G - RISE	9"
D - SEAT TUBE ANGLE	71°	H - WIDTH	29.5"
E - BB HEIGHT	11.6"	I - BACKSWEEP	12°
F - STANDOVER HEIGHT	9"	J - UPSWEEP	2°

# COMRAD-20 INCH





**RADIO BIKE CO.**-MY 2020















FRAME full crmo, removable brake mounts & guides

FORK RADIO "PRO" full crmo fork, crmo steerer, 26mm offset

BARS SALTPLUS "HQ" full crmo 4pc bar

**GRIPS** RADIO "FREQUENCY XL" grips, flangeless STEM RADIO "AXIS" top load stem, 50mm reach **HEADSET** SALT "PRO" int. headset, sealed bearing

**GYRO** holes for removable gyro tabs **LEVER** SALT "MOTO" alloy brake lever, rear **BRAKES** ÉCLAT "TALON" alloy u-brake rear

**CRANKS** RADIO "PRO" tubular 3pc crank crmo 170mm, 8 spline

ВВ mid size, press fit, sealed bearing **PEDALS** RADIO "PRO" nylon/fiberglass pedals **CHAIN** SALTPLUS "WARLOCK" halflink chain

SPROCKET RADIO "47" Leon Hoppe signature sprocket guard, 25T, 6061-T6

DRIVER 9T freecoaster driver, sealed bearing, RSD

FRONT HUB SALT "EX" alloy hub, sb, 3/8" female axle, 36h, w/x2 SALTPLUS "PRO" nylon hubquards **REAR HUB** SALTPLUS "VERTEX" alloy freecoaster hub, sb, 9t, 14mm hollow axle, 36h, w/x2 SALTPLUS

"PRO" nylon hubguards

FRONT RIM SALTPLUS "BRACE" rim, double wall **REAR RIM** SALTPLUS "BRACE" rim, double wall SEAT RADIO "CENTURY" fat padded combo seat

SEAT POST


SEAT CLAMP integrated "SLIM" seat clamp


**TIRES** SALTPLUS "BURN" tires, 2.35" front & rear

PEGS

WEIGHT tba kg / tba lbs

COLOR matt black





A - TOP TUBE LENGTH	21"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	13.2"		
C - HEAD TUBE ANGLE	75.5°	G - RISE	9"
D - SEAT TUBE ANGLE	71°	H - WIDTH	29.1"
E - BB HEIGHT	11.7"	I - BACKSWEEP	11°
F - STANDOVER HEIGHT	9.25"	J - UPSWEEP	3°














BARS RADIO "ASURA" bar, 6061-T6 alloy, 31.8mm **GRIPS** RADIO "FREQUENCY XL" grips, flangeless STEM RADIO "DJ" front load stem, alloy, 40mm reach **HEADSET** FSA "N0.57E" int. a-headset, 1-1/8"-1.5"

**GYRO** 

**LEVER** TEKTRO "RS-360A", front & rear

**BRAKES** TEKTRO "ARIES" mechanical disc brake, 160mm rotor, front & rear

CRANKS RADIO "PRO" forged alloy 2pc crank 170mm, 24mm spindle

ВВ RADIO "BSA24" sealed bearing

**PEDALS** RADIO "SLIM" nylon/fiberglass pedals

**CHAIN** KMC "X8" chain

SPROCKET RADIO "AM" steel sprocket 32T DRIVER SUN RACE 12-32T, 8 speed

**FRONT HUB** RADIO "AM-DJ" disc hub, alloy, sealed, QR, 32h

**REAR HUB** RADIO "AM-DJ" disc cassette hub, alloy, sealed, QR, 32h

**FRONT RIM** RADIO "DB30" rim, double wall **REAR RIM** RADIO "DB30" rim, double wall

SEAT RADIO "DJ" medium padded combo seat

SEAT POST


SEAT CLAMP RADIO "QUICK RELEASE" alloy seat clamp TIRES RADIO "ROOKIE" tires, 2.2" front & rear


**PEGS** 

WEIGHT tba kg / tba lbs

COLOR metallic red







A - TOP TUBE LENGTH	22.3"	<b>BAR GEOMETRY</b>	
B - CHAIN STAY LENGTH	15.8"		
C - HEAD TUBE ANGLE	70°	G - RISE	50mm
D - SEAT TUBE ANGLE	75°	H - WIDTH	740mm
E - BB HEIGHT	25mm drop	I - BACKSWEEP	8°
F - STANDOVER HEIGHT	11"	J - UPSWEEP	3°



















FRAME 6061-T6 alloy, tapered head tube, forged yoke **FORK** MANITOU "CIRCUS SPORT" 100mm travel BARS RADIO "GRIFFIN" bar, 6061-T6 alloy, 35mm **GRIPS** RADIO "FREQUENCY XL" grips, flangeless

STEM RACE FACE "CHESTER 35" front load stem, alloy, 40mm reach **HEADSET** FSA "NO.42/ACB-A" integrated a-headset, 1-1/8"-1.5"

**GYRO** 

LEVER TEKTRO "RS-360A" front, SRAM "DB-LVL-A1" rear

**BRAKES** TEKTRO "ARIES" mechanical disc brake front, SRAM "DB-LVL-A1" hydraulic disc brake rear,

160mm rotor

**CRANKS** SALTPLUS "ULTRA" square profile 3pc "TSS" crank crmo 170mm, 8 spline

BB RADIO "BSA19" sealed bearing

**PEDALS** RADIO "SLIM" nylon/fiberglass pedals

CHAIN SALT "AM" chain, Z1 type

SALT "GATEWAY" alloy 25T sprocket **SPROCKET** DRIVER 10T cassette driver, sealed bearing

**FRONT HUB** RADIO "PRO-DJ" disc hub, sealed, 15mm alloy through axle, 32h

**REAR HUB** RADIO "PRO-DJ" disc hub, sealed, 3/8"s crmo axle, 32h

FRONT RIM RADIO "DB32" rim, double wall **REAR RIM** RADIO "DB32" rim, double wall

SEAT RADIO "DJ" medium padded combo seat


SEAT POST


SEAT CLAMP RADIO "SLIM" alloy seat clamp **TIRES** MAXXIS "DTH" tires, 2.3" front & rear

PEGS

WEIGHT tba kg / tba lbs

COLOR metallic blue





A - TOP TUBE LENGTH	22.6"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	15"		
C - HEAD TUBE ANGLE	69°	G - RISE	50mm
D - SEAT TUBE ANGLE	72°	H - WIDTH	760mm
E - BB HEIGHT	20mm drop	I - BACKSWEEP	8°
F - STANDOVER HEIGHT	11"	J - UPSWEEP	3°















### **GRIFFIN PRO**-26 ™

FRAME 6061-T6 hydroformed & butted alloy, tapered head tube, forged yoke

FORK MANITOU "CIRCUS EXPERT" 100mm travel

BARS RADIO "GRIFFIN" bar, 6061-T6 alloy, 35mm

GRIPS RADIO "FREQUENCY XL" grips, flangeless

STEM RACE FACE "CHESTER 35" front load stem, alloy, 40mm reach

HEADSET FSA "NO.42/ACB-A" integrated a-headset, 1-1/8"-1.5"

GYRO -

LEVER TEKTRO "RS-360A" front, SRAM "DB-LVL-A1" rear

BRAKES TEKTRO "ARIES" mechanical disc brake front, SRAM "DB-LVL-A1" hydraulic disc brake rear,

160mm rotor

CRANKS RACE FACE "AEFFECT" crank alloy, 170mm

BB RACE FACE "AEFFECT" BSA, sealed bearing

PEDALS RADIO "SLIM" nylon/fiberglass pedals

CHAIN SALT "AM" chain, Z1 type

SPROCKET RACE FACE "AEFFECT" alloy 28T sprocket

DRIVER 10T cassette driver, sealed bearing

FRONT HUB RADIO "PRO-DJ" disc hub, sealed, 15mm alloy through axle, 32h

**REAR HUB** RADIO "PRO-DJ" disc hub, sealed, 3/8"s crmo axle, 32h

FRONT RIM

RADIO "DB-T25" rim, double wall, sleeved

REAR RIM

RADIO "DB-T25" rim, double wall, sleeved

SEAT

RADIO "DJ" medium padded combo seat

SEAT POST -


SEAT CLAMP RADIO "SLIM" alloy seat clamp


TIRES MAXXIS "DTH" tires, 2.3" front & rear

PEGS -

WEIGHT tba kg / tba lbs

COLOR black





A - TOP TUBE LENGTH	22.8"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	15"		
C - HEAD TUBE ANGLE	70°	G - RISE	50mm
D - SEAT TUBE ANGLE	70°	H - WIDTH	760mm
E - BB HEIGHT	14mm drop	I - BACKSWEEP	8°
F - STANDOVER HEIGHT	10.2"	J - UPSWEEP	3°













## SIREN-26 INCH

FRAME 6061-T6 hydroformed & butted alloy, tapered head tube, 100mm travel

**FORK** ROCK SHOX "PIKE DJ" 100mm travel/REAR SHOCK: ROCK SHOX "RS-MONARCH R" 190x51

BARS RADIO "GRIFFIN" bar, 6061-T6 alloy, 35mm **GRIPS** RADIO "FREQUENCY XL" grips, flangeless

STEM RACE FACE "CHESTER 35" front load stem, alloy, 40mm reach **HEADSET** FSA "NO.42/ACB-A" integrated a-headset, 1-1/8"-1.5"

**GYRO** 

**LEVER** TEKTRO "RS-360A" front, SRAM "DB-LVL-A1" rear

**BRAKES** TEKTRO "ARIES" mechanical disc brake front, SRAM "DB-LVL-A1" hydraulic disc brake rear,

160mm rotor

**CRANKS** RACE FACE "AEFFECT" crank alloy, 170mm BB RACE FACE "AEFFECT" BSA, sealed bearing **PEDALS** RADIO "SLIM" nylon/fiberglass pedals

CHAIN SALT "AM" chain, Z1 type

**SPROCKET** RACE FACE "AEFFECT" alloy 28T sprocket DRIVER 10T cassette driver, sealed bearing

**FRONT HUB** RADIO "PRO-DJ" disc hub, sealed, 15mm alloy through axle, 32h

**REAR HUB** RADIO "PRO-DJ" disc hub, sealed, 3/8"s crmo axle, 32h


FRONT RIM RADIO "DB-T25" rim, double wall, sleeved **REAR RIM** RADIO "DB-T25" rim, double wall, sleeved


SEAT RADIO "PIVOTAL" fat padded seat SEAT POST RADIO "PIVOTAL" seat post, alloy SEAT CLAMP RADIO "SLIM" alloy seat clamp **TIRES** MAXXIS "DTH" tires, 2.3" front & rear

**PEGS** 

WEIGHT tba kg / tba lbs

COLOR matt black





A - TOP TUBE LENGTH	* 22.8"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	16"		
C - HEAD TUBE ANGLE	70°	G - RISE	50mm
D - SEAT TUBE ANGLE	75°	H - WIDTH	760mm
E - BB HEIGHT	3mm rise	I - BACKSWEEP	8°
F - SEAT TUBE LENGTH	305mm	J - UPSWEEP	3°

<sup>\*</sup> effective length

RADIO BIKE CO



**RADIO BIKE CO.**-MY 2020











FRAME crmo top tube & down tube, 1020 hi-ten

FORK RST "DIRT RA" 100mm travel

BARS RADIO "ASURA" bar, 6061-T6 alloy, 31.8mm **GRIPS** RADIO "FREQUENCY XL" grips, flangeless

STEM RADIO "ASURA" front load stem, alloy, 40mm reach

**HEADSET** FSA "NO.28" a-headset

**GYRO** 

**LEVER** TEKTRO "RS-360A", front & rear

**BRAKES** TEKTRO "ARIES" mechanical disc brake, 160mm rotor, front & rear

CRANKS RADIO "PRO" tubular 3pc crank crmo 170mm, 8 spline

ВВ mid size, press fit, sealed bearing **PEDALS** RADIO "SLIM" nylon/fiberglass pedals

**CHAIN** SALT "AM" chain, Z1 type

SPROCKET RADIO "ROOKIE" steel 30T sprocket

DRIVER ATA 10T crmo freewheel

**FRONT HUB** RADIO "ROOKIE-DJ" disc hub, alloy, loose ball, 3/8"s crmo axle, 32h **REAR HUB** RADIO "ROOKIE-DJ" disc hub, alloy, sealed, 3/8"s crmo axle, 32h

**FRONT RIM** RADIO "DB32" rim, double wall **REAR RIM** RADIO "DB32" rim, double wall

SEAT RADIO "DJ" medium padded combo seat

SEAT POST

SEAT CLAMP RADIO "SLIM" alloy seat clamp


TIRES KENDA "SMALL BLOCK EIGHT" tires, 2.1" front, 1.95" rear


**PEGS** 

WEIGHT tba kg / tba lbs

COLOR metallic purple

## ASURA-26 INCH





A - TOP TUBE LENGTH	22.7"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	15.5"		
C - HEAD TUBE ANGLE	70°	G - RISE	50mm
D - SEAT TUBE ANGLE	72.5°	H - WIDTH	740mm
E - BB HEIGHT	4mm drop	I - BACKSWEEP	8°
F - STANDOVER HEIGHT	10.5"	J - UPSWEEP	3°

# ASURA PRO-26 INCH





8













## ASURA PRO-26 INCH

FRAME full 4130 crmo

**FORK** MANITOU "CIRCUS SPORT" 100mm travel BARS RADIO "ASURA" bar, 6061-T6 alloy, 31.8mm **GRIPS** RADIO "FREQUENCY XL" grips, flangeless

STEM RADIO "ASURA" front load stem, alloy, 40mm reach

**HEADSET** SALT "PRO" int. headset, sealed bearing

**GYRO** 

**LEVER** TEKTRO "RS-360A" front, SRAM "DB-LVL-A1" rear

**BRAKES** TEKTRO "ARIES" mechanical disc brake front, SRAM "DB-LVL-A1" hydraulic disc brake rear,

160mm rotor

**CRANKS** RADIO "PRO" tubular 3pc crank crmo 170mm, 8 spline

BB mid size, press fit, sealed bearing **PEDALS** RADIO "SLIM" nylon/fiberglass pedals

CHAIN SALT "AM" chain, Z1 type

RADIO "VISION" alloy 25T sprocket **SPROCKET** DRIVER 10T cassette driver, sealed bearing

**FRONT HUB** RADIO "PRO-DJ" disc hub, sealed, 3/8"s crmo axle, 32h **REAR HUB** RADIO "PRO-DJ" disc hub, sealed, 3/8"s crmo axle, 32h

FRONT RIM RADIO "DB32" rim, double wall **REAR RIM** RADIO "DB32" rim, double wall

SEAT RADIO "DJ" medium padded combo seat

SEAT POST


SEAT CLAMP RADIO "SLIM" alloy seat clamp


**TIRES** KENDA "SMALL BLOCK EIGHT" tires, 2.1" front, 1.95" rear

**PEGS** 

WEIGHT tba kg / tba lbs

COLOR





A - TOP TUBE LENGTH	22.7"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	15"		
C - HEAD TUBE ANGLE	70°	G - RISE	50mm
D - SEAT TUBE ANGLE	72.5°	H - WIDTH	740mm
E - BB HEIGHT	4mm drop	I - BACKSWEEP	8°
F - STANDOVER HEIGHT	10.5"	J - UPSWEEP	3°

# LEGION-26 INCH













FRAME 6061-T6 alloy

FORK RADIO "LEGION26" full crmo fork, 30mm offset

BARS RADIO "LEGION" full 4130 crmo bar **GRIPS** RADIO "FREQUENCY XL" grips, flangeless STEM SALT "COMP" top load stem, 50mm reach

**HEADSET** FSA "NO.28" a-headset

**GYRO** 

**LEVER** TEKTRO "RS-360A", front & rear

**BRAKES** TEKTRO "837AL" alloy v-brake, front, TEKTRO "ARIES" mechanical disc brake, 160mm rotor rear

CRANKS RADIO "PRO" tubular 3pc crank crmo 175mm, 8 spline

ВВ RADIO "BSA19" sealed bearing

**PEDALS** RADIO "PRO" nylon/fiberglass pedals

**CHAIN** SALT "AM" chain, Z1 type

SPROCKET RADIO "LEGION" alloy 26T sprocket DRIVER 12T cassette driver, sealed bearing

**FRONT HUB** RADIO "PRO" alloy hub, sealed, 3/8"s female axle, 36h **REAR HUB** RADIO "PRO" disc hub, sealed, 12T, 3/8"s hollow axle, 36h


FRONT RIM RADIO "DB35" rim, double wall **REAR RIM** RADIO "DB35" rim, double wall SEAT RADIO "LEGION" railed seat


SEAT POST RADIO "SP228" micro-adjust seat post alloy SEAT CLAMP RADIO "QUICK RELEASE" alloy seat clamp TIRES RADIO "LEGION26" tires, 2.2" front & rear

**PEGS** 

WEIGHT tba kg / tba lbs

COLOR matt galactic purple





A - TOP TUBE LENGTH	22"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	16.7"		
C - HEAD TUBE ANGLE	71°	G - RISE	6.1"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	30"
E - BB HEIGHT	33mm drop	I - BACKSWEEP	10°
F - STANDOVER HEIGHT	12.8"	J - UPSWEEP	3°















FRAME 6061-T6 alloy

**FORK** RADIO "LEGION29" full crmo fork, 30mm offset

BARS RADIO "LEGION" full 4130 crmo bar **GRIPS** RADIO "FREQUENCY XL" grips, flangeless SALT "COMP" top load stem, 50mm reach STEM

**HEADSET** FSA "NO.28" a-headset

**GYRO** 

**LEVER** TEKTRO "RS-360A", front & rear

**BRAKES** TEKTRO "837AL" alloy v-brake, front, TEKTRO "ARIES" mechanical disc brake, 160mm rotor rear

CRANKS RADIO "PRO" tubular 3pc crank crmo 175mm, 8 spline

ВВ RADIO "BSA19" sealed bearing

**PEDALS** RADIO "PRO" nylon/fiberglass pedals

**CHAIN** SALT "AM" chain, Z1 type

SPROCKET RADIO "LEGION" alloy 28T sprocket DRIVER 12T cassette driver, sealed bearing

**FRONT HUB** RADIO "PRO" alloy hub, sealed, 3/8"s female axle, 36h **REAR HUB** RADIO "PRO" disc hub, sealed, 12T, 3/8"s hollow axle, 36h


FRONT RIM RADIO "DB35" rim, double wall **REAR RIM** RADIO "DB35" rim, double wall SEAT RADIO "LEGION" railed seat


SEAT POST RADIO "SP228" micro-adjust seat post alloy SEAT CLAMP RADIO "QUICK RELEASE" alloy seat clamp TIRES RADIO "LEGION29" tires, 2.3" front & rear

**PEGS** 

WEIGHT tba kg / tba lbs

COLOR black





A - TOP TUBE LENGTH	23.5"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	18"		
C - HEAD TUBE ANGLE	71°	G - RISE	6.1"
D - SEAT TUBE ANGLE	71°	H - WIDTH	30"
E - BB HEIGHT	65mm drop	I - BACKSWEEP	10°
F - SEAT TUBE LENGTH	430mm	J - UPSWEEP	3°



**RADIO BIKE CO.**-MY 2020











### **CEPTOR**-26

FRAME full crmo, oval & tapered chain stays

FORK RADIO "CEPTOR" full crmo fork, 24mm offset

BARS RADIO "CEPTOR" full 4130 crmo bar **GRIPS** RADIO "FREQUENCY XL" grips, flangeless STEM SALT "PRO" top load stem, 50mm reach **HEADSET** SALT "PRO" int. headset, sealed bearing

**GYRO** 

**LEVER** RADIO "AM" alloy brake lever

**BRAKES** SALTPLUS "GEO XL" alloy u-brake rear

CRANKS RADIO "PRO" tubular 3pc crank crmo 175mm, 8 spline

ВВ mid size, press fit, sealed bearing **PEDALS** RADIO "SLIM" nylon/fiberglass pedals **CHAIN** SALTPLUS "WARLOCK" halflink chain SPROCKET RADIO "PRO" 6061-T6 alloy 26T sprocket DRIVER 10T 1-piece cassette driver, sealed bearing

FRONT HUB RADIO "PRO" alloy hub, sb, 3/8"s female axle, 36h

**REAR HUB** RADIO "PRO" alloy cassette hub, sb, 10t, 14mm hollow axle, 36h

FRONT RIM RADIO "FR32" rim, double wall **REAR RIM** RADIO "FR32" rim, double wall

SEAT RADIO "CENTURY" fat padded tripod seat


SEAT POST RADIO "TRIPOD" alloy post SEAT CLAMP integrated "SLIM" seat clamp


TIRES BOMBTRACK tires, "HELIX V2" 2.3" front & rear

**PEGS** 

WEIGHT 13.58kg / 29.94lbs

COLOR matt olive patina





A - TOP TUBE LENGTH	22.7"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	15.7"		
C - HEAD TUBE ANGLE	75°	G - RISE	5.5"
D - SEAT TUBE ANGLE	71°	H - WIDTH	29"
E - BB HEIGHT	10mm drop	I - BACKSWEEP	10°
F - STANDOVER HEIGHT	11.6"	J - UPSWEEP	4°

# **DIVIDE**-700 °



**RADIO BIKE CO.**-MY 2020















FRAME down tube, seat tube crmo, 1020 hi-ten FORK RADIO "DIVIDE" full crmo fork, 30mm offset RADIO "DIVIDE" bar, 6061-T6 alloy, 31.8mm BARS **GRIPS** RADIO "FREQUENCY XL" grips, flangeless

STEM RADIO "DIVIDE" front load stem, alloy, 45mm reach

**HEADSET** SALT "PRO" int. headset, sealed bearing

**GYRO** 

**LEVER** RADIO "AM" alloy v-brake levers, front & rear

**BRAKES** TEKTRO "RX6" v-brakes, front & rear

CRANKS RADIO "AM" TSS tubular 3pc crank crmo, 8 spline

ВВ mid size, press fit, sealed bearing **PEDALS** RADIO "SLIM" nylon/fiberglass pedals **CHAIN** SALTPLUS "WARLOCK" halflink chain

SPROCKET SALTPLUS "TRIDENT" 6061-T6 alloy 26T sprocket

DRIVER 10T cassette driver, sealed bearing

FRONT HUB RADIO "PRO" alloy hub, sb, 3/8"s female axle, 36h

**REAR HUB** RADIO "PRO" alloy cassette hub, sb, 10t, 14mm hollow axle, 36h

FRONT RIM RADIO "CX26" rim, double wall **REAR RIM** RADIO "CX26" rim, double wall

SEAT RADIO "DIVIDE" slim padded, railed seat SEAT POST RADIO "620" micro-adjust seat post alloy

SEAT CLAMP RADIO "SLIM" alloy seat clamp


TIRES BOMBTRACK tires, "HELIX V2" 45c front & rear


**PEGS** 

WEIGHT 12.86kg / 28.37lbs

COLOR matt black







A - TOP TUBE LENGTH	515mm (S) 550mm (M)	BAR GEOMETRY	
	595mm (L)	G - RISE	2.2"
B - CHAIN STAY LENGTH	16"	H - WIDTH	26"
C - HEAD TUBE ANGLE	73°	I - BACKSWEEP	8°
D - SEAT TUBE ANGLE	74°	J - UPSWEEP	5°
E - BB HEIGHT	55mm drop		
F - SEAT TUBE LENGTH	480mm (S)		
	520mm (M)		
	550mm (L)		

WE MAKE THINGS GmbH Richard-Byrd-Str. 12 D-50829 Cologne / Germany Tel: +49 (0)221-500057-20

Fax: +49 (0)221-500057-29 Email: mail@radiobikes.com







COMPLETE BIKES

#### RADIO RACELINE

combines over 20

years of experience of creating BMX bikes together with input from some of the world's best racers and industry players to create a revolutionary and all-encompassing line up of bikes built to take you to the finish line, unlike anything else.

Tested on the track and designed in conjunction with a team with BMX race knowledge spanning 3 decades, RADIO RACELINE enters the market with an incredibly well thought out and powerful line of pure bred race machines.

With a full line of bikes in all sizes from MINI all the way to PRO XL, the range kicks off with the entry level COBALT line that packs an enormous amount of technology and features into what essentially will be a rider's first race bike. Even from day one, we believe in giving the rider a bike which will allow them every chance to rapidly climb the ranks and on to the podium. The series then progresses to the mid-level XENON line, where the bikes themselves have been created with incredibly stiff and responsive frames with specific incremental spec and geometry changes, giving all riders the "perfect" feel no matter their age, size or ability.

Building off a hugely successful first year, the 2020 line of bikes sees the addition of exciting new colourways on both our COBALT and the XENON lines, as well as the brand new HELIUM Cruiser complete bike for all the 24" veterans out there wanting the perfect setup to take straight to the track and start getting results.





From our entry level bikes all the way through to our aftermarket frames, all RADIO products are designed to feel comfortable, stiff and fast, exactly how a race bike should. You'll find no gimmicks on any of our bikes, no "goofy" tubing shapes or unnecessary features. Our bikes have been built from the ground up with race proven geometry and technology combined with clean, functional aesthetics designed to give you the best possible holeshot out of the gate.



**NEW** COLORWAY









17.5" 0" x 1-1/8



#### COBALT**MINI**



FRAME 6061 T6 alloy

FORK crmo, 1" butted steerer tube, hi-ten fork legs

BARS 6061 T6 alloy

GRIPS RADIO, diamond knurling, closed end, 115mm length

STEM RADIO, Cobalt toploader, ext. 40mm, alloy

**HEADSET** FSA, TH-388, threadless headset, 1"

LEVER rear, Promax, XL-378

BRAKES rear, Promax, MV-87

CRANKS RADIO, Cobalt 3pc crank, forged/cnc, alloy crank, 145mm length

BB RADIO, BSA square taper, sealed

PEDALS RADIO, Mini, PC, crmo axle

**CHAIN** KMC, Z410, 1/2" x 1/8"

SPROCKET RADIO, 36T, alloy

**DRIVER** ATA, 14T, 1/2" x 1/8", crmo

FRONT HUB RADIO, Cobalt hub, alloy cnc, fully sealed, 28T, 3/8" crmo axle

REAR HUB RADIO, Cobalt hub, alloy cnc, fully sealed, 28T, flip flop, 3/8" crmo axle

RIMS RADIO, R450, double wall, 28H, alloy

SEAT RADIO, Mini, combo seat

SEAT POST RADIO, 22.2mm alloy seatpost

SEAT CLAMP RADIO, seat clamp, forged, alloy

TIRES Tioga, Power-Block, 20" x 1-1/8"

**WEIGHT** 6,91 kg - 15.23lbs





\* Final product may vary in appearence!

TOP TUBE LENGTH 17.5" HEAD TUBE ANGLE 72° BAR RISE 2.25" BACKSWEEP 8°

CHAIN STAY LENGTH 13.1" SEAT TUBE ANGLE 70° BAR WIDTH 21" UPSWEEP 2°

**BOTTOM BRACKET HEIGHT** 10.7"



**NEW** COLORWAY



## COBALT**JUNIOR**







## COBALTJUNIOR



FRAME 6061 T6 alloy

**FORK** crmo, 1" butted steerer tube, hi-ten fork legs

**BARS** 6061 T6 alloy

**GRIPS** RADIO, diamond knurling, closed end, 130mm length

**STEM** RADIO, Cobalt toploader, ext. 40mm, alloy

rear, Promax, MV-87

**HEADSET** FSA, TH-388, threadless headset, 1"

**LEVER** rear. Promax. XL-378 **BRAKES** 

**CRANKS** RADIO, Cobalt 3pc crank, forged/cnc, alloy crank, 155mm length

ВВ RADIO, BSA square taper, sealed

**PEDALS** RADIO, Mini, PC, crmo axle

CHAIN KMC, Z410, 1/2" x 1/8"

**SPROCKET** RADIO, 38T, alloy

DRIVER ATA, 14T, 1/2" x 1/8", crmo

**FRONT HUB** RADIO, Cobalt hub, alloy cnc, fully sealed, 28T, 3/8" crmo axle

**REAR HUB** RADIO, Cobalt hub, alloy cnc, fully sealed, 28T, flip flop, 3/8" crmo axle

RIMS RADIO, R450, double wall, 28H, alloy

**SEAT** RADIO, Mini, combo seat

**SEAT POST** RADIO, 22.2mm alloy seatpost

**SEAT CLAMP** RADIO, seat clamp, forged, alloy

**TIRES** Tioga, Power-Block, 20" x 1-1/8"

WEIGHT 7,17 kg - 15.8lbs





\* Final product may vary in appearence!

**TOP TUBE LENGTH** 18.5" **HEAD TUBE ANGLE** 73° BAR RISE 4.25" **BACKSWEEP** 8° SEAT TUBE ANGLE 71° **BAR WIDTH UPSWEEP** 2° **CHAIN STAY LENGTH** 12.85" 22.8"

**BOTTOM BRACKET HEIGHT** 10.6"



# COBALT**EXPERT**







## COBALT**EXPERT**



FRAME 6061 T6 alloy

FORK crmo, 1" butted steerer tube, hi-ten fork legs

BARS 6061 T6 alloy

GRIPS RADIO, zigzag tread, open end, rubber plug incl.,145mm length

STEM RADIO, Cobalt toploader, ext. 50mm, alloy

**HEADSET** FSA, No.28, threadless headset, 1-1/8"

**LEVER** rear, Promax, XL-378

BRAKES rear, Promax, MV-85

CRANKS RADIO, Cobalt 3pc crank, forged/cnc, alloy crank, 165mm length

BB RADIO, BSA square taper, sealed

PEDALS RADIO, Expert, PC, crmo axle

**CHAIN** KMC, Z410, 1/2" x 1/8"

**SPROCKET** RADIO, 39T, alloy

**DRIVER** ATA, 15T, 1/2" x 1/8", crmo

FRONT HUB RADIO, Cobalt hub, alloy cnc, fully sealed, 28T, 3/8" crmo axle

REAR HUB RADIO, Cobalt hub, alloy cnc, fully sealed, 28T, flip flop, 3/8" crmo axle

RIMS RADIO, R450, double wall, 28H, alloy


**SEAT** RADIO, pivotal, no padding

SEAT POST RADIO, 26.8mm, pivotal alloy

SEAT CLAMP RADIO, seat clamp, forged, alloy

TIRES Tioga, Power-Block, 20" x 1-3/8"

**WEIGHT** 7,72 kg - 17.01lbs





\* Final product may vary in appearence!

TOP TUBE LENGTH 19.5" HEAD TUBE ANGLE 73° BAR RISE 5.75" BACKSWEEP 8°

CHAIN STAY LENGTH 13.6" SEAT TUBE ANGLE 71° BAR WIDTH 24.4" UPSWEEP 2°

**BOTTOM BRACKET HEIGHT** 11"







## **COBALTPRO**



FRAME 6061 T6 alloy

FORK full crmo, 1-1/8" butted steertube

BARS 4130 seamless crmo

GRIPS RADIO, zigzag tread, open end, rubber plug incl.,145mm length

STEM RADIO, Cobalt toploader, ext. 50mm, alloy

**HEADSET** FSA, Pro, int. headset, sealed, threadless, 1-1/8"

LEVER rear, Promax, XL-378

BRAKES rear, Promax, MV-85

CRANKS RADIO, Cobalt 3pc crank, forged/cnc, alloy crank, 175mm length

BB RADIO, BSA square taper, sealed

PEDALS RADIO, Pro, PC, crmo axle

**CHAIN** KMC, Z410, 1/2" x 1/8"

SPROCKET RADIO, 44T, alloy

**DRIVER** ATA, 16T, 1/2" x 1/8", crmo

FRONT HUB RADIO, Cobalt hub, alloy cnc, fully sealed, 32T, 3/8" crmo axle

REAR HUB RADIO, Cobalt hub, alloy cnc, fully sealed, 32T, flip flop, 3/8" crmo axle

RIMS Alex, MUS30, 32H, alloy

**SEAT** RADIO, pivotal, no padding

SEAT POST RADIO, 26.8mm, pivotal alloy

SEAT CLAMP RADIO, seat clamp, forged, alloy

TIRES Tioga, Power-Block, front: 20"x1.75" / rear: 20"x1.6"

WEIGHT tba

**TOP TUBE LENGTH** 20.75" **HEAD TUBE ANGLE** 74° BAR RISE 7.5" **BACKSWEEP** 11° SEAT TUBE ANGLE 72° 3.5° **CHAIN STAY LENGTH** 14.3" **BAR WIDTH** 26.75" **UPSWEEP** 

**BOTTOM BRACKET HEIGHT** 11.5"



**NEW** colorway





#### XENON**MINI**

FRAME 6061 T6 alloy, forged dropouts with int. chain tensioner

FORK full crmo, 1" butted steerer tube

BARS 6061 T6 alloy

GRIPS RADIO, diamond knurling, closed end, 115mm length

STEM RADIO, Cobalt toploader, ext. 40mm, alloy

**HEADSET** Tange, int. headset, sealed, threadless, 1"

LEVER rear, Promax, XL-378

BRAKES rear, Promax, MV-85

CRANKS RADIO, Cobalt 3pc crank, forged/cnc, alloy crank, 145mm length

BB RADIO, BSA square taper, sealed

PEDALS RADIO, Xenon pedal, slim profile, alloy, crmo axle

**CHAIN** KMC, Z33, 1/2" - 3/32"

SPROCKET RADIO, 38T, alloy

**DRIVER** RADIO, 16T cog, 1/2"- 3/32", sealed driver

FRONT HUB RADIO, Xenon hub, alloy cnc, fully sealed, 28T, 3/8" axle

REAR HUB RADIO, Xenon hub, alloy cnc, fully sealed, 28T, cassette

RIMS Alienation, Ankle Biter, 28H, alloy

SEAT RADIO, Mini, combo seat

SEAT POST RADIO, 22.2mm alloy seatpost

SEAT CLAMP RADIO, seat clamp, forged, alloy

TIRES Tioga, Power-Block, 20" x 1-1/8"

**WEIGHT** 7,10 kg - 15.65lbs

**TOP TUBE LENGTH** 17.5" **HEAD TUBE ANGLE** 72° **BAR RISE BACKSWEEP** 8° 2.25" **SEAT TUBE ANGLE** 70° 21" 2° **CHAIN STAY LENGTH** 13.1" **BAR WIDTH UPSWEEP** 

**BOTTOM BRACKET HEIGHT** 10.6"







#### XENON**MINI**

FRAME 6061 T6 alloy, forged dropouts with int. chain tensioner

FORK full crmo, 1" butted steerer tube

BARS 6061 T6 alloy

GRIPS RADIO, diamond knurling, closed end, 115mm length

STEM RADIO, Cobalt toploader, ext. 40mm, alloy

**HEADSET** Tange, int. headset, sealed, threadless, 1"

**LEVER** rear, Promax, XL-378

BRAKES rear, Promax, MV-85

CRANKS RADIO, Cobalt 3pc crank, forged/cnc, alloy crank, 145mm length

BB RADIO, BSA square taper, sealed

PEDALS RADIO, Xenon pedal, slim profile, alloy, crmo axle

**CHAIN** KMC. Z33. 1/2" - 3/32"

SPROCKET RADIO, 38T, alloy

**DRIVER** RADIO, 16T cog, 1/2"- 3/32", sealed driver

FRONT HUB RADIO, Xenon hub, alloy cnc, fully sealed, 28T, 3/8" axle

REAR HUB RADIO, Xenon hub, alloy cnc, fully sealed, 28T, cassette

RIMS Alienation, Ankle Biter, 28H, alloy

**SEAT** RADIO, Mini, combo seat

SEAT POST RADIO, 22.2mm alloy seatpost

SEAT CLAMP RADIO, seat clamp, forged, alloy

TIRES Tioga, Power-Block, 20" x 1-1/8"

**WEIGHT** 7,10 kg - 15.65lbs





\* Final product may vary in appearence!

TOP TUBE LENGTH 17.5" HEAD TUBE ANGLE 72° BAR RISE 2.25" BACKSWEEP 8° CHAIN STAY LENGTH 13.1" SEAT TUBE ANGLE 70° BAR WIDTH 21" UPSWEEP 2°

**BOTTOM BRACKET HEIGHT** 10.6"



**NEW** COLORWAY



## **XENONJUNIOR**

FRAME 6061 T6 alloy, forged dropouts with int. chain tensioner

FORK full crmo, 1" butted steerer tube

BARS 6061 T6 alloy

GRIPS RADIO, diamond knurling, closed end, 130mm length

STEM RADIO, Cobalt toploader, ext. 40mm, alloy

**HEADSET** Tange, int. headset, sealed, threadless, 1"

LEVER rear, Promax, XL-378

BRAKES rear, Promax, MV-85

CRANKS RADIO, Cobalt 3pc crank, forged/cnc, alloy crank, 155mm length

BB RADIO, BSA square taper, sealed

PEDALS RADIO, Xenon pedal, slim profile, alloy, crmo axle

**CHAIN** KMC, Z33, 1/2" - 3/32"

SPROCKET RADIO, 38T, alloy

DRIVER RADIO, 14T cog, 1/2"- 3/32", sealed driver

FRONT HUB RADIO, Xenon hub, alloy cnc, fully sealed, 28T, 3/8" axle

REAR HUB RADIO, Xenon hub, alloy cnc, fully sealed, 28T, cassette

RIMS Alienation, Ankle Biter, 28H, alloy

SEAT RADIO, Mini, combo seat

SEAT POST RADIO, 22.2mm alloy seatpost

SEAT CLAMP RADIO, seat clamp, forged, alloy

TIRES Tioga, Power-Block, 20" x 1-1/8"

**WEIGHT** 7,25 kg - 15.98lbs

**TOP TUBE LENGTH** 18.5" **HEAD TUBE ANGLE** 73° BAR RISE 4.25" **BACKSWEEP** 8° SEAT TUBE ANGLE 71° 2° **CHAIN STAY LENGTH** 12.85" **BAR WIDTH** 22.8" **UPSWEEP** 

**BOTTOM BRACKET HEIGHT** 10.6"





## **XENONJUNIOR**

FRAME 6061 T6 alloy, forged dropouts with int. chain tensioner

FORK full crmo, 1" butted steerer tube

BARS 6061 T6 alloy

GRIPS RADIO, diamond knurling, closed end, 130mm length

STEM RADIO, Cobalt toploader, ext. 40mm, alloy

**HEADSET** Tange, int. headset, sealed, threadless, 1"

**LEVER** rear, Promax, XL-378

BRAKES rear, Promax, MV-85

CRANKS RADIO, Cobalt 3pc crank, forged/cnc, alloy crank, 155mm length

BB RADIO, BSA square taper, sealed

PEDALS RADIO, Xenon pedal, slim profile, alloy, crmo axle

**CHAIN** KMC. Z33. 1/2" - 3/32"

**SPROCKET** RADIO, 38T, alloy

DRIVER RADIO, 14T cog, 1/2"- 3/32", sealed driver

FRONT HUB RADIO, Xenon hub, alloy cnc, fully sealed, 28T, 3/8" axle

REAR HUB RADIO, Xenon hub, alloy cnc, fully sealed, 28T, cassette

RIMS Alienation, Ankle Biter, 28H, alloy


SEAT RADIO, Mini, combo seat

SEAT POST RADIO, 22.2mm alloy seatpost

SEAT CLAMP RADIO, seat clamp, forged, alloy

TIRES Tioga, Power-Block, 20" x 1-1/8"

**WEIGHT** 7,25 kg - 15.98lbs





\* Final product may vary in appearence!

**TOP TUBE LENGTH** 18.5" **HEAD TUBE ANGLE** 73° BAR RISE 4.25" **BACKSWEEP** 8° SEAT TUBE ANGLE 71° **BAR WIDTH** 2° **CHAIN STAY LENGTH** 12.85" 22.8" **UPSWEEP** 

**BOTTOM BRACKET HEIGHT** 10.6"



NEW COLORWAY



#### XENON**EXPERT**

FRAME 6061 T6 alloy, forged dropouts with int. chain tensioner

FORK full crmo, 1-1/8" butted steerer tube

BARS 6061 T6 alloy

GRIPS RADIO, zigzag tread, open end, rubber plug incl.,145mm length

STEM RADIO, Cobalt toploader, ext. 50mm, alloy

**HEADSET** FSA, Pro, int. headset, sealed, threadless, 1-1/8"

**LEVER** rear, Promax, XL-378

BRAKES rear, Promax, MV-85

CRANKS RADIO, Cobalt 3pc crank, forged/cnc, alloy crank, 165mm length

BB RADIO, BSA square taper, sealed

PEDALS RADIO, Xenon pedal, slim profile, alloy, crmo axle

**CHAIN** KMC. Z33. 1/2" - 3/32"

SPROCKET RADIO, 39T, alloy

**DRIVER** RADIO, 15T cog, 1/2"- 3/32", sealed driver

FRONT HUB RADIO, Xenon hub, alloy cnc, fully sealed, 28T, 3/8" axle

REAR HUB RADIO, Xenon hub, alloy cnc, fully sealed, 28T, cassette

RIMS Alienation, Ankle Biter, 28H, alloy

SEAT RADIO, pivotal, no padding

SEAT POST RADIO, 26.8mm, pivotal alloy

SEAT CLAMP RADIO, Xenon seat clamp, quick-release, alloy

TIRES Tioga, Power-Block, 20" x 1-3/8"

**WEIGHT** 7,88 kg - 17.37lbs

TOP TUBE LENGTH 19.5" HEAD TUBE ANGLE 73° BAR RISE 5.75" BACKSWEEP 8° CHAIN STAY LENGTH 13.6" SEAT TUBE ANGLE 71° BAR WIDTH 24.4" UPSWEEP 2°





#### XENON**EXPERT**

FRAME 6061 T6 alloy, forged dropouts with int. chain tensioner

FORK full crmo, 1-1/8" butted steerer tube

BARS 6061 T6 alloy

GRIPS RADIO, zigzag tread, open end, rubber plug incl.,145mm length

STEM RADIO, Cobalt toploader, ext. 50mm, alloy

**HEADSET** FSA, Pro, int. headset, sealed, threadless, 1-1/8"

**LEVER** rear, Promax, XL-378

BRAKES rear, Promax, MV-85

CRANKS RADIO, Cobalt 3pc crank, forged/cnc, alloy crank, 165mm length

BB RADIO, BSA square taper, sealed

PEDALS RADIO, Xenon pedal, slim profile, alloy, crmo axle

**CHAIN** KMC, Z33, 1/2" - 3/32"

**SPROCKET** RADIO, 39T, alloy

**DRIVER** RADIO, 15T cog, 1/2"- 3/32", sealed driver

FRONT HUB

RADIO, Xenon hub, alloy cnc, fully sealed, 28T, 3/8" axle

REAR HUB

RADIO, Xenon hub, alloy cnc, fully sealed, 28T, cassette

RIMS Alienation, Ankle Biter, 28H, alloy

**SEAT** RADIO, pivotal, no padding

SEAT POST RADIO, 26.8mm, pivotal alloy

SEAT CLAMP RADIO, Xenon seat clamp, quick-release, alloy

TIRES Tioga, Power-Block, 20" x 1-3/8"

**WEIGHT** 7,88 kg - 17.37lbs





\* Final product may vary in appearence!

TOP TUBE LENGTH 19.5" HEAD TUBE ANGLE 73° BAR RISE 5.75" BACKSWEEP 8
CHAIN STAY LENGTH 13.6" SEAT TUBE ANGLE 71° BAR WIDTH 24.4" UPSWEEP 2

**BOTTOM BRACKET HEIGHT** 11"



#### XENON**EXPERT** XL

FRAME 6061 T6 alloy, forged dropouts with int. chain tensioner

FORK full crmo, 1-1/8" butted steerer tube

BARS 6061 T6 alloy

GRIPS RADIO, zigzag tread, open end, rubber plug incl.,145mm length

STEM RADIO, Cobalt toploader, ext. 50mm, alloy

**HEADSET** FSA, Pro, int. headset, sealed, threadless, 1-1/8"

**LEVER** rear, Promax, XL-378

BRAKES rear, Promax, MV-85

CRANKS RADIO, Cobalt 3pc crank, forged/cnc, alloy crank, 165mm length

BB RADIO, BSA square taper, sealed

PEDALS RADIO, Xenon pedal, slim profile, alloy, crmo axle

**CHAIN** KMC. Z33. 1/2" - 3/32"

**SPROCKET** RADIO, 39T, alloy

**DRIVER** RADIO, 15T cog, 1/2"- 3/32", sealed driver

FRONT HUB RADIO, Xenon hub, alloy cnc, fully sealed, 28T, 3/8" axle

REAR HUB RADIO, Xenon hub, alloy cnc, fully sealed, 28T, cassette

RIMS Alex, MUS30, 32H, alloy

SEAT RADIO, pivotal, no padding

SEAT POST RADIO, 26.8mm, pivotal alloy

SEAT CLAMP RADIO, Xenon seat clamp, quick-release, alloy

TIRES Tioga, Power-Block, front: 20"x1.6" / rear: 20"x1.4"

**WEIGHT** 8,15 kg - 17.96lbs

**TOP TUBE LENGTH** 20.25" **HEAD TUBE ANGLE** 73° BAR RISE 7" **BACKSWEEP** 8° SEAT TUBE ANGLE 71° 2° **CHAIN STAY LENGTH** 13.6" **BAR WIDTH** 26.25" **UPSWEEP** 



19.5" 20" x 1-3/8



## XENON**EXPERT** XL

FRAME 6061 T6 alloy, forged dropouts with int. chain tensioner

FORK full crmo, 1-1/8" butted steerer tube

BARS 6061 T6 alloy

GRIPS RADIO, zigzag tread, open end, rubber plug incl.,145mm length

STEM RADIO, Cobalt toploader, ext. 50mm, alloy

**HEADSET** FSA, Pro, int. headset, sealed, threadless, 1-1/8"

**LEVER** rear, Promax, XL-378

BRAKES rear, Promax, MV-85

CRANKS RADIO, Cobalt 3pc crank, forged/cnc, alloy crank, 165mm length

BB RADIO, BSA square taper, sealed

PEDALS RADIO, Xenon pedal, slim profile, alloy, crmo axle

**CHAIN** KMC, Z33, 1/2" - 3/32"

SPROCKET RADIO, 39T, alloy

**DRIVER** RADIO, 15T cog, 1/2"- 3/32", sealed driver

FRONT HUB

RADIO, Xenon hub, alloy cnc, fully sealed, 28T, 3/8" axle

REAR HUB

RADIO, Xenon hub, alloy cnc, fully sealed, 28T, cassette

RIMS Alex, MUS30, 32H, alloy

SEAT RADIO, pivotal, no padding

SEAT POST RADIO, 26.8mm, pivotal alloy

SEAT CLAMP RADIO, Xenon seat clamp, quick-release, alloy

TIRES Tioga, Power-Block, front: 20"x1.6" / rear: 20"x1.4"

**WEIGHT** 8,15 kg - 17.96lbs





\* Final product may vary in appearence!

TOP TUBE LENGTH 20.25" HEAD TUBE ANGLE 73° BAR RISE 7" BACKSWEEP 8

CHAIN STAY LENGTH 13.6" SEAT TUBE ANGLE 71° BAR WIDTH 26.25" UPSWEEP 2

**BOTTOM BRACKET HEIGHT** 11"



#### XENON**PRO**

FRAME 6061 T6 alloy, forged dropouts with int. chain tensioner

FORK full crmo, 1-1/8" butted steerer tube

BARS 4130 seamless crmo

GRIPS RADIO, Xenon grip, diamond knurling, clamp on grip, 139mm length

STEM RADIO, Xenon Pro stem, toploader, ext. 53mm, cold forged/cnc alloy

**HEADSET** FSA, Pro, int. headset, sealed, threadless, 1-1/8"

**LEVER** rear, Promax, XL-378

BRAKES rear, Promax, MV-88

CRANKS RADIO, Xenon Pro, 2pc crank, cold forged/cnc, alloy,175mm length, 24mm spindle

BB RADIO, BSA24, alloy,cnc external bearing cups, sealed

PEDALS RADIO, Xenon pedal, slim profile, alloy, crmo axle

**CHAIN** KMC, Z33, 1/2" - 3/32"

SPROCKET RADIO, Xenon Pro sprocket, 44T, alloy

**DRIVER** RADIO, 16T cog, 1/2"- 3/32", sealed driver

FRONT HUB RADIO, Xenon Pro hub, alloy cnc, fully sealed, female bolt axle, highend front hub, 32T

REAR HUB RADIO, Xenon Pro hub, alloy cnc, fully sealed, female bolt, highend cassette hub, 36T

RIMS front: Alex, DUS30, 32H, double wall, alloy / rear: Alex, DUS30, 36H, double wall, alloy

**SEAT** RADIO, pivotal, no padding

SEAT POST RADIO, 26.8mm, pivotal alloy

SEAT CLAMP RADIO, Xenon seat clamp, quick-release, alloy

TIRES Tioga, Power-Block, front: 20"x1.75" / rear: 20"x1.6"

**WEIGHT** 9,05 kg - 19.95lbs

**TOP TUBE LENGTH** 20.75" **HEAD TUBE ANGLE** 74° BAR RISE 7.5" **BACKSWEEP** 11° 72° 3.5° **CHAIN STAY LENGTH** 14.3" SEAT TUBE ANGLE **BAR WIDTH** 26.75" **UPSWEEP** 

**BOTTOM BRACKET HEIGHT** 11.5"



20.75" F: 20" x 1.75" - R: 20" x 1.6



#### XENON**PRO**

FRAME 6061 T6 alloy, forged dropouts with int. chain tensioner

FORK full crmo, 1-1/8" butted steerer tube

BARS 4130 seamless crmo

GRIPS RADIO, Xenon grip, diamond knurling, clamp on grip, 139mm length

STEM RADIO, Xenon Pro stem, toploader, ext. 53mm, cold forged/cnc alloy

**HEADSET** FSA, Pro, int. headset, sealed, threadless, 1-1/8"

**LEVER** rear, Promax, XL-378

BRAKES rear, Promax, MV-88

CRANKS RADIO, Xenon Pro, 2pc crank, cold forged/cnc, alloy,175mm length, 24mm spindle

BB RADIO, BSA24, alloy,cnc external bearing cups, sealed

PEDALS RADIO, Xenon pedal, slim profile, alloy, crmo axle

**CHAIN** KMC, Z33, 1/2" - 3/32"

SPROCKET RADIO, Xenon Pro sprocket, 44T, alloy

**DRIVER** RADIO, 16T cog, 1/2"- 3/32", sealed driver

FRONT HUB RADIO, Xenon Pro hub, alloy cnc, fully sealed, female bolt axle, highend front hub, 32T

REAR HUB RADIO, Xenon Pro hub, alloy cnc, fully sealed, female bolt, highend cassette hub, 36T

RIMS front: Alex, DUS30, 32H, double wall, alloy / rear: Alex, DUS30, 36H, double wall, alloy

**SEAT** RADIO, pivotal, no padding

SEAT POST RADIO, 26.8mm, pivotal alloy

SEAT CLAMP RADIO, Xenon seat clamp, quick-release, alloy

TIRES Tioga, Power-Block, front: 20"x1.75" / rear: 20"x1.6"

**WEIGHT** 9,05 kg - 19.95lbs






\* Final product may vary in appearence!

**TOP TUBE LENGTH** 20.75" **HEAD TUBE ANGLE** 74° BAR RISE 7.5" **BACKSWEEP** 11° SEAT TUBE ANGLE 72° 3.5° **CHAIN STAY LENGTH** 14.3" **BAR WIDTH** 26.75" **UPSWEEP** 

**BOTTOM BRACKET HEIGHT** 11.5"





#### XENON**PRO** XL

FRAME 6061 T6 alloy, forged dropouts with int. chain tensioner

FORK full crmo, 1-1/8" butted steerer tube

BARS 4130 seamless crmo

GRIPS RADIO, Xenon grip, diamond knurling, clamp on grip, 139mm length

STEM RADIO, Xenon Pro stem, toploader, ext. 53mm, cold forged/cnc alloy

**HEADSET** FSA, Pro, int. headset, sealed, threadless, 1-1/8"

LEVER rear, Promax, XL-378

BRAKES rear, Promax, MV-88

CRANKS RADIO, Xenon Pro, 2pc crank, cold forged/cnc, alloy,175mm length, 24mm spindle

BB RADIO, BSA24, alloy,cnc external bearing cups, sealed

PEDALS RADIO, Xenon pedal, slim profile, alloy, crmo axle

**CHAIN** KMC, Z33, 1/2" - 3/32"

SPROCKET RADIO, Xenon Pro sprocket, 44T, alloy

**DRIVER** RADIO, 16T cog, 1/2"- 3/32", sealed driver

FRONT HUB RADIO, Xenon Pro hub, alloy cnc, fully sealed, female bolt axle, highend front hub, 32T

REAR HUB RADIO, Xenon Pro hub, alloy cnc, fully sealed, female bolt, highend cassette hub, 36T

RIMS front: Alex, DUS30, 32H, double wall, alloy / rear: Alex, DUS30, 36H, double wall, alloy

**SEAT** RADIO, pivotal, no padding

SEAT POST RADIO, 26.8mm, pivotal alloy

SEAT CLAMP RADIO, Xenon seat clamp, quick-release, alloy

TIRES Tioga, Power-Block, front: 20"x1.75" / rear: 20"x1.6"

**WEIGHT** 9,10 kg - 20.06lbs

**TOP TUBE LENGTH** 21.25" **HEAD TUBE ANGLE** 74° BAR RISE 8" **BACKSWEEP** 12° 72° 1° **CHAIN STAY LENGTH** 14.3" SEAT TUBE ANGLE **BAR WIDTH** 28" **UPSWEEP** 

**BOTTOM BRACKET HEIGHT** 11.5"



21.25" F: 20" x 1.75" - R: 20" x 1.



#### XENON**PRO** XL

FRAME 6061 T6 alloy, forged dropouts with int. chain tensioner

FORK full crmo, 1-1/8" butted steerer tube

BARS 4130 seamless crmo

GRIPS RADIO, Xenon grip, diamond knurling, clamp on grip, 139mm length

STEM RADIO, Xenon Pro stem, toploader, ext. 53mm, cold forged/cnc alloy

**HEADSET** FSA, Pro, int. headset, sealed, threadless, 1-1/8"

LEVER rear, Promax, XL-378

BRAKES rear, Promax, MV-88

CRANKS RADIO, Xenon Pro, 2pc crank, cold forged/cnc, alloy,175mm length, 24mm spindle

BB RADIO, BSA24, alloy,cnc external bearing cups, sealed

PEDALS RADIO, Xenon pedal, slim profile, alloy, crmo axle

**CHAIN** KMC. Z33. 1/2" - 3/32"

SPROCKET RADIO, Xenon Pro sprocket, 44T, alloy

**DRIVER** RADIO, 16T cog, 1/2"- 3/32", sealed driver

FRONT HUB RADIO, Xenon Pro hub, alloy cnc, fully sealed, female bolt axle, highend front hub, 32T

REAR HUB RADIO, Xenon Pro hub, alloy cnc, fully sealed, female bolt, highend cassette hub, 36T

RIMS front: Alex, DUS30, 32H, double wall, alloy / rear: Alex, DUS30, 36H, double wall, alloy


**SEAT** RADIO, pivotal, no padding

SEAT POST RADIO, 27.2mm, pivotal alloy

SEAT CLAMP RADIO, Xenon seat clamp, quick-release, alloy

TIRES Tioga, Power-Block, front: 20"x1.75" / rear: 20"x1.6"

**WEIGHT** 9,10 kg - 20.06lbs





\* Final product may vary in appearence!

**TOP TUBE LENGTH** 21.25" **HEAD TUBE ANGLE** 74° BAR RISE 8" **BACKSWEEP** 12° SEAT TUBE ANGLE 72° 1° **CHAIN STAY LENGTH** 14.3" **BAR WIDTH** 28" **UPSWEEP** 

**BOTTOM BRACKET HEIGHT** 11.5"



#### **HELIUMCRUISER**

FRAME hyrdro formed 6061 T6 alloy, forged dropouts, 1 1/8" -1.5" taper headtube

FORK full crmo, 1-1/8" butted steerer tube

BARS 4130 seamless crmo

GRIPS RADIO, Xenon grip, diamond knurling, clamp on grip, 139mm length

STEM RADIO, Xenon Pro stem, toploader, ext. 53mm, cold forged/cnc alloy

HEADSET Radio, Pro, int. headset, sealed, threadless, 1-1/8" - 1.5", including fork crown race 1.5"-1 1/8" converter

LEVER rear, Promax, XL-373

BRAKES rear, Promax, MV-88

CRANKS RADIO, Xenon Pro, 2pc crank, cold forged/cnc, alloy,180mm length, 24mm spindle

BB RADIO, BSA24, alloy, cnc external bearing cups, sealed

PEDALS RADIO, Xenon pedal, slim profile, alloy, crmo axle

**CHAIN** KMC, Z33, 1/2" - 3/32"

SPROCKET RADIO, Xenon Pro sprocket, 41T, alloy

**DRIVER** RADIO, 18T cog, 1/2"- 3/32", sealed driver

FRONT HUB RADIO, Xenon Pro hub, alloy cnc, fully sealed, female bolt axle, highend front hub, 32T

REAR HUB RADIO, Xenon Pro hub, alloy cnc, fully sealed, female bolt, highend cassette hub, 36T

RIMS front: Alex, MUS30, 32H, alloy / frear: Alex, MUS30, 36H, alloy

SEAT RADIO, pivotal, no padding

SEAT POST RADIO, 26.8mm, pivotal alloy

SEAT CLAMP RADIO, Xenon seat clamp, quick-release, alloy

TIRES Tioga, Power-Block, front: 24"x1.75" / rear: 24"x1.6"

WEIGHT tba

**TOP TUBE LENGTH** 22" **HEAD TUBE ANGLE** 74° BAR RISE 6" **BACKSWEEP** 8° 71° 2° **CHAIN STAY LENGTH** 15.15" SEAT TUBE ANGLE **BAR WIDTH** 26.75" **UPSWEEP** 





RADIO RACELINE Richard-Byrd-Str. 12 50829 Cologne / Germany mail@radiobikes.com

© WE MAKE THINGS GmbH, all rights reserved.





# RADIO RACELINE

combines over 20 years of experience of creating BMX bikes together with input from some of the world's best racers and industry players to create a revolutionary and all-encompassing line up of bikes built to take you to the finish line, unlike anything else.

Tested on the track and designed in conjunction with a team with BMX race knowledge spanning 3 decades, RADIO RACELINE enters the market with an incredibly well thought out and powerful line of pure bred race machines.

Building off a hugely successful first year, the 2020 line of HELIUM frames gains a healthy injection of exciting new colourways and a new XXXXL size option for riders wanting a lengthier steed. We're also proud to release our new disc brake mount allowing you to upgrade your HELIUM PRO frame into a full disc-ready setup in a matter of seconds.





photos by Steve Diamond Elements

From our entry level bikes all the way through to our aftermarket frames, all RADIO RACELINE products are designed to feel comfortable, solid and fast, exactly how a race bike should.

You'll find no gimmicks on any of our bikes, no "goofy" tubing shapes or unnecessary features. Our bikes have been built from the ground up with race proven geometry and technology combined with clean, functional aesthetics designed to give you the best possible holeshot out of the gate.

# HELIUM MINI HELIUM JUNIOR



#### **NEW** COLORWAY

COLOR - black



RADIO RACELINE

# HELIUM MINI HELIUM JUNIOR



#### **NEW** COLORWAY

COLOR - metallic red



20 PARTS AND ACCESSORIES

RADIO RACELINE

#### **HELIUM** MINI FRAME

### **HELIUM** JUNIOR FRAME



MATERIAL Hydroformed 6061 alloy

TOP TUBE LENGTH (effective) 17.6" (447mm)

CHAIN STAY LENGTH (min.) 12.4" (315mm)

**DROPOUT SIZE** 10mm

SEAT TUBE ANGLE 70°

**HEAD TUBE ANGLE** 

HEAD TUBE SIZE (full int.) 1" (110mm)

SEAT POST SIZE 22.2mm

SEAT TUBE LENGTH 200mm

**BOTTOM BRACKET HEIGHT** EU, 10.6"

WHEEL SIZE 20 x 1-1/8"

RIDER AREA 456.2mm

**EXTRAS** incl. PROMAX 335QX seat clamp

73°

WEIGHT 1.250kg (2.76lbs) inc. seat clamp

● COLOR - black

COLOR - metallic red

MATERIAL Hydroformed 6061 T6 alloy

TOP TUBE LENGTH (effective) 18.6" (473mm)

CHAIN STAY LENGTH (min.) 12.8" (325mm)

**DROPOUT SIZE** 10mm

**HEAD TUBE ANGLE** 73.5°

**SEAT TUBE ANGLE** 71°

HEAD TUBE SIZE (full int.) 1" (110mm)

SEAT POST SIZE 22.2mm

SEAT TUBE LENGTH 210mm

**BOTTOM BRACKET HEIGHT** EU, 10.6"

**WHEEL SIZE** 20 x 1-1/8"

RIDER AREA 483.5mm

EXTRAS incl. PROMAX 335QX seat clamp

WEIGHT 1.320kg (2.90lbs) inc. seat clamp

COLOR - black

COLOR - metallic red

**5** –

20 PARTS AND ACCESSORIES

RADIO RACELINE

## HELIUM EXPERT HELIUM EXPERT XL



#### **NEW** COLORWAY

COLOR - black



PARTS AND ACCESSORIES

RADIO RACELINE

# HELIUM EXPERT HELIUM EXPERT XL



#### **NEW** COLORWAY

COLOR - metallic cyan



PARTS AND ACCESSORIES

RADIO RACELINE

# HELIUM EXPERT HELIUM EXPERT XL



**NEW** COLORWAY

COLOR - white



PARTS AND ACCESSORIES

RADIO RACELINE

#### **HELIUM** EXPERT FRAME

#### **HELIUM** EXPERT XL FRAME



**TOP TUBE LENGTH (effective)** 19.5" (495mm)

CHAIN STAY LENGTH (min.) 13" (330mm)

**DROPOUT SIZE** 10mm **HEAD TUBE ANGLE** 73.5°

**SEAT TUBE ANGLE** 71°

**HEAD TUBE SIZE (full int.)** 1-1/8" (120mm)

**SEAT POST SIZE** 22.2mm

**SEAT TUBE LENGTH** 215mm

20 x 1-3/8"

**EXTRAS** incl. PROMAX 335QX seat clamp

EU, 10.8"

503mm

WEIGHT 1.445kg (3.24lbs) inc. seat clamp

**COLOR** - black

COLOR - metallic cyan

**BOTTOM BRACKET HEIGHT** 

WHEEL SIZE

RIDER AREA

**COLOR** - white

MATERIAL Hydroformed 6061 alloy

TOP TUBE LENGTH (effective) 20.5" (521mm)

**CHAIN STAY LENGTH (min.)** 13.2" (335mm)

**DROPOUT SIZE** 10mm **HEAD TUBE ANGLE** 73.5°

71° **SEAT TUBE ANGLE** 

**HEAD TUBE SIZE (full int.)** 1-1/8" (120mm)

**SEAT POST SIZE** 22.2mm

**SEAT TUBE LENGTH** 215mm

**BOTTOM BRACKET HEIGHT** EU, 10.8"

WHEEL SIZE 20 x 1.4"

RIDER AREA 526.6mm

**EXTRAS** incl. PROMAX 335QX seat clamp

WEIGHT 1.585kg (3.50lbs) inc. seat clamp

COLOR - black

COLOR - metallic cyan

**COLOR** - white

PARTS AND

**RADIO** RACELINE

# **HELIUM** PRO L - PRO XXXXL

#### **NEW** COLORWAY

COLOR - black



5 -

20 PARTS AND ACCESSORIES

RADIO RACELINE

# **HELIUM** PRO L - PRO XXXXL

#### **NEW** COLORWAY

COLOR - silver



20 PARTS AND ACCESSORIES

P. 12

RADIO RACELINE

# **HELIUM** PRO L - PRO XXXXL

#### **NEW** COLORWAY

COLOR - galactic purple



5 =

20 PARTS AND ACCESSORIES

RADIO RACELINE

#### **HELIUM** PRO L FRAME

#### **HELIUM** PRO XL FRAME



MATERIAL	Hydroformed 6061 alloy

TOP TUBE LENGTH (effective) 20.9" (531mm)

CHAIN STAY LENGTH (min.) 13.9" (353mm)

DROPOUT SIZE 20mm (incl. chain tensioner for 10, 15 & 20mm hub axle) DROPOUT SIZE

HEAD TUBE ANGLE 74°

**SEAT TUBE ANGLE** 71°

HEAD TUBE SIZE (full int.) tapered 1-1/8" - 1.5" (125mm)

SEAT POST SIZE 27.2mm
SEAT TUBE LENGTH 231mm

BOTTOM BRACKET HEIGHT EU, 11.6"
WHEEL SIZE 20 x 1.75"

RIDER AREA 532.6mm

**EXTRAS** incl. PROMAX 402QX seat clamp

WEIGHT 1.815kg (3.99lbs) inc. seat clamp

MATERIAL Hydroformed 6061 alloy

TOP TUBE LENGTH (effective) 21.25" (540mm)

CHAIN STAY LENGTH (min.) 14.5" (368mm)

DROPOUT SIZE 20mm (incl. chain tensioner for 10, 15 & 20mm hub axle)

HEAD TUBE ANGLE 74°
SEAT TUBE ANGLE 71°

HEAD TUBE SIZE (full int.) tapered 1-1/8" - 1.5" (125mm)

SEAT POST SIZE 27.2mm

SEAT TUBE LENGTH 231mm

BOTTOM BRACKET HEIGHT EU, 11.6"

WHEEL SIZE 20 x 1.75"

RIDER AREA 540.7mm

**EXTRAS** incl. PROMAX 402QX seat clamp

WEIGHT 1.840kg (4.05lbs) inc. seat clamp

- COLOR black
- COLOR silver
- COLOR galactic purple

- COLOR black
- COLOR silver
- COLOR galactic purple

#### **HELIUM** PRO XXL FRAME

#### **HELIUM** PRO XXXL FRAME



alloy
į

TOP TUBE LENGTH (effective) 21.75" (552mm)

CHAIN STAY LENGTH (min.) 14.8" (376mm)

DROPOUT SIZE 20mm (incl. chain tensioner for 10, 15 & 20mm hub axle) DROPOUT SIZE

HEAD TUBE ANGLE 74°
SEAT TUBE ANGLE 71°

HEAD TUBE SIZE (full int.) tapered 1-1/8" - 1.5" (125mm)

SEAT POST SIZE 27.2mm

SEAT TUBE LENGTH 231mm

BOTTOM BRACKET HEIGHT EU, 11.6"

WHEEL SIZE 20 x 1.75"

RIDER AREA 551.9mm

EXTRAS incl. PROMAX 402QX seat clamp

WEIGHT 1.870kg (4.12lbs) inc. seat clamp

COLOR - black

COLOR - silver

COLOR - galactic purple

MATERIAL Hydroformed 6061 alloy

TOP TUBE LENGTH (effective) 22.25" (565mm)

CHAIN STAY LENGTH (min.) 14.8" (376mm)

DROPOUT SIZE 20mm (incl. chain tensioner for 10, 15 & 20mm hub axle)

HEAD TUBE ANGLE 74°
SEAT TUBE ANGLE 71°

HEAD TUBE SIZE (full int.) tapered 1-1/8" - 1.5" (125mm)

SEAT POST SIZE 27.2mm

SEAT TUBE LENGTH 231mm

BOTTOM BRACKET HEIGHT EU, 11.6"

WHEEL SIZE 20 x 1.75"

EXTRAS incl. PROMAX 402QX seat clamp

WEIGHT 1.905kg (4.20lbs) inc. seat clamp

564.2mm

COLOR - black

RIDER AREA

- COLOR silver
- COLOR galactic purple

### **HELIUM** PRO XXXXL FRAME



MATERIAL Hydroformed 6061 alloy

**TOP TUBE LENGTH (effective)** 22.5" (572mm)

CHAIN STAY LENGTH (min.) 15.2" (386mm)

**DROPOUT SIZE** 20mm (incl. chain tensioner for 10, 15 & 20mm hub axle)

HEAD TUBE ANGLE 74°
SEAT TUBE ANGLE 71°

HEAD TUBE SIZE (full int.) tapered 1-1/8" - 1.5" (125mm)

SEAT POST SIZE 27.2mm
SEAT TUBE LENGTH 231mm

 BOTTOM BRACKET HEIGHT
 EU, 11.6"

 WHEEL SIZE
 20 x 1.75"

RIDER AREA 570.9mm

EXTRAS incl. PROMAX 402QX seat clamp

WEIGHT 1.905kg (4.20lbs) inc. seat clamp

- COLOR black
- COLOR silver
- COLOR galactic purple

RADIO RACELINE

# **HELIUM** CRUISER L



COLOR - black



2

20 PARTS AND ACCESSORIES

RADIO RACELINE

# **HELIUM** CRUISER XL



COLOR - black



**-**

20 PARTS AND ACCESSORIES

RADIO RACELINE

#### **HELIUM** CRUISER L FRAME

#### **HELIUM** CRUISER XL FRAME



MATERIAL Hydroformed 6061 alloy

TOP TUBE LENGTH (effective) 21.5" (546mm)

CHAIN STAY LENGTH (min.) 14.6" (370mm)

**DROPOUT SIZE** 10mm

SEAT TUBE ANGLE 71°

**HEAD TUBE ANGLE** 

HEAD TUBE SIZE (full int.) tapered 1-1/8" - 1.5" (125mm)

74°

SEAT POST SIZE 27.2mm

SEAT TUBE LENGTH 260mm

**BOTTOM BRACKET HEIGHT** EU, 12"

**WHEEL SIZE** 24 x 1.75"

RIDER AREA 564.7mm

EXTRAS incl. PROMAX 402QX seat clamp

WEIGHT 1.865kg (4.11lbs) inc. seat clamp

MATERIAL Hydroformed 6061 alloy

TOP TUBE LENGTH (effective) 22" (559mm)

CHAIN STAY LENGTH (min.) 14.6" (370mm)

**DROPOUT SIZE** 10mm

HEAD TUBE ANGLE 74°

**SEAT TUBE ANGLE** 71°

HEAD TUBE SIZE (full int.) tapered 1-1/8" - 1.5" (125mm)

SEAT POST SIZE 27.2mm

SEAT TUBE LENGTH 260mm

BOTTOM BRACKET HEIGHT EU, 12"

**WHEEL SIZE** 24 x 1.75"

RIDER AREA 575.1mm

**EXTRAS** incl. PROMAX 402QX seat clamp

WEIGHT 1.905kg (4.20lbs) inc. seat clamp

COLOR - black

COLOR - black

# QUARTZ PRO - PRO XXXXL

#### **NEW** PRODUCT

● COLOR - matt black



RADIO RACELINE

20 PARTS AND ACCESSORIES

## QUARTZ PRO FRAME

## QUARTZ PROLFRAME



MATERIAL Hydroformed 6061 alloy, Paradigm tub
-----------------------------------------------

 TOP TUBE LENGTH (actual)
 20.5" (520.7mm)

 CHAIN STAY LENGTH (min.)
 13.9" (353mm)

**DROPOUT SIZE** 74° 20mm (incl. chain tensioner for

10, 15 & 20mm hub axle)

HEAD TUBE ANGLE 74°
SEAT TUBE ANGLE 71°

HEAD TUBE SIZE (full int.) tapered 1-1/8" - 1.5" (125mm)

SEAT POST SIZE 27.2mm
SEAT TUBE LENGTH 231mm

BOTTOM BRACKET TYPE Euro, threaded, BSA 68mm

**BOTTOM BRACKET HEIGHT** 11.6"

**WHEEL SIZE** 20 x 1.75"

RIDER AREA TBA

EXTRAS • super lightweight alloy frame

(200g less than the Helium frame)

 $\cdot$  x2 world championship wins

Paradigm superior tubing

 forged and CNC machined dropout with integrated chain tensioner

· disc brake compatible

with Helium Pro disc brake mount

WEIGHT TBA

MATERIAL Hydroformed 6061 alloy, Paradigm tubing

TOP TUBE LENGTH (actual) 20.9" (530mm)

CHAIN STAY LENGTH (min.) 13.9" (353mm)

DROPOUT SIZE 20mm (incl. chain tensioner for 10, 15 &

20mm hub axle)

HEAD TUBE ANGLE 74°
SEAT TUBE ANGLE 71°

HEAD TUBE SIZE (full int.) tapered 1-1/8" - 1.5" (125mm)

SEAT POST SIZE 27.2mm
SEAT TUBE LENGTH 231mm

BOTTOM BRACKET TYPE Euro, threaded, BSA 68mm

**BOTTOM BRACKET HEIGHT** 11.6"

**WHEEL SIZE** 20 x 1.75" **RIDER AREA** 532.6mm

**EXTRAS** • super lightweight alloy frame

(200g less than the Helium frame)

· x2 world championship wins

Paradigm superior tubing

 forged and CNC machined dropout with integrated chain tensioner

with integrated chain tension

disc brake compatible

with Helium Pro disc brake mount

WEIGHT TBA

COLOR - matt black

■ COLOR - matt black

**-** 5

20 PARTS AND ACCESSORIES

RADIO RACELINE

## QUARTZ PRO XL FRAME

### QUARTZ PRO XXL FRAME



MATERIAL	Hydroformed 6061	alloy, Paradigm tubing

**TOP TUBE LENGTH (actual)** 21.25" (540mm) CHAIN STAY LENGTH (min.) 14.5" (368mm)

DROPOUT SIZE 20mm (incl. chain tensioner for 10. 15 & 20mm hub axle)

**HEAD TUBE ANGLE** 74° 71° **SEAT TUBE ANGLE** 

**HEAD TUBE SIZE (full int.)** tapered 1-1/8" - 1.5" (125mm)

**SEAT POST SIZE** 27.2mm **SEAT TUBE LENGTH** 231mm

Euro, threaded, BSA 68mm **BOTTOM BRACKET TYPE** 

**BOTTOM BRACKET HEIGHT** 11.6"

WHEEL SIZE 20 x 1.75" RIDER AREA 540.7mm

**EXTRAS** · super lightweight alloy frame (200g less than the Helium frame)

· x2 world championship wins

· Paradigm superior tubing

· forged and CNC machined dropout with integrated chain tensioner

· disc brake compatible

with Helium Pro disc brake mount

WEIGHT 1.655g / 3.64lbs MATERIAL Hydroformed 6061 alloy, Paradigm tubing

**TOP TUBE LENGTH (actual)** 21.75" (552mm) **CHAIN STAY LENGTH (min.)** 

DROPOUT SIZE 20mm (incl. chain tensioner for

10. 15 & 20mm hub axle)

14.8" (376mm)

**HEAD TUBE ANGLE** 74° 71° **SEAT TUBE ANGLE** 

**HEAD TUBE SIZE (full int.)** tapered 1-1/8" - 1.5" (125mm)

**SEAT POST SIZE** 27.2mm **SEAT TUBE LENGTH** 231mm

**BOTTOM BRACKET TYPE** Euro, threaded, BSA 68mm

**BOTTOM BRACKET HEIGHT** 11.6"

WHEEL SIZE 20 x 1.75" **RIDER AREA** 551.9mm

**EXTRAS** · super lightweight alloy frame

(200g less than the Helium frame)

· x2 world championship wins

· Paradigm superior tubing

· forged and CNC machined dropout with integrated chain tensioner

· disc brake compatible

with Helium Pro disc brake mount

WEIGHT TBA

**COLOR** - matt black

**COLOR** - matt black

PARTS AND ACCESSORIES

**RADIO RACELINE** 

## QUARTZ PRO XXXL FRAME

### QUARTZ PRO XXXXL FRAME



MATERIAL	Hydroformed 6061	alloy	, Paradigm	tubing	J
----------	------------------	-------	------------	--------	---

 TOP TUBE LENGTH (actual)
 22.25" (565mm)

 CHAIN STAY LENGTH (min.)
 14.8" (376mm)

DROPOUT SIZE 20mm (incl. chain tensioner for 10, 15 & 20mm hub axle)

HEAD TUBE ANGLE 74°
SEAT TUBE ANGLE 71°

HEAD TUBE SIZE (full int.) tapered 1-1/8" - 1.5" (125mm)

SEAT POST SIZE 27.2mm
SEAT TUBE LENGTH 231mm

BOTTOM BRACKET TYPE Euro, threaded, BSA 68mm

**BOTTOM BRACKET HEIGHT** 11.6"

 WHEEL SIZE
 20 x 1.75"

 RIDER AREA
 564.2mm

EXTRAS • super lightweight alloy frame (200g less than the Helium frame)

200g less than the Hellum frame

x2 world championship winsParadigm superior tubing

• forged and CNC machined dropout with integrated chain tensioner

· disc brake compatible

with Helium Pro disc brake mount

WEIGHT TBA

MATERIAL Hydroformed 6061 alloy, Paradigm tubing

 TOP TUBE LENGTH (actual)
 22.5" (572mm)

 CHAIN STAY LENGTH (min.)
 15.2" (386mm)

DROPOUT SIZE 20mm (incl. chain tensioner for 10, 15 &

20mm hub axle)

HEAD TUBE ANGLE 74°
SEAT TUBE ANGLE 71°

HEAD TUBE SIZE (full int.) tapered 1-1/8" - 1.5" (125mm)

SEAT POST SIZE 27.2mm
SEAT TUBE LENGTH 231mm

BOTTOM BRACKET TYPE Euro, threaded, BSA 68mm

**BOTTOM BRACKET HEIGHT** 11.6"

**WHEEL SIZE** 20 x 1.75" **RIDER AREA** 570.9mm

**EXTRAS** ⋅ super lightweight alloy frame

(200g less than the Helium frame)

· x2 world championship wins

· Paradigm superior tubing

 forged and CNC machined dropout with integrated chain tensioner

· disc brake compatible

with Helium Pro disc brake mount

WEIGHT TBA

COLOR - matt black

COLOR - matt black

**-** 5

20 PARTS AND ACCESSORIES

RADIO RACELINE

# **SOLAR** PRO L - PRO XXL



#### **NEW PRODUCT**

● COLOR - matt black



RADIO RACELINE

### **SOLAR** PROLFRAME

### **SOLAR** PRO XL FRAME



MATERIAL	high performance TORAYCA carbon fiber
----------	---------------------------------------

**TOP TUBE LENGTH (actual)** 20.75" (527mm)

TOP TUBE LENGTH (effective) TBA

**CHAIN STAY LENGTH (min.)** 14.25" (362mm)

**DROPOUT SIZE** 15mm 74.5° **HEAD TUBE ANGLE SEAT TUBE ANGLE** 71°

**HEAD TUBE SIZE (full int.)** tapered 1-1/8" - 1.5" (120mm)

**SEAT POST SIZE** 27.2mm **SEAT TUBE LENGTH** 238mm

**BOTTOM BRACKET TYPE** Euro, threaded, BSA 68mm

**BOTTOM BRACKET HEIGHT** 11.6"

WHEEL SIZE 20 x 1.75"

**EXTRAS** · full monocoque technology

· internal cable routing

· laboratory tested for superior strength and

stiffness

WEIGHT TBA **MATERIAL** high performance TORAYCA carbon fiber

22.5" (571mm)

**TOP TUBE LENGTH (actual)** 21.25" (540mm) **TOP TUBE LENGTH (effective)** 

CHAIN STAY LENGTH (min.) 14.5" (368mm)

**DROPOUT SIZE** 15mm **HEAD TUBE ANGLE** 74.5° **SEAT TUBE ANGLE** 71°

**HEAD TUBE SIZE (full int.)** tapered 1-1/8" - 1.5" (120mm)

**SEAT POST SIZE** 27.2mm 238mmm

**BOTTOM BRACKET TYPE** Euro, threaded, BSA 68mm

**BOTTOM BRACKET HEIGHT** 11.6"

**SEAT TUBE LENGTH** 

WHEEL SIZE 20 x 1.75"

**EXTRAS** · full monocoque technology

· internal cable routing

· laboratory tested for superior strength and

stiffness

WEIGHT 1.215kg (2.68lbs)

**COLOR** - matt black

**COLOR** - matt black

PARTS AND

**RADIO** RACELINE

## **SOLAR** PRO XXL FRAME



MATERIAL high performance TORAYCA carbon fiber

TOP TUBE LENGTH (actual) 21.75" (553mm)

TOP TUBE LENGTH (effective) 22.9" (584mm)

CHAIN STAY LENGTH (min.) 14.5" (368mm)

**DROPOUT SIZE** 15mm

**HEAD TUBE ANGLE** 74.5°

**SEAT TUBE ANGLE** 71°

HEAD TUBE SIZE (full int.) tapered 1-1/8" - 1.5" (120mm)

SEAT POST SIZE 27.2mm

SEAT TUBE LENGTH 238mmm

**BOTTOM BRACKET TYPE** Euro, threaded, BSA 68mm

**BOTTOM BRACKET HEIGHT** 11.6"

**WHEEL SIZE** 20 x 1.75"

RIDER AREA 540.7mm

**EXTRAS** • full monocoque technology

· internal cable routing

 $\cdot$  laboratory tested for superior strength and

stiffness

WEIGHT TBA

COLOR - matt black

**5** –

20 PARTS AND ACCESSORIES

RADIO RACELINE

# **PRO** CHAIN TENSIONER



MATERIAL full cnc machined 606-T6 alloy

· 22mm of adjustment

WEIGHT TBA



## **HELIUM** EXPERT DISC BRAKE MOUNT



MATERIAL full cnc machined 606-T6 alloy

**EXTRAS** compatible with Helium Mlini, Junior and Expert frames

WEIGHT TBA

## **HELIUM** PRO DISC BRAKE MOUNT

MATERIAL full cnc machined 606-T6 alloy

**EXTRAS** • compatible with Helium Pro and Quartz frames

· available for 10mm, 15mm and 20mm hub axles

WEIGHT TBA





### RACELINE DISC BRAKE ROTOR




MATERIAL stainless steel

SIZE 120mm

**EXTRAS** • 6 bolt attachment

smaller sizes specific for BMX race

WEIGHT TBA



**5** –

20 PARTS AND ACCESSORIES

RADIO RACELINE

### RACELINE EXTERNAL EURO BB SET



MATERIAL full cnc machined 606-T6 alloy cups

SIZE external mounted bearings, 68-73mm BSA 1.37" 24T

**EXTRAS** ⋅ includes spacers

· for 24mm spindle cranks

WEIGHT TBA

COLOR - black

COLOR - cyan





### RACELINE 1" INTEGRATED HEADSET



MATERIAL full cnc machined 6016-T6 top cap, 7mm tall

SIZE integrated bearings (45x45)

**EXTRAS** ⋅ for 1" headtubes

· includes Radio starnut


WEIGHT TBA

● COLOR - black

COLOR - cyan







# RACELINE 11/8" INTEGRATED HEADSET



MATERIAL full cnc machined 6016-T6 top cap, 8.3mm tall

SIZE campy spec integrated bearings (45x45)

**EXTRAS** includes Radio starnut


WEIGHT TBA

COLOR - black

COLOR - cyan







### RACELINE 11/8" - 1.5" INTEGRATED HEADSET



MATERIAL full cnc machined 6016-T6 top cap, 8.3mm tall

SIZE integrated bearings (45x45)

**EXTRAS** • for tapered 1 1/8" - 1.5" headtubes

· includes Radio starnut


WEIGHT TBA

COLOR - black

COLOR - cyan







### SOLAR FORK



MATERIAL high performance TORAYCA carbon

fiber legs and steerer

SIZE 1-1/8"-1.5" tapered steerer

**DROPOUTS** 20mm

**OFFSET** 32mm +/-1.5mm

10mm female bolts

· laboratory tested for superior

strength and stiffness

· This fork exceeds EN16054 testing

for BMX race forks

WEIGHT LIMIT maximum rider weight 115kg

WEIGHT 490g





P. 34

**5** –

### **COBALT** JUNIOR STEM



MATERIAL casted body, forged cap, 6061-T6 alloy

STEERER CLAMPING SIZE 1"

BAR CLAMPING SIZE 22.2mm

REACH 40mm

RISE 23mm

STACK 30mm

**EXTRAS** ⋅ weight saving cap and side pocket

· fits to 1" steerer tube forks

WEIGHT TBA

COLOR - black





RADIO RACELINE

### **COBALT** PRO STEM



MATERIAL casted body, forged cap, 6061-T6 alloy

STEERER CLAMPING SIZE 1 1/8"

CLAMPING SIZE 22.2mm

REACH 50mm

RISE 23mm

STACK 30mm

**EXTRAS** weight saving cap and side pocket

WEIGHT TBA

● COLOR - black





RADIO RACELINE

# XENON PRO STEM



MATERIAL full cold forged 6061-T6 alloy

STEERER CLAMPING SIZE 1 1/8"

CLAMPING SIZE 22.2mm

REACH 53mm

RISE 23mm

STACK 30mm

**EXTRAS** cnc machined cap and side pocket

WEIGHT TBA

● COLOR - black

COLOR - high polished





RADIO RACELINE

P. 37

**5** –

## **NEON** PRO STEM



MATERIAL full cnc machined 6061-T6 alloy

STEERER CLAMPING SIZE 1 1/8"

CLAMPING SIZE 22.2mm

**REACH** 48mm, 54mm, 60mm

RISE 27mm

STACK 32.5mm

**EXTRAS** ⋅ wider 48mm cap with cut-out

· offset rear slot to improve clamping

WEIGHT TBA

COLOR - black





RADIO RACELINE

#### **XENON** MICRO HANDLEBAR



MATERIAL 6061-T6 alloy

TUBING Internally butted main tube

BAR CLAMPING SIZE 22.2mm

RISE 2"

**WIDTH** 23.25"

BACK SWEEP 6°

UP SWEEP 2°

**EXTRAS** super lightweight alloy handlebar

WEIGHT TBA

COLOR - black



### **XENON** MINI HANDLEBAR



MATERIAL 6061-T6 alloy

TUBING Internally butted main tubes

BAR CLAMPING SIZE 22.2mm

**RISE** 3" or 4"

**WIDTH** 23.25" or 23.65

BACK SWEEP 6°
UP SWEEP 2°

**EXTRAS** • super lightweight alloy handlebar

WEIGHT TBA

COLOR - black



**5** –

20 PARTS AND ACCESSORIES

RADIO RACELINE

### **XENON** JUNIOR HANDLEBAR



MATERIAL 6061-T6 alloy

TUBING Internally butted main tubes

BAR CLAMPING SIZE 22.2mm

 RISE
 4.5"

 WIDTH
 24"

 BACK SWEEP
 6°

UP SWEEP 2°

**EXTRAS** • super lightweight alloy handlebar

 $\cdot$  unique externally butted 19mm cross tube

WEIGHT TBA

● COLOR - black

COLOR - cyan

COLOR - red





RADIO RACELINE

P. 41

### XENON EXPERT HANDLEBAR



MATERIAL 6061-T6 alloy

TUBING Internally butted main tubes

BAR CLAMPING SIZE 22.2mm

 RISE
 5.5"

 WIDTH
 24.8"

 BACK SWEEP
 7°

UP SWEEP 2°

**EXTRAS** • super lightweight alloy handlebar

· unique externally butted 19mm cross tube

WEIGHT TBA

● COLOR - black

COLOR - cyan

COLOR - red





**5** –

20 PARTS AND ACCESSORIES

RADIO RACELINE

#### **XENON** EXPERT XL HANDLEBAR



MATERIAL 6061-T6 alloy

TUBING Internally butted main tubes

BAR CLAMPING SIZE 22.2mm

**RISE** 6.5"

**WIDTH** 27.15"

BACK SWEEP 7°

UP SWEEP 2°

**EXTRAS** • super lightweight alloy handlebar

· unique externally butted 19mm cross tube

WEIGHT TBA

● COLOR - black

COLOR - cyan

COLOR - red



2 -

20 PARTS AND ACCESSORIES

\* Final product will vary in appearence!

### **NEON** PRO HANDLEBAR

MATERIAL fully heat treated M2 crmo

TUBING multiple butted main tube, mechanically formed cross tube

BAR CLAMPING SIZE 22.2mm

**RISE** 7", 7.5", 8", 8.5", 9"

**WIDTH** 27.5", 28", 28.5", 29", 29.15"

**BACK SWEEP** 6.5° **UP SWEEP** 2.5°

**EXTRAS** lightweight crmo handlebar

WEIGHT TBA

COLOR - black

**COLOR** - white



**7** –

20 PARTS AND ACCESSORIES

\* Final product will vary in appearence!

RADIO RACELINE

#### **OXYGEN** TIRE



MATERIAL high quality racing rubber compound

CONSTRUCTION 120 TPI casing, folding bead

**INFLATED WIDTH** 1.6" (40mm), 1.75" (43mm), 1.95"(46mm)

INFLATED DIAMETER 1.6" (496mm), 1.75" (495mm), 1.95" (510mm)

**EXTRAS** ⋅ high pressure rated (100psi)

· light weight, high-performance race tire

 $\boldsymbol{\cdot}$  smooth central area for speed, unique outer tread to increase

traction and grip on all surfaces

· micro knurling for advanced grip performance

**WEIGHT** 1.6" - 365g/12.9oz

1.75" - 445g/15.6oz 1.95" - 470g/16.4oz





### **OXYGEN** TIRE TUBELESS READY



MATERIAL high quality racing rubber compound

**CONSTRUCTION** 60 TPI casing, folding bead, tubeless ready

INFLATED WIDTH 1.6"(40mm), 1.75" (43mm), 1.95"(46mm)

INFLATED DIAMETER 1.6" (496mm), 1.75" (495mm), 1.95" (510mm)

**EXTRAS** ⋅ high pressure rated (100psi)

· light weight, high-performance race tire

 $\cdot$  compatible with tubeless ready rims

 $\boldsymbol{\cdot}$  smooth central area for speed, unique outer tread to increase

traction and grip on all surfaces

· micro knurling for advanced grip performance

**WEIGHT** 1.6" - 400g/14oz

1.75" - 460g/16.1oz 1.95" - 500g/17.6oz





### **CLIPPER** JUNIOR RIM



MATERIAL 6061-T6 alloy

**CONSTRUCTION** sleeved join

**SIZE** 20"X 1 1/8"-1 3/8" (451)

WIDTH 19.4mm


SPOKE HOLES 28h

**EXTRAS** ⋅ light weight junior sized rim

· available in three colours

WEIGHT TBA





RADIO RACELINE

#### CLIPPER EXPERT RIM



MATERIAL 6061-T6 alloy

**CONSTRUCTION** pinned join, tubeless ready

**SIZE** 20"X1.4"-1.75" (406)


WIDTH 25mm SPOKE HOLES 28h

EXTRAS · light weight expert sized rim

· tubeless ready

WEIGHT TBA





RADIO RACELINE

### ARGON PRO RIM



MATERIAL 6061-T6 alloy

**CONSTRUCTION** flash welded join, tubeless ready

**SIZE** 20"X1.6"-1.95" (406)

WIDTH 28mm


**SPOKE HOLES** available as 32h or 36h


**EXTRAS** • lightweight pro level welded rim

· front and rear specific models

· tubeless ready

WEIGHT TBA





RADIO RACELINE

P. 49

### SOLAR RIM

MATERIAL high performance TORAYCA carbon fiber

**CONSTRUCTION** tubeless ready

**SIZE** 20"X1.6"-1.95" (406)

WIDTH 28mm

SPOKE HOLES 36h

· front and rear specific models

· tubeless ready

WEIGHT 300g







RADIO RACELINE

P. 50

**5** –

### RACELINE TUBELESS VALVE



MATERIAL light weight alloy

VALVE presta valve

SIZE 40mm or 60mm

**EXTRAS** ⋅ x3 color options (black; red; blue)

· comes as pair, includes locknut

· compatible with Argon and Solar rims

· high pressure compatible

WEIGHT TBA

● COLOR - black

COLOR - cyan

COLOR - red







[ \_

20 PARTS AND ACCESSORIES

RADIO RACELINE

#### **SOLAR** PRO RIM TAPE



MATERIAL high quality race rubber

WIDTH 20"X 1 1/8"-1 3/8" (451), 20"X1.4"-1.95" (406)

VALVE presta valve

**EXTRAS** • two size options

· high pressure compatible

· maximum tube protection from spokes and burs on rims

· designed to fit both the Solar rim and the Argon rim, tubeless

ready

WEIGHT TBA





RADIO RACELINE

#### **CLIPPER** RIM TAPE



MATERIAL heavy duty nylon

WIDTH available as 16mm (Junior) or 20mm (Expert) version

**EXTRAS** maximum tube protection from spokes and burs on rims

WEIGHT TBA





RADIO RACELINE

# RACELINE STICKER PACK



SIZE various sizes - 28 assorted stickers per set

**EXTRAS** high quality stickers, perfect for outdoor usage



5 -

20 PARTS AND ACCESSORIES

RADIO RACELINE

## RACELINE AUTHORIZED DEALER STICKER

SIZE

130mm x 130mm

**EXTRAS** 

- · high quality Authorized Dealer sticker
- perfect for usage on shop windows



RADIO RACELINE

#### RACELINE SHOP BANNER



SIZE

140cm x 30cm

**EXTRAS** 

- · ideal for usage in shop and event spaces
- · comes with eyelets for ease of hanging



#### RACELINE CONTEST BANNER



SIZE

200cm x 60cm

**EXTRAS** 

- · super durable PVC material
- · ideal for indoor and outdoor usage
- · comes with eyelets for ease of hanging



### RACELINE WATER BOTTLE

MATERIAL body PP, cap and tube LD-PE

SIZE 500ml

**EXTRAS** includes extra long straw

lightweight and squeezable bottle design

**BPA** free construction

lockable valve

WEIGHT TBA







RADIO RACELINE

**P. 58** 

5 -





WE MAKE THINGS GmbH Richard-Byrd-Str. 12 50829 Cologne / Germany mail@radiobikes.com

© WE MAKE THINGS GmbH, all rights reserved.