

# WETHEPEOPLE™

# BICYCLE CO.

# 2021

# PREVIEW

# COMPLETE BIKES



WE MAKE THINGS GmbH,  
all rights reserved © 2020

# INDEX

PAGE 04 - 07	NEW PARTS
PAGE 08 - 10	PRIME 12"
PAGE 11 - 13	RIOT 14"
PAGE 14 - 16	SEED 16"
PAGE 17 - 20	NOVA 20"
PAGE 21 - 23	NOVA 20.5"
PAGE 24 - 26	CRS 18"
PAGE 27 - 28	CRS FS 18"
PAGE 29 - 31	CRS 20"
PAGE 32 - 34	CRS FC 20"
PAGE 36 - 38	ARCADE 20"
PAGE 39 - 41	JUSTICE 20"
PAGE 42 - 44	REASON 20"
PAGE 45 - 47	CRYSIS 20"
PAGE 48 - 49	VERSUS 20"
PAGE 50 - 52	TRUST CS 20"
PAGE 53 - 55	TRUST FC 20"
PAGE 56 - 58	BATTLESHIP 20"
PAGE 59 - 60	REVOLVER 20"
PAGE 61 - 62	ENVY 20"
PAGE 63 - 64	AUDIO 22"
PAGE 65 - 66	ATLAS 24"
PAGE 67 - 68	AVENGER 27.5"



page 1 → Dillon Lloyd/Dan Kruk/Felix Prangenberg → John Yoh  
page 2 / 3 → Felix Prangenberg → Dan Kruk/Dillon Lloyd/Jordan Godwin/Felix Prangenberg



# INTRO

COMPLETE BIKES → 20 - 21

**WETHEPEOPLE** rolls into **2021** with a heavy makeover from last year's range. Combining input from our team riders, brand new aftermarket parts, and a plethora of wild new colourways and finishes, we're sure you'll be as excited as we are for these bikes...

New for **2021** is the **RIOT**. A 14" scaled down micro shredding machine capable of so much more than your average mini-BMX. Rather than making a kids bike that looks like a BMX, we decided to put a lot of time and effort into making a BMX bike that was perfect for the smaller rider to learn, grow and progress on. The **RIOT** features a scaled down frame with lighter parts and new custom components like the **SALT TRACER 14" tire**, making it feel and ride just like the same bikes our PRO's are riding, but sized down for the smaller guys and girls out there.

Our **NOVA** complete combines the geometry and feel of a PRO level bike to a whole new price point. Now available in 5 incredible colourways and 2 top tube lengths, one of the best spec'd entry level bikes in BMX offers even more choice. Fully committed to making our bikes the very best they can possibly be, we've upgraded all **CRS** bikes with a fully sealed hub set, giving one of our best-selling bikes an incredible edge over the competition. As always, every year is a chance for us to redefine each model and build on the story and character of the bike. On the "street" focused models the **REASON**, **TRUST FC & BATTLESHIP**, you'll now find shorter 160mm cranks and steeper 15mm offset forks, combing with the short 12.75" chain stay and full assortment of hub guards and freecoaster hubs, mirroring the very same bikes our PRO squad are riding this year.



This year we worked with our riders on a new line of high-end components which fit the extreme necessities their riding demands. The **PARAGON guard sprocket**, **ACTIVATE tires**, and **PERFECT grips** are all brand new for **2021** and can be found exclusively on this year's complete bikes ahead of their aftermarket release later this year. As always, this year's bikes are packed with the latest and greatest aftermarket components from **SALT**, **SALTPLUS** and **ÉCLAT**.

**ÉCLAT's** new **ABYSS sprocket**, **CENTRIC pedals**, **BIOS pivotal seats** and **DECODER tires** can be found on featured models this year and help give these bikes the same aftermarket flair and detail as you would expect from a **WETHEPEOPLE**.

We say it again and again, but words simply don't do these bikes justice. Please go through our detailed preview of this year's **WETHEPEOPLE 2021 complete bike collection** and enjoy what is to come later this year...

# PARAGON

## GUARD SPROCKET

- 6.35mm thick 6061-T6 alloy sprocket
- 10mm thick high-impact, low-friction nylon material on guard
- 5 bolt interface for increased durability




- large platform pedal designed together with input from the ÉCLAT pro team
- éclat exclusive oversize spindle design and unique crankarm interface with 6mm hex and without wrench flat
- injection molded nylon/fiberglass
- overall wider pedal body and more inward foot position to aid with crankarm grinds and aerial tricks

# PEDAL CENTRIC



# ACTIVATE TIRE

- fast centre line and aggressive knurled profile
- unique grind friendly sidewall and outer tread design
- 2.35" (57mm) width
- 60psi or 100 psi with Cobweb technology



# PERFECT GRIP

- super soft rubber compound
- longer 165mm length
- thicker rib profile in critical areas to increase durability
- includes new WETHEPEOPLE "KEY WEDGE" barends





SPROCKET

# ABYSS

- 8mm thick 6061-T6 alloy
- offset teeth and sunken adaptor for perfect chain line
- unique structure and rib support for increased stiffness



BAREND

# KEY WEDGE

- durable high durometer rubber
- designed to fit seamlessly to new WETHEPEOPLE "PERFECT" grip
- can be converted into keyring to keep as spare whilst riding/travelling

WETHEPEOPLE™  
BICYCLE CO.

# PRIME 12"



P → 08

**PLEASE NOTE:**  
Final product may vary in appearance.

PRIME 12"  
ARTWORK

**WETHE  
PEOPLE**  
BIKE COMPANY  
COLOGNE



MY → 2021

PRIME 12"  
ARTWORK

WETHEPEOPLE™  
MY 2021

WETHEPEOPLE™

-

12" PRIME



EST. XCVI



**PLEASE NOTE:**  
Final product may vary in appearance.

# PRIME 12"



COLORS ● turbo blue ● metallic mint

FRAME	WETHEPEOPLE "PRIME" frame, 1020 hi-ten
FORK	SALT "PRIME" fork, 1020 hi-ten, 26mm offset
BARS	SALT "PRIME" bar, 1020 hi-ten
GRIPS	SALT "PRIME" grips
STEM	SALT "PRIME" frontload stem, 30mm reach
HEADSET	SALT "AM" A-headset, 1" loose ball
GYRO	-
LEVER	-
BRAKES	-
CRANKS	-
BB	-
PEDALS	-
CHAIN	-
SPROCKET	-
DRIVER	-
FRONT HUB	SALT "PRIME" hub, alloy, loose ball, 3/8"s axel, 16h
REAR HUB	SALT "PRIME" hub, alloy, loose ball, 3/8"s axel, 16h
HUB GUARDS	-
FRONT RIM	SALT "BEAM" rim, single wall, 16h
REAR RIM	SALT "BEAM" rim, single wall, 16h
SEAT	WETHEPEOPLE „PRIME“ combo seat, alloy post
SEAT POST	-
SEAT CLAMP	SALT "AM" seat clamp, alloy
TIRES	KENDA "KONTACT" tires, 1.75", front & rear
PEGS	-
WEIGHT	4.47kg / 9.85lbs



## FRAME GEOMETRY

A - TOP TUBE LENGTH	12.2"
B - CHAIN STAY LENGTH	8.15"
C - HEAD TUBE ANGLE	72°
D - SEAT TUBE ANGLE	70°
E - BB HEIGHT	-
F - STANDOVER HEIGHT	4.72"

## BAR GEOMETRY

G - BAR RISE	5.15"
H - BAR WIDTH	19.7"
I - BAR BACKSWEEP	9°
J - BAR UPSWEEP	2.5°

WETHEPEOPLE™

14" RIOT



**PLEASE NOTE:**  
Final product may vary in appearance.

WETHEPEOPLE™  
BICYCLE CO.

# RIOT 14"



P

→ 12

**PLEASE NOTE:**

Final product may vary in appearance.

RIOT 14"  
ARTWORK

**RIOT** ©  
WETHEPEOPLE  
BICYCLE CO.  
ESTD. 1996  
COLOGNE—G.



WTP-19.XCVI-C

14



**R** WETHE  
PEOPLE—1996



MY → 2021



# 14" RIOT

**COLORS** ● matt black ● red

<b>FRAME</b>	WETHEPEOPLE "RIOT" frame, 1020 hi-ten
<b>FORK</b>	SALT "RIOT" fork, 1020 hi-ten, 4130 crmo steerer, 26mm offset
<b>BAR</b>	SALT "RIOT" bar, 1020 hi-ten
<b>GRIPS</b>	WETHEPEOPLE "ARROW 110" grips, flangeless
<b>STEM</b>	SALT "JUNIOR" topload stem, 40mm reach
<b>HEADSET</b>	SALT "PRO" int. headset, sealed bearing
<b>GYRO</b>	holes for removable gyro tabs
<b>LEVER</b>	SALT "RIOT" brake lever, alloy
<b>BRAKES</b>	SALT "AM" alloy caliper brake, front / SALT "AM" alloy u-brake, rear
<b>CRANKS</b>	SALT "RIOT" tubular 3pc crank, crmo, 114mm, 16 spline, hollow spindle
<b>BB</b>	SALT "SPANISH" bb, 19mm, press fit, sealed bearing
<b>PEDALS</b>	SALT "JUNIOR PRO" pedals, nylon/fiberglass
<b>CHAIN</b>	SALT "AM" chain, Z1 type
<b>SPROCKET</b>	SALT "GATEWAY" sprocket, steel, 25t
<b>DRIVER</b>	1pc cassette driver, 10t, loose ball bearing
<b>FRONT HUB</b>	SALT "RIOT" hub, alloy, loose ball, 3/8"s axle, 20h
<b>REAR HUB</b>	SALT "RIOT" cassette hub, semi sealed, 10t, 3/8"s axle, 20h
<b>HUB GUARDS</b>	-
<b>FRONT RIM</b>	SALT "BEAM" rim, single wall, 20h
<b>REAR RIM</b>	SALT "BEAM" rim, single wall, 20h
<b>SEAT</b>	WETHEPEOPLE "RIOT" junior combo seat
<b>SEAT POST</b>	-
<b>SEAT CLAMP</b>	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
<b>TIRES</b>	SALT "TRACER" tires, 2.0", front & rear
<b>PEGS</b>	-
<b>WEIGHT</b>	TBC kg / TBC lbs



## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	14"
<b>B - CHAIN STAY LENGTH</b>	10.25"
<b>C - HEAD TUBE ANGLE</b>	74°
<b>D - SEAT TUBE ANGLE</b>	71.5°
<b>E - BB HEIGHT</b>	8.25"
<b>F - STANDOVER HEIGHT</b>	6.5"

## BAR GEOMETRY

<b>G - BAR RISE</b>	6.5"
<b>H - BAR WIDTH</b>	22.4"
<b>I - BAR BACKSWEEP</b>	8°
<b>J - BAR UPSWEEP</b>	2.5°



WETHEPEOPLE™  
BICYCLE CO.

# SEED 16"



P → 14

**PLEASE NOTE:**  
Final product may vary in appearance.

SEED 16"  
ARTWORK



SEED®  
WETHEPEOPLE  
BICYCLE CO.  
ESTD. 1996  
COLOGNE—G.



WTP-19.XCVI-C

16

MY → 2021

SEED 16"  
ARTWORK

WETHEPEOPLE™  
MY 2021

WETHEPEOPLE™

EST. XCVI

-

16" SEED



**PLEASE NOTE:**  
Final product may vary in appearance.

15 ←



P

# SEED 16"



COLORS ● matt black ● surf blue

<b>FRAME</b>	WETHEPEOPLE "SEED" frame, 1020 hi-ten
<b>FORK</b>	SALT "AM 16" fork, 1020 hi-ten, 4130 crmo steerer, 28mm offset
<b>BARS</b>	SALT "SEED" bar, 1020 hi-ten
<b>GRIPS</b>	WETHEPEOPLE "ARROW 130" grips, flangeless
<b>STEM</b>	SALT "JUNIOR" topload stem, 40mm reach
<b>HEADSET</b>	SALT "PRO" int. headset, sealed bearing
<b>GYRO</b>	holes for removable gyro tabs
<b>LEVER</b>	SALT "SEED" brake lever, alloy, front & rear
<b>BRAKES</b>	SALT "AM" alloy caliper brake, front / SALT "AM" alloy u-brake, rear
<b>CRANKS</b>	SALT "ROOKIE" tubular 3pc crank, crmo, 127mm, 8 spline
<b>BB</b>	SALT "SPANISH" bb, 19mm, press fit, sealed bearing
<b>PEDALS</b>	SALT "JUNIOR PRO" pedals, nylon/fiberglass
<b>CHAIN</b>	SALT "AM chain, Z1 type
<b>SPROCKET</b>	SALT "GATEWAY" sprocket, steel, 25t
<b>DRIVER</b>	1pc cassette driver, 10t, loose ball bearing
<b>FRONT HUB</b>	SALT "SEED" hub, alloy, loose ball 3/8"s axle, 28h
<b>REAR HUB</b>	SALT "SEED" cassette hub, semi sealed, 10t, 14mm hollow axle, 28h
<b>HUB GUARDS</b>	-
<b>FRONT RIM</b>	SALT "FRACTION" rim, single wall, 28h
<b>REAR RIM</b>	SALT "FRACTION" rim, single wall, 28h
<b>SEAT</b>	WETHEPEOPLE "SEED" pivotal seat
<b>SEAT POST</b>	SALT "AM" pivotal seat post, alloy
<b>SEAT CLAMP</b>	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
<b>TIRES</b>	SALT "TRACER" tires, 2.2", front & rear
<b>PEGS</b>	-
<b>WEIGHT</b>	9.46kg / 20.87lbs



## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	16"
<b>B - CHAIN STAY LENGTH</b>	11"
<b>C - HEAD TUBE ANGLE</b>	75°
<b>D - SEAT TUBE ANGLE</b>	71.5°
<b>E - BB HEIGHT</b>	9.75"
<b>F - STANDOVER HEIGHT</b>	6.67"

## BAR GEOMETRY

<b>G - BAR RISE</b>	6.77"
<b>H - BAR WIDTH</b>	23.6"
<b>I - BAR BACKSWEEP</b>	10°
<b>J - BAR UPSWEEP</b>	3°

NOVA 20"  
ARTWORK

WETHEPEOPLE®

EST. XCVI



**PLEASE NOTE:**  
Comes with black and white split tire tread.



**PLEASE NOTE:**  
Final product may vary in appearance.

20" NOVA

# NOVA 20"




NOVA 20"  
ARTWORK


NOVA®

WETHEPEOPLE  
BICYCLE COMPANY  
ESTD. 1996

COLOGNE—GER.



WTP-19.XCVI-C



N



P

→ 18

**PLEASE NOTE:**  
Final product may vary in appearance.

MY → 2021

NOVA 20"  
ARTWORK

WETHEPEOPLE®

EST. XCVI

—

20" NOVA





**PLEASE NOTE:**  
Final product may vary in appearance.

# NOVA 20"



COLORS  matt black  laser green  ultra violet

<b>FRAME</b>	WETHEPEOPLE "NOVA" frame, 1020 hi-ten
<b>FORK</b>	SALT "AM 20" fork, 1020 hi-ten , 4130 crmo steerer, 26mm offset
<b>BAR</b>	SALT "NOVA" bar, 1020 hi-ten
<b>GRIPS</b>	SALT "EX" grips, 154mm, flangless
<b>STEM</b>	SALT "PRO" frontload stem, 50mm reach
<b>HEADSET</b>	SALT "PRO" int. headset, sealed bearing
<b>GYRO</b>	holes for removable gyro tabs
<b>LEVER</b>	SALT "AM" brake lever, alloy
<b>BRAKES</b>	SALTPLUS "GEO XL" u-brake, alloy, rear
<b>CRANKS</b>	SALT "ROOKIE" tubular 3pc crank, crmo, 165mm, 8 spline
<b>BB</b>	SALT "MID" bb, 19mm, press fit, sealed bearing
<b>PEDALS</b>	ÉCLAT "SLASH" pedals, nylon/fiberglass
<b>CHAIN</b>	SALT "AM" chain, Z1 type
<b>SPROCKET</b>	SALT "GATEWAY" sprocket, steel, 25t
<b>DRIVER</b>	1pc cassette driver, 9t, loose ball bearing
<b>FRONT HUB</b>	SALT "NOVA" hub, alloy, loose ball, 3/8"s axle, 36h
<b>REAR HUB</b>	SALT "NOVA" cassette hub, semi sealed, 9t, 14mm axle, 36h
<b>HUB GUARDS</b>	-
<b>FRONT RIM</b>	SALT "BEAM" rim, single wall, 36h
<b>REAR RIM</b>	SALT "BEAM" rim, single wall, 36h
<b>SEAT</b>	WETHEPEOPLE "NOVA" combo seat, mid padded
<b>SEAT POST</b>	-
<b>SEAT CLAMP</b>	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
<b>TIRES</b>	SALT "TRACER" tires, 2.35", front & rear
<b>PEGS</b>	-
<b>WEIGHT</b>	11.60kg / 25.71lbs



## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	20"
<b>B - CHAIN STAY LENGTH</b>	12.75"
<b>C - HEAD TUBE ANGLE</b>	75°
<b>D - SEAT TUBE ANGLE</b>	71.5°
<b>E - BB HEIGHT</b>	11.75"
<b>F - STANDOVER HEIGHT</b>	8.38"

## BAR GEOMETRY

<b>G - BAR RISE</b>	8.85"
<b>H - BAR WIDTH</b>	29"
<b>I - BAR BACKSWEEP</b>	11°
<b>J - BAR UPSWEEP</b>	2°

NOVA 20.5"  
ARTWORK

WETHEPEOPLE®

EST. XCVI

-

20.5" NOVA




**PLEASE NOTE:**  
Final product may vary in appearance.

# NOVA 20.5"




NOVA 20.5"  
ARTWORK

**NOVA**®  
WETHEPEOPLE  
BICYCLE COMPANY  
ESTD. 1996  
COLOGNE—GER.



WTP-19.XCVI-C



**N**



**P**

→ 22

**PLEASE NOTE:**  
Final product may vary in appearance.



MY → 2021



# 20.5" NOVA

**COLORS** ● matt black ● matt raw

<b>FRAME</b>	WETHEPEOPLE "NOVA" frame, 1020 hi-ten
<b>FORK</b>	SALT "AM 20" fork, 1020 hi-ten , 4130 crmo steerer, 26mm offset
<b>BAR</b>	SALT "NOVA" bar, 1020 hi-ten
<b>GRIPS</b>	SALT "EX" grips, 154mm, flangless
<b>STEM</b>	SALT "PRO" frontload stem, 50mm reach
<b>HEADSET</b>	SALT "PRO" int. headset, sealed bearing
<b>GYRO</b>	holes for removable gyro tabs
<b>LEVER</b>	SALT "AM" brake lever, alloy
<b>BRAKES</b>	SALTPLUS "GEO XL" u-brake, alloy, rear
<b>CRANKS</b>	SALT "ROOKIE" tubular 3pc crank, crmo, 165mm, 8 spline
<b>BB</b>	SALT "MID" bb, 19mm, press fit, sealed bearing
<b>PEDALS</b>	ÉCLAT "SLASH" pedals, nylon/fiberglass
<b>CHAIN</b>	SALT "AM" chain, Z1 type
<b>SPROCKET</b>	SALT "GATEWAY" sprocket, steel, 25t
<b>DRIVER</b>	1pc cassette driver, 9t, loose ball bearing
<b>FRONT HUB</b>	SALT "NOVA" hub, alloy, loose ball, 3/8"s axle, 36h
<b>REAR HUB</b>	SALT "NOVA" cassette hub, semi sealed, 9t, 14mm axle, 36h
<b>HUB GUARDS</b>	-
<b>FRONT RIM</b>	SALT "BEAM" rim, single wall, 36h
<b>REAR RIM</b>	SALT "BEAM" rim, single wall, 36h
<b>SEAT</b>	WETHEPEOPLE „NOVA“ combo seat, mid padded
<b>SEAT POST</b>	-
<b>SEAT CLAMP</b>	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
<b>TIRES</b>	SALT "TRACER" tires, 2.35", front & rear
<b>PEGS</b>	-
<b>WEIGHT</b>	TBC kg / TBC lbs



## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	20.5"
<b>B - CHAIN STAY LENGTH</b>	12.75"
<b>C - HEAD TUBE ANGLE</b>	75°
<b>D - SEAT TUBE ANGLE</b>	71.5°
<b>E - BB HEIGHT</b>	11.75"
<b>F - STANDOVER HEIGHT</b>	8.38"

## BAR GEOMETRY

<b>G - BAR RISE</b>	8.85"
<b>H - BAR WIDTH</b>	29"
<b>I - BAR BACKSWEEP</b>	11°
<b>J - BAR UPSWEEP</b>	2°



# CRS 18"




CRS 18"  
ARTWORK

CRS-18<sup>©</sup>

WETHEPEOPLE  
BICYCLE COMPANY  
ESTD. 1996

COLOGNE—GER.



WTP-19.XCVI-C



P

→ 24

**PLEASE NOTE:**

Final product may vary in appearance.

MY → 2021

CRS 18"  
ARTWORK

WETHEPEOPLE®

EST. XCVI



**PAINT SAMPLE:**  
Galactic Purple

18" CRS





**PLEASE NOTE:**  
Final product may vary in appearance.

# CRS 18"



COLORS ● matt black ● galactic purple

<b>FRAME</b>	WETHEPEOPLE "CRS 18" frame, 4130 crmo down tube, 1020 hi-ten
<b>FORK</b>	SALT "AM 18" fork, 1020 hi-ten, 4130 crmo steerer, 26mm offset
<b>BAR</b>	SALT "CRS 18" bar, 1020 hi-ten
<b>GRIPS</b>	SALT "EX" grips, 138mm, flangless
<b>STEM</b>	SALT "AM" topload stem, 45mm reach
<b>HEADSET</b>	SALT "PRO" int. headset, sealed bearing
<b>GYRO</b>	holes for removable gyro tabs
<b>LEVER</b>	SALT "AM" brake lever, alloy
<b>BRAKES</b>	SALT "AM" u-brake, alloy, rear
<b>CRANKS</b>	SALT "ROOKIE" tubular 3pc crank, crmo, 152mm, 8 spline
<b>BB</b>	SALT "SPANISH" bb, 19mm, press fit, sealed bearing
<b>PEDALS</b>	ÉCLAT "SURGE" pedals, nylon/fiberglass
<b>CHAIN</b>	SALT "AM" chain, Z1 type
<b>SPROCKET</b>	SALT "GATEWAY" sprocket, steel, 25t
<b>DRIVER</b>	1pc cassette driver, 9t, sealed bearing
<b>FRONT HUB</b>	SALT "AM" hub, fully sealed, 3/8"s male axle, 36h
<b>REAR HUB</b>	SALT "AM" cassette hub, fully sealed, 9t, 14mm axle, 36h
<b>HUB GUARDS</b>	-
<b>FRONT RIM</b>	SALT "FRACTION" rim, single wall, 36h
<b>REAR RIM</b>	SALT "FRACTION" rim, single wall, 36h
<b>SEAT</b>	WETHEPEOPLE "CRS 18" pivotal seat
<b>SEAT POST</b>	SALT "AM" pivotal seat post
<b>SEAT CLAMP</b>	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
<b>TIRES</b>	SALT "TRACER" tires, 2.2", front & rear
<b>PEGS</b>	-
<b>WEIGHT</b>	10.84kg / 23.90lbs



## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	18"
<b>B - CHAIN STAY LENGTH</b>	11.65"
<b>C - HEAD TUBE ANGLE</b>	75°
<b>D - SEAT TUBE ANGLE</b>	71.5°
<b>E - BB HEIGHT</b>	10.75"
<b>F - STANDOVER HEIGHT</b>	7.5"

## BAR GEOMETRY

<b>G - BAR RISE</b>	8"
<b>H - BAR WIDTH</b>	26.77"
<b>I - BAR BACKSWEEP</b>	10°
<b>J - BAR UPSWEEP</b>	3°

CRS 18"  
ARTWORK

WETHEPEOPLE®

EST. XCVI

—

FS 18"  
CRS



**PLEASE NOTE:**  
Final product may vary in appearance.

27 ←



P

# CRS FS 18"



COLORS ● metallic soda green

<b>FRAME</b>	WETHEPEOPLE "CRS 18" frame, 4130 crmo down tube, 1020 hi-ten
<b>FORK</b>	SALT "AM 18" fork, 1020 hi-ten, 4130 crmo steerer, 26mm offset
<b>BAR</b>	SALT "CRS 18" bar, 1020 hi-ten
<b>GRIPS</b>	SALT "EX" grips, 138mm, flangless
<b>STEM</b>	SALT "AM" topload stem, 45mm reach
<b>HEADSET</b>	SALT "PRO" int. headset, sealed bearing
<b>GYRO</b>	SALT "AM" rotor
<b>LEVER</b>	SALT "AM" brake lever, alloy
<b>BRAKES</b>	SALT "AM" u-brake, alloy, rear
<b>CRANKS</b>	SALT "ROOKIE" tubular 3pc crank, crmo, 152mm, 8 spline
<b>BB</b>	SALT "SPANISH" bb, 19mm, press fit, sealed bearing
<b>PEDALS</b>	ÉCLAT "SURGE" pedals, nylon/fiberglass
<b>CHAIN</b>	SALT "AM" chain, Z1 type
<b>SPROCKET</b>	SALT "GATEWAY" sprocket, steel, 25t
<b>DRIVER</b>	1pc cassette driver, 9t, sealed bearing
<b>FRONT HUB</b>	SALT "AM" hub, fully sealed, 3/8"s male axle, 36h
<b>REAR HUB</b>	SALT "AM" cassette hub, fully sealed, 9t, 14mm axle, 36h
<b>HUB GUARDS</b>	-
<b>FRONT RIM</b>	SALT "FRACTION" rim, single wall, 36h
<b>REAR RIM</b>	SALT "FRACTION" rim, single wall, 36h
<b>SEAT</b>	WETHEPEOPLE "CRS 18" pivotal seat
<b>SEAT POST</b>	SALT "AM" pivotal seat post
<b>SEAT CLAMP</b>	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
<b>TIRES</b>	SALT "TRACER" tires, 2.2", front & rear
<b>PEGS</b>	-
<b>WEIGHT</b>	10.93kg / 24.7lbs



## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	18"
<b>B - CHAIN STAY LENGTH</b>	11.65"
<b>C - HEAD TUBE ANGLE</b>	75°
<b>D - SEAT TUBE ANGLE</b>	71.5°
<b>E - BB HEIGHT</b>	10.75"
<b>F - STANDOVER HEIGHT</b>	7.5"

## BAR GEOMETRY

<b>G - BAR RISE</b>	8"
<b>H - BAR WIDTH</b>	26.77"
<b>I - BAR BACKSWEEP</b>	10°
<b>J - BAR UPSWEEP</b>	3°

CRS 20"  
ARTWORK

WETHEPEOPLE®

EST. XCVI

-

20" CRS



**PLEASE NOTE:**  
Final product may vary in appearance.

# CRS 20"



**PAINT SAMPLE:**  
Galactic Purple



P

→ 30


**PLEASE NOTE:**  
Final product may vary in appearance.

CRS 20"  
ARTWORK

CRS-20<sup>©</sup>

WETHEPEOPLE  
BICYCLE COMPANY  
ESTD. 1996

COLOGNE — GER.



WTP-19.XCVI-C





MY → 2021



# 20" CRS

**COLORS** ● black ● galactic purple

<b>FRAME</b>	WETHEPEOPLE "CRS 20" frame, 4130 crmo down tube, 1020 hi-ten
<b>FORK</b>	SALT "AM 20" fork, 1020 hi-ten , 4130 crmo steerer, 26mm offset
<b>BAR</b>	SALT "CRS 20" bar, 1020 hi-ten
<b>GRIPS</b>	SALT "EX" grips, 154mm, flangless
<b>STEM</b>	SALT "PRO" topload stem, 50mm reach
<b>HEADSET</b>	SALT "PRO" int. headset, sealed bearing
<b>GYRO</b>	holes for removable gyro tabs
<b>LEVER</b>	SALT "AM" brake lever, alloy
<b>BRAKES</b>	SALTPLUS "GEO XL" u-brake, alloy, rear
<b>CRANKS</b>	SALT "ROOKIE" tubular 3pc crank, crmo, 165mm, 8 spline
<b>BB</b>	SALT "MID" bb, 19mm, press fit, sealed bearing
<b>PEDALS</b>	ÉCLAT "SURGE" pedals, nylon/fiberglass
<b>CHAIN</b>	SALT "AM" chain, Z1 type
<b>SPROCKET</b>	SALT „GATEWAY“ sprocket, steel, 25t
<b>DRIVER</b>	1pc cassette driver, 9t, sealed bearing
<b>FRONT HUB</b>	SALT "AM" hub, fully sealed, 3/8"s male axle, 36h
<b>REAR HUB</b>	SALT "AM" cassette hub, fully sealed, 9t, 14mm axle, 36h
<b>HUB GUARDS</b>	-
<b>FRONT RIM</b>	SALT "FRACTION" rim, single wall, 36h
<b>REAR RIM</b>	SALT "FRACTION" rim, single wall, 36h
<b>SEAT</b>	ÉCLAT "BIOS" pivotal seat, mid padded
<b>SEAT POST</b>	SALT "AM" pivotal seat post
<b>SEAT CLAMP</b>	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
<b>TIRES</b>	SALT "TRACER" tires, 2.35", front & rear
<b>PEGS</b>	-
<b>WEIGHT</b>	12.00kg / 26.45lbs



## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	20.25"
<b>B - CHAIN STAY LENGTH</b>	12.75"
<b>C - HEAD TUBE ANGLE</b>	75°
<b>D - SEAT TUBE ANGLE</b>	71.5°
<b>E - BB HEIGHT</b>	11.75"
<b>F - STANDOVER HEIGHT</b>	8.4"

## BAR GEOMETRY

<b>G - BAR RISE</b>	8.85"
<b>H - BAR WIDTH</b>	29"
<b>I - BAR BACKSWEEP</b>	11°
<b>J - BAR UPSWEEP</b>	2°




# CRS FC 20"



CRS FC 20"  
ARTWORK

**CRS-20**<sup>©</sup>  
WETHEPEOPLE  
BICYCLE COMPANY  
ESTD. 1996  
COLOGNE — GER.



WTP-19.XCVI-C



# P

→ 32

**PLEASE NOTE:**  
Final product may vary in appearance.

MY → 2021

CRS FC 20"  
ARTWORK

WETHEPEOPLE®

EST. XCVI

—

FC 20"

CRS





**PLEASE NOTE:**  
Final product may vary in appearance.

# CRS FC 20"



COLORS ● matt black ● translucent berry blast

<b>FRAME</b>	WETHEPEOPLE "CRS 20" frame, 4130 crmo down tube, 1020 hi-ten
<b>FORK</b>	SALT "AM 20" fork, 1020 hi-ten , 4130 crmo steerer, 26mm offset
<b>BARS</b>	SALT "CRS 20" bar, 1020 hi-ten
<b>GRIPS</b>	SALT "EX" grips, 154mm, flangless
<b>STEM</b>	SALT "PRO" topload stem, 50mm reach
<b>HEADSET</b>	SALT "PRO" int. headset, sealed bearing
<b>GYRO</b>	holes for removable gyro tabs
<b>LEVER</b>	SALT "AM" brake lever, alloy
<b>BRAKES</b>	SALTPLUS "GEO XL" u-brake, alloy, rear
<b>CRANKS</b>	SALT "ROOKIE" tubular 3pc crank, crmo, 165mm, 8 spline
<b>BB</b>	SALT "MID" bb, 19mm, press fit, sealed bearing
<b>PEDALS</b>	ÉCLAT "SURGE" pedals, nylon/fiberglass
<b>CHAIN</b>	SALT "AM" chain, Z1 type
<b>SPROCKET</b>	SALT "GATEWAY" sprocket, steel, 25t
<b>DRIVER</b>	1pc cassette driver, 9t, sealed bearing
<b>FRONT HUB</b>	SALT "AM" hub, fully sealed, 3/8"s male axle, 36h
<b>REAR HUB</b>	SALT "PRO" freecoaster hub, fully sealed, 9t, 14mm axle, 36h
<b>HUB GUARDS</b>	-
<b>FRONT RIM</b>	SALT "FRACTION" rim, single wall, 36h
<b>REAR RIM</b>	SALT "FRACTION" rim, single wall, 36h
<b>SEAT</b>	ÉCLAT "BIOS" pivotal seat, mid padded
<b>SEAT POST</b>	SALT "AM" pivotal seat post
<b>SEAT CLAMP</b>	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
<b>TIRES</b>	SALT "TRACER" tires, 2.35", front & rear
<b>PEGS</b>	-
<b>WEIGHT</b>	12.10kg / 26.67lbs



## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	20.25"
<b>B - CHAIN STAY LENGTH</b>	12.75"
<b>C - HEAD TUBE ANGLE</b>	75°
<b>D - SEAT TUBE ANGLE</b>	71.5°
<b>E - BB HEIGHT</b>	11.75"
<b>F - STANDOVER HEIGHT</b>	8.4"

## BAR GEOMETRY

<b>G - BAR RISE</b>	8.85"
<b>H - BAR WIDTH</b>	29"
<b>I - BAR BACKSWEEP</b>	11°
<b>J - BAR UPSWEEP</b>	2°

# WETHEPEOPLE™ BICYCLE CO.

-




2021

# COMPLETE BIKES



Dan Kruk → photos by Paul Robinson



# ARCADE 20"



P

→ 36

**PLEASE NOTE:**  
Final product may vary in appearance.


ARCADE 20"  
ARTWORK

ARCADE ©

WETHEPEOPLE  
BICYCLE COMPANY  
ESTD. 1996  
COLOGNE—GER.



WTP-19.XCVI-C



A



MY → 2021

ARCADE 20"  
ARTWORK

WETHEPEOPLE™

EST. XCVI

-

20" ARCADE





**PLEASE NOTE:**  
Final product may vary in appearance.

# ARCADE 20"



COLORS ● matt black ● candy red

<b>FRAME</b>	WETHEPEOPLE "ARCADE" frame, 4130 crmo top & down tube, 1020 hi-ten
<b>FORK</b>	SALT "AM 20" fork, 1020 hi-ten, 4130 crmo steerer, 26mm offset
<b>BAR</b>	SALT "ARCADE" bar, 1020 hi-ten
<b>GRIPS</b>	SALTPLUS "XL" grips, 155mm, flangless
<b>STEM</b>	SALT "COMP" topload stem, 50mm reach
<b>HEADSET</b>	SALT "PRO" int. headset, sealed bearing
<b>GYRO</b>	holes for removable gyro tabs
<b>LEVER</b>	SALT "AM" brake lever, alloy
<b>BRAKES</b>	ÉCLAT "TALON" u-brake, alloy, rear
<b>CRANKS</b>	SALT "AM" tubular 3pc crank, seamless, crmo, 165mm, 8 spline
<b>BB</b>	SALT "MID" bb, 19mm, press fit, sealed bearing
<b>PEDALS</b>	SALTPLUS "STEALTH LB" pedals, nylon/fiberglass
<b>CHAIN</b>	SALT "AM" chain, Z1 type
<b>SPROCKET</b>	SALT "GATEWAY" sprocket, steel, 25t
<b>DRIVER</b>	1pc cassette driver, 9t, sealed bearing
<b>FRONT HUB</b>	SALT "PRO" hub, fully sealed, 3/8"s male axle, 36h
<b>REAR HUB</b>	SALT "PRO" cassette hub, fully sealed, 9t, 14mm axle, 36h
<b>HUB GUARDS</b>	SALT "PRO" hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
<b>FRONT RIM</b>	SALT "VALON" rim, single wall, 36h
<b>REAR RIM</b>	SALT "VALON" rim, single wall, 36h
<b>SEAT</b>	ÉCLAT "BIOS" pivotal seat, fat padded
<b>SEAT POST</b>	SALT "AM" pivotal seat post
<b>SEAT CLAMP</b>	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
<b>TIRES</b>	SALTPLUS "BURN" tires, 2.35", front & rear
<b>PEGS</b>	-
<b>WEIGHT</b>	12.39kg / 27.31lbs



## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	20.5"   21"
<b>B - CHAIN STAY LENGTH</b>	12.75"
<b>C - HEAD TUBE ANGLE</b>	75°
<b>D - SEAT TUBE ANGLE</b>	71°
<b>E - BB HEIGHT</b>	11.75"
<b>F - STANDOVER HEIGHT</b>	8.75"

## BAR GEOMETRY

<b>G - BAR RISE</b>	9"   9.25"
<b>H - BAR WIDTH</b>	29"   29.25"
<b>I - BAR BACKSWEEP</b>	11°
<b>J - BAR UPSWEEP</b>	2.5°

JUSTICE 20"  
ARTWORK

WETHEPEOPLE®

EST. XCVI

-

20" JUSTICE



**PLEASE NOTE:**  
Final product may vary in appearance.

# JUSTICE 20"



P

→ 40

**PLEASE NOTE:**  
Final product may vary in appearance.

JUSTICE 20"  
ARTWORK

JUSTICE ©

WETHEPEOPLE  
BICYCLE COMPANY  
ESTD. 1996

COLOGNE—GER.



WTP-19.XCVI-C



WETHE  
PEOPLE—1996



MY → 2021



# 20" JUSTICE

**COLORS** ● matt ghost grey ● matt taxi yellow

<b>FRAME</b>	WETHEPEOPLE "JUSTICE" frame, 4130 trimoly, tapered SS & CS, with removable brake pivots & guides
<b>FORK</b>	SALTPLUS "JUSTICE" fork, 4130 full crmo , butted crmo steerer, 22mm offset
<b>BARS</b>	SALTPLUS "HQ" bar, full 4130 crmo
<b>GRIPS</b>	WETHEPEOPLE "PERFECT" grips, 165mm, flangeless
<b>STEM</b>	SALT "ZION" topload stem, 50mm reach
<b>HEADSET</b>	SALT "PRO" int. headset, sealed bearing
<b>GYRO</b>	holes for removable gyro tabs
<b>LEVER</b>	SALT "AM" brake lever, alloy
<b>BRAKES</b>	ÉCLAT "TALON" u-brake, alloy, rear
<b>CRANKS</b>	SALT "REVO" square profile 3pc crank, crmo, 165mm, 8 spline
<b>BB</b>	SALT "MID" bb, 19mm, press fit, sealed bearing
<b>PEDALS</b>	WETHEPEOPLE "LOGIC" pedals, nylon/fiberglass
<b>CHAIN</b>	SALT "AM" chain, Z1 type
<b>SPROCKET</b>	WETHEPEOPLE "PARAGON" sprocket & nylon guard, 6061-T6 alloy, 25t
<b>DRIVER</b>	1pc cassette driver, 9t, sealed bearing
<b>FRONT HUB</b>	SALT "PRO" hub, fully sealed, 3/8"s male axle, 36h
<b>REAR HUB</b>	SALT "PRO" cassette hub, fully sealed, 9t, 14mm axle, 36h
<b>HUB GUARDS</b>	SALT "PRO" hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
<b>FRONT RIM</b>	SALT "VALON" rim, single wall, 36h
<b>REAR RIM</b>	SALTPLUS "SUMMIT" rim, double wall, 36h
<b>SEAT</b>	ÉCLAT "BIOS" pivotal seat, fat padded
<b>SEAT POST</b>	SALT "AM" pivotal seat post
<b>SEAT CLAMP</b>	integrated seat clamp
<b>TIRES</b>	WETHEPEOPLE "ACTIVATE" tires, 2.35", 60PSI , front & rear
<b>PEGS</b>	-
<b>WEIGHT</b>	11.79kg / 25.83lbs



## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	20.75"
<b>B - CHAIN STAY LENGTH</b>	13.2"
<b>C - HEAD TUBE ANGLE</b>	76°
<b>D - SEAT TUBE ANGLE</b>	71°
<b>E - BB HEIGHT</b>	11.75"
<b>F - STANDOVER HEIGHT</b>	9"

## BAR GEOMETRY

<b>G - BAR RISE</b>	9"
<b>H - BAR WIDTH</b>	29.25"
<b>I - BAR BACKSWEEP</b>	11°
<b>J - BAR UPSWEEP</b>	2.5°



# REASON 20"




WETHE  
PEOPLE—1996

REASON<sup>©</sup>

WETHEPEOPLE  
BICYCLE COMPANY  
ESTD. 1996

COLOGNE—GER.

WTP-19.XCVI-C



P

→ 42

**PLEASE NOTE:**  
Final product may vary in appearance.

MY → 2021

REASON 20"  
ARTWORK

WETHEPEOPLE®

EST. XCVI

-

# 20" REASON





**PLEASE NOTE:**  
Final product may vary in appearance.

# REASON 20"



COLORS ● matt black ● matt blue

<b>FRAME</b>	WETHEPEOPLE "REASON" frame, 4130 full crmo, tapered SS & CS, with removable brake pivots & guides
<b>FORK</b>	SALTPLUS "REASON" fork, 4130 full crmo, butted crmo steerer, 15mm offset
<b>BARS</b>	WETHEPEOPLE "REASON" bar, 4pc, 4130 full crmo
<b>GRIPS</b>	WETHEPEOPLE "PERFECT" grips, 165mm, flangeless
<b>STEM</b>	SALT "ZION" topload stem, 50mm reach
<b>HEADSET</b>	SALT "PRO" int. headset, sealed bearing
<b>GYRO</b>	holes for removable gyro tabs
<b>LEVER</b>	SALT "AM" brake lever, alloy
<b>BRAKES</b>	ÉCLAT "TALON" u-brake, alloy, rear
<b>CRANKS</b>	SALT "REVO" square profile 3pc crank, crmo, 160mm, 8 spline
<b>BB</b>	SALT "MID" bb, 19mm, press fit, sealed bearing
<b>PEDALS</b>	WETHEPEOPLE "LOGIC" pedals, nylon/fiberglass
<b>CHAIN</b>	SALT "AM" chain, Z1 type
<b>SPROCKET</b>	WETHEPEOPLE "PARAGON" sprocket & nylon guard, 6061-T6 alloy, 25t
<b>DRIVER</b>	1pc freecoaster driver, 9t, sealed bearing
<b>FRONT HUB</b>	SALT "PRO" hub, fully sealed, 3/8"s male axle, 36h
<b>REAR HUB</b>	SALT "PRO" freecoaster hub, fully sealed, 9t, 14mm axle, 36h
<b>HUB GUARDS</b>	SALT "PRO" hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
<b>FRONT RIM</b>	SALT "VALON" rim, single wall, 36h
<b>REAR RIM</b>	SALTPLUS "SUMMIT" rim, double wall, 36h
<b>SEAT</b>	ÉCLAT "BIOS" pivotal seat, fat padded
<b>SEAT POST</b>	SALT "AM" pivotal seat post
<b>SEAT CLAMP</b>	integrated seat clamp
<b>TIRES</b>	WETHEPEOPLE "ACTIVATE" tires, 2.35", 60PSI, front & rear
<b>PEGS</b>	SALT "AM" pegs, steel, 4.15" long, x2
<b>WEIGHT</b>	12.53kg / 27.63lbs



## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	20.75"
<b>B - CHAIN STAY LENGTH</b>	12.75"
<b>C - HEAD TUBE ANGLE</b>	76°
<b>D - SEAT TUBE ANGLE</b>	71°
<b>E - BB HEIGHT</b>	11.75"
<b>F - STANDOVER HEIGHT</b>	9"

## BAR GEOMETRY

<b>G - BAR RISE</b>	9"
<b>H - BAR WIDTH</b>	29.5"
<b>I - BAR BACKSWEEP</b>	11°
<b>J - BAR UPSWEEP</b>	3°

CRYSIS 20"  
ARTWORK

WETHEPEOPLE®

EST. XCVI



**PLEASE NOTE:**  
Seat comes in new WTP Indigo  
Camo design.

# 20" CRYSIS



**PLEASE NOTE:**  
Final product may vary in appearance.

# CRYSIS 20"



P

→ 46

**PLEASE NOTE:**

Final product may vary in appearance.

CRYSIS 20"  
ARTWORK



WETHE  
PEOPLE—1996




**CRYSIS**

WETHEPEOPLE  
BICYCLE COMPANY  
ESTD. 1996

COLOGNE—GER. ©



WTP-19.XCVI-C





MY → 2021



# 20" CRYISIS

**COLORS** ● matt black ● midnight green

<b>FRAME</b>	WETHEPEOPLE "CRYISIS" frame, 4130 full crmo, tapered SS & CS, with removable brake pivots & guides, 127mm head tube
<b>FORK</b>	SALTPLUS "CRYISIS" fork, 4130 full crmo, 4130 crmo steerer, 26mm offset
<b>BAR</b>	SALTPLUS "CRYISIS" bar, 2pc, 4130 full crmo
<b>GRIPS</b>	WETHEPEOPLE "PERFECT" grips, 165mm, flangeless
<b>STEM</b>	WETHEPEOPLE "LOGIC" frontload stem, full cnc, 48mm reach
<b>HEADSET</b>	SALT "PRO" int. headset, sealed bearing
<b>GYRO</b>	holes for removable gyro tabs
<b>LEVER</b>	SALT "MOTO" brake lever, alloy
<b>BRAKES</b>	ÉCLAT "TALON" u-brake, alloy, rear
<b>CRANKS</b>	SALTPLUS "ULTRA" square profile 3pc „TSS“ crank, crmo, 170mm, 8 spline
<b>BB</b>	SALT "MID" bb, 19mm, press fit, sealed bearing
<b>PEDALS</b>	ÉCLAT "SLASH" pedals, nylon/fiberglass
<b>CHAIN</b>	WETHEPEOPLE "SUPPLY" chain, Z510HX type
<b>SPROCKET</b>	WETHEPEOPLE "LOGIC" sprocket, cnc, 6061-T6 alloy, 25t
<b>DRIVER</b>	1pc cassette driver, 9t, sealed bearing
<b>FRONT HUB</b>	SALTPLUS "PRO" hub, fully sealed, 3/8"s female bolts, 36h
<b>REAR HUB</b>	SALTPLUS "PRO" cassette hub, fully sealed, 9t, 14mm axle, 36h
<b>HUB GUARDS</b>	SALTPLUS "PRO" hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
<b>FRONT RIM</b>	SALTPLUS "SUMMIT" rim, double wall, 36h
<b>REAR RIM</b>	SALTPLUS "SUMMIT" rim, double wall, 36h
<b>SEAT</b>	ÉCLAT "BIOS" pivotal seat, fat padded
<b>SEAT POST</b>	SALT "AM" pivotal seat post, 150mm, alloy
<b>SEAT CLAMP</b>	WETHEPEOPLE "LOGIC" seat clamp, 4130 crmo
<b>TIRES</b>	WETHEPEOPLE "OVERBITE" tires, 2.35", front & rear
<b>PEGS</b>	-
<b>WEIGHT</b>	12.09 kg / 26.66lbs



## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	20.5"   21"
<b>B - CHAIN STAY LENGTH</b>	13.2"
<b>C - HEAD TUBE ANGLE</b>	75°
<b>D - SEAT TUBE ANGLE</b>	71°
<b>E - BB HEIGHT</b>	11.65"
<b>F - STANDOVER HEIGHT</b>	8.75"   9"

## BAR GEOMETRY

<b>G - BAR RISE</b>	9.7"
<b>H - BAR WIDTH</b>	29.5"
<b>I - BAR BACKSWEEP</b>	12°
<b>J - BAR UPSWEEP</b>	2.5°



# VERSUS 20"




P

→ 48

**PLEASE NOTE:**  
Final product may vary in appearance.

VERSUS 20"  
ARTWORK

VERSUS®  
WETHEPEOPLE  
BICYCLE COMPANY  
ESTD. 1996  
COLOGNE—GER.



WTP-19.XCVI-C



WTP





MY → 2021



# 20" VERSUS

COLORS  silver

<b>FRAME</b>	WETHEPEOPLE "VERSUS" frame, 4130 full crmo, tapered SS & CS, with removable brake pivots & guides
<b>FORK</b>	SALTPLUS "VERSUS" fork, 4130 full crmo, butted crmo steerer, 26mm offset
<b>BAR</b>	SALTPLUS "VERSUS" bar, 2pc, 4130 full crmo
<b>GRIPS</b>	WETHEPEOPLE "MANTA" grips, 160mm, flangeless, with ÉCLAT „TECH-BOLT“ barends
<b>STEM</b>	WETHEPEOPLE "INDEX" frontload stem, 50mm reach
<b>HEADSET</b>	SALT "PRO" int. headset, sealed bearing
<b>GYRO</b>	SALTPLUS "GEO" rotor, cnc alloy, with SALT „DUAL“ upper cable
<b>LEVER</b>	SALT "MOTO" brake lever, alloy
<b>BRAKES</b>	ÉCLAT "TALON" u-brake rear, alloy
<b>CRANKS</b>	SALTPLUS "ULTRA" square profile 3pc „TSS“ crank, crmo, 170mm, 8 spline
<b>BB</b>	SALT "MID" bb, 19mm, press fit, sealed bearing
<b>PEDALS</b>	ÉCLAT "CONTRA" pedals, nylon/fiberglass
<b>CHAIN</b>	WETHEPEOPLE "SUPPLY" chain, Z510HX type
<b>SPROCKET</b>	WETHEPEOPLE "LOGIC" sprocket, cnc, 6061-T6 alloy, 25t
<b>DRIVER</b>	1pc cassette driver, 9t, sealed bearing
<b>FRONT HUB</b>	SALTPLUS "PRO" hub, fully sealed, 3/8"s female bolts, 36h
<b>REAR HUB</b>	SALTPLUS "PRO" cassette hub, fully sealed, 9t, 14mm axle, 36h
<b>HUB GUARDS</b>	SALTPLUS "PRO" hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
<b>FRONT RIM</b>	SALTPLUS "SUMMIT" rim, double wall, 36h
<b>REAR RIM</b>	SALTPLUS "SUMMIT" rim, double wall, 36h
<b>SEAT</b>	ÉCLAT "UNIFY" combo seat, slim padded
<b>SEAT POST</b>	-
<b>SEAT CLAMP</b>	integrated seat clamp
<b>TIRES</b>	ÉCLAT "MIRAGE" tires, 2.25", front & rear
<b>PEGS</b>	WETHEPEOPLE "MESSAGE" pegs, 6061-T6 alloy, 4.15" long, x2
<b>WEIGHT</b>	11.97kg / 26.39lbs



## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	20.65"
<b>B - CHAIN STAY LENGTH</b>	12.75"
<b>C - HEAD TUBE ANGLE</b>	75.5°
<b>D - SEAT TUBE ANGLE</b>	71°
<b>E - BB HEIGHT</b>	11.55"
<b>F - STANDOVER HEIGHT</b>	7.75"

## BAR GEOMETRY

<b>G - BAR RISE</b>	9"
<b>H - BAR WIDTH</b>	29.25"
<b>I - BAR BACKSWEEP</b>	11°
<b>J - BAR UPSWEEP</b>	2.5°



# TRUST CS 20"



**PLEASE NOTE:**  
Comes with red center stripe on  
tire tread.



P

→ 50


**PLEASE NOTE:**  
Final product may vary in appearance.

TRUST CS 20"  
ARTWORK

**TRUST** ©

WETHEPEOPLE  
BICYCLE COMPANY  
ESTD. 1996

COLOGNE—GER.



WTP-19.XCVI-C



WTP

MY → 2021

TRUST CS 20"  
ARTWORK

WETHEPEOPLE™

EST. XCVI

-

CS 20" TRUST





**PLEASE NOTE:**  
Final product may vary in appearance.

# TRUST CS 20"



COLORS ● matt black ● matt raw

<b>FRAME</b>	WETHEPEOPLE "TRUST" frame, 4130 full crmo, tapered SS & CS, with removable brake pivots & guides, 127mm head tube
<b>FORK</b>	SALTPLUS "TRUST" fork, 4130 full crmo, butted crmo steerer, 26mm offset
<b>BARS</b>	SALTPLUS "TRUST" bar, 4130 full crmo
<b>GRIPS</b>	ÉCLAT "SHOGUN" grips, flangeless, with ÉCLAT „TECH-BOLT“ barends
<b>STEM</b>	WETHEPEOPLE „HYDRA“ topload stem, cnc alloy, 50mm reach, 36mm rise
<b>HEADSET</b>	SALT "PRO" int. headset, sealed bearing
<b>GYRO</b>	holes for removable gyro tabs
<b>LEVER</b>	SALT "MOTO" brake lever, alloy
<b>BRAKES</b>	ÉCLAT "TALON" u-brake, alloy, rear
<b>CRANKS</b>	SALTPLUS "ELITE" tubular 3pc crank, L&R, crmo, 170mm, 48 spline
<b>BB</b>	SALT "MID" bb, 19mm, press fit, sealed bearing
<b>PEDALS</b>	ÉCLAT "CENTRIC" pedals, nylon/fiberglass
<b>CHAIN</b>	WETHEPEOPLE "SUPPLY" chain, Z510HX type
<b>SPROCKET</b>	WETHEPEOPLE "PARAGON" sprocket & nylon guard, 6061-T6 alloy, 25t
<b>DRIVER</b>	1pc cassette driver, 9t, sealed bearing
<b>FRONT HUB</b>	ÉCLAT "CORTEX" hub, fully sealed, 3/8"s female bolts, 36h
<b>REAR HUB</b>	ÉCLAT "CORTEX" cassette hub, fully sealed, 9t drive, 14mm hollow axle, 36h
<b>HUB GUARDS</b>	ÉCLAT hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
<b>FRONT RIM</b>	ÉCLAT "TRIPPIN" rim, double wall, 36h
<b>REAR RIM</b>	ÉCLAT "TRIPPIN" rim, double wall, 36h
<b>SEAT</b>	ÉCLAT "BIOS" pivotal seat, fat padded
<b>SEAT POST</b>	SALT "AM" pivotal seat post, 150mm, alloy
<b>SEAT CLAMP</b>	WETHEPEOPLE "LOGIC" seat clamp, 4130 crmo
<b>TIRES</b>	WETHEPEOPLE "ACTIVATE" tires, 2.35", 100PSI, front & rear
<b>PEGS</b>	SALT "AM" nylon pegs, 4.5" long, x2
<b>WEIGHT</b>	TBC kg / TBC lbs



## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	21"
<b>B - CHAIN STAY LENGTH</b>	13.2"
<b>C - HEAD TUBE ANGLE</b>	75.5°
<b>D - SEAT TUBE ANGLE</b>	71°
<b>E - BB HEIGHT</b>	11.7"
<b>F - STANDOVER HEIGHT</b>	9"

## BAR GEOMETRY

<b>G - BAR RISE</b>	9.25"
<b>H - BAR WIDTH</b>	29.25"
<b>I - BAR BACKSWEEP</b>	12°
<b>J - BAR UPSWEEP</b>	2.5°

TRUST FC 20"  
ARTWORK

WETHEPEOPLE™

EST. XCVI



**PLEASE NOTE:**  
Comes with red center stripe on  
tire tread.

# FC 20" TRUST



**PLEASE NOTE:**  
Final product may vary in appearance.

# TRUST FC 20"



P

→ 54


**PLEASE NOTE:**  
Final product may vary in appearance.

TRUST FC 20"  
ARTWORK

TRUST<sup>©</sup>

WETHEPEOPLE  
BICYCLE COMPANY  
ESTD. 1996

COLOGNE—GER.



WTP-19.XCVI-C



WTP



MY → 2021



# FC 20" TRUST

**COLORS** ● matt black ● matt raw

<b>FRAME</b>	WETHEPEOPLE "TRUST" frame, 4130 full crmo, tapered SS & CS, with removable brake pivots & guides, 127mm head tube
<b>FORK</b>	SALTPLUS "TRUST" fork, 4130 full crmo, butted crmo steerer, 15mm offset
<b>BAR</b>	SALTPLUS "TRUST" bar, 4pc, 4130 full crmo, curved crosstube
<b>GRIPS</b>	ÉCLAT "SHOGUN" grips, flangeless, with ÉCLAT "TECH-BOLT" barends
<b>STEM</b>	WETHEPEOPLE "GOOSENECK" topload stem, cnc alloy, 48mm reach, 35mm rise
<b>HEADSET</b>	SALT "PRO" int. headset, sealed bearing
<b>GYRO</b>	holes for removable gyro tabs
<b>LEVER</b>	SALT "MOTO" brake lever, alloy
<b>BRAKES</b>	ÉCLAT "TALON" u-brake, alloy, rear
<b>CRANKS</b>	SALTPLUS "ELITE" tubular 3pc crank, L&R, crmo, 160mm, 48 spline
<b>BB</b>	SALT "MID" bb, 19mm, press fit, sealed bearing
<b>PEDALS</b>	ÉCLAT "CENTRIC" pedals, nylon/fiberglass
<b>CHAIN</b>	WETHEPEOPLE "SUPPLY" chain, Z510HX type
<b>SPROCKET</b>	WETHEPEOPLE "PARAGON" sprocket & nylon guard, 6061-T6 alloy, 25t
<b>DRIVER</b>	1pc freecoaster driver, 9t, sealed bearing
<b>FRONT HUB</b>	WETHEPEOPLE "HELIX" hub, fully sealed, 3/8"s female bolts, 36h
<b>REAR HUB</b>	WETHEPEOPLE "HELIX" freecoaster hub, fully sealed, 9t, 14mm axle, 36h
<b>HUB GUARDS</b>	WETHEPEOPLE "HELIX" hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
<b>FRONT RIM</b>	ÉCLAT "TRIPPIN" rim, double wall, 36h
<b>REAR RIM</b>	ÉCLAT "TRIPPIN" rim, double wall, 36h
<b>SEAT</b>	ÉCLAT "BIOS" pivotal seat, fat padded
<b>SEAT POST</b>	SALT "AM" pivotal seat post, 150mm, alloy
<b>SEAT CLAMP</b>	WETHEPEOPLE "LOGIC" seat clamp, 4130 crmo
<b>TIRES</b>	WETHEPEOPLE "ACTIVATE" tires, 2.35", 100PSI , front & rear
<b>PEGS</b>	SALT "AM" pegs, nylon, 4.5" long, x2
<b>WEIGHT</b>	TBC kg / TBC lbs



## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	20.75"
<b>B - CHAIN STAY LENGTH</b>	12.75"
<b>C - HEAD TUBE ANGLE</b>	75.5°
<b>D - SEAT TUBE ANGLE</b>	71°
<b>E - BB HEIGHT</b>	11.7"
<b>F - STANDOVER HEIGHT</b>	9"

## BAR GEOMETRY

<b>G - BAR RISE</b>	9.4"
<b>H - BAR WIDTH</b>	29.6"
<b>I - BAR BACKSWEEP</b>	11°
<b>J - BAR UPSWEEP</b>	3°



# BATTLESHIP RSD 20"



BATTLESHIP RSD 20"  
ARTWORK



P

→ 56

**PLEASE NOTE:**  
Final product may vary in appearance.

MY → 2021

BATTLESHIP LSD 20"  
ARTWORK

W E T H E P E O P L E™

EST. XCVI

LSD 20"

# BATTLESHIP



**PLEASE NOTE:**  
Final product may vary in appearance.

57 ←



P

# BATTLESHIP RSD 20"



COLORS ● abyss blue (RSD) ● glossy raw (LSD)

<b>FRAME</b>	WETHEPEOPLE "BATTLESHIP" frame, 4130 full crmo, hydroformed gussets, with removable pivots & guides
<b>FORK</b>	WETHEPEOPLE "BATTLESHIP" fork, post liquid heat-treated butted sanko tubing, 1pc cnc steerer, 15mm offset
<b>BARS</b>	ÉCLAT "STRANGLER" bar, 4pc, post liquid heat-treated 4130 crmo, 25.4mm clamping
<b>GRIPS</b>	ÉCLAT "SHOGUN" grips, flangeless, with ÉCLAT "TECH-BOLT" barends
<b>STEM</b>	ÉCLAT „DOMAIN“ topload stem, cnc alloy, 48mm reach, 25.4mm clamping
<b>HEADSET</b>	ÉCLAT „WAVE 16“ int. headset, sealed bearing
<b>GYRO</b>	-
<b>LEVER</b>	SALT "MOTO" brake lever, alloy
<b>BRAKES</b>	ÉCLAT "TALON" u-brake, alloy, rear
<b>CRANKS</b>	WETHEPEOPLE "LOGIC" tubular 3pc crank, 22mm, crmo, 160mm, 48 spline
<b>BB</b>	WETHEPEOPLE "COMPACT" bb, 22mm, press fit, sealed bearing
<b>PEDALS</b>	ÉCLAT "CENTRIC" pedals, nylon/fiberglass
<b>CHAIN</b>	SALTPLUS "WARLOCK" half-link chain
<b>SPROCKET</b>	ÉCLAT "ELEVATE" sprocket & nylon guard, 6061-T6 alloy, 25t
<b>DRIVER</b>	1pc freecoaster driver, 9t, sealed bearing
<b>FRONT HUB</b>	WETHEPEOPLE "HELIX" hub, fully sealed, 3/8"s female bolts, 36h
<b>REAR HUB</b>	WETHEPEOPLE "HELIX" freecoaster hub, fully sealed, 9t, 14mm axle, 36h
<b>HUB GUARDS</b>	WETHEPEOPLE "HELIX" hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
<b>FRONT RIM</b>	ÉCLAT "BONDI" rim, 38mm wide, flash welded, double wall, 36h
<b>REAR RIM</b>	ÉCLAT "BONDI" rim, 38mm wide, flash welded, double wall, 36h
<b>SEAT</b>	ÉCLAT "BIOS" pivotal seat, fat padded
<b>SEAT POST</b>	WETHEPEOPLE "TEAM" pivotal seat post, 200mm, 6061-T6 alloy
<b>SEAT CLAMP</b>	WETHEPEOPLE "LOGIC" seat clamp, 4130 crmo
<b>TIRES</b>	ÉCLAT „DECODER“ tires, 2.40", 100PSI, front & rear
<b>PEGS</b>	ÉCLAT "VENOM" pegs, nylon/fiberglass, 4.8" long, x2
<b>WEIGHT</b>	12.57kg / 27.81lbs



## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	20.75"
<b>B - CHAIN STAY LENGTH</b>	13" (12.7"-13.2")
<b>C - HEAD TUBE ANGLE</b>	75.5°
<b>D - SEAT TUBE ANGLE</b>	71°
<b>E - BB HEIGHT</b>	11.7"
<b>F - STANDOVER HEIGHT</b>	9"

## BAR GEOMETRY

<b>G - BAR RISE</b>	9.1"
<b>H - BAR WIDTH</b>	29.7"
<b>I - BAR BACKSWEEP</b>	11.5°
<b>J - BAR UPSWEEP</b>	2.5°

REVOLVER 20"  
ARTWORK

WETHE  
REVOLVER  
PEOPLE

SEAMLESS  
41 30  
CRMO TUBING



EST. XCVI

# 20" REVOLVER





**PLEASE NOTE:**  
Final product may vary in appearance.

# REVOLVER 20"



COLORS ● matt skipper green

<b>FRAME</b>	WETHEPEOPLE "REVOLVER" frame, 4130 full sanko, invest cast wishbone & 7.5mm dropouts
<b>FORK</b>	ÉCLAT "STORM" fork, post liquid heat-treated & butted sanko tubing, 30mm offset
<b>BARS</b>	WETHEPEOPLE "REVOLVER" bar, post liquid heat-treated 4130 crmo
<b>GRIPS</b>	ÉCLAT „FILTER“ grips, flangeless, with ÉCLAT „TECH-BOLT“ barends
<b>STEM</b>	ÉCLAT „METRA“ topload stem, cnc alloy, 51mm reach, 30mm rise
<b>HEADSET</b>	ÉCLAT „WAVE 6“ int. headset, sealed bearing
<b>GYRO</b>	holes for removable gyro tabs
<b>LEVER</b>	SALT „MOTO“ brake lever, alloy
<b>BRAKES</b>	ÉCLAT "TALON" alloy u-brake rear
<b>CRANKS</b>	WETHEPEOPLE „LOGIC“ tubular 3pc crank, 22mm, crmo, 175mm, 48 spline
<b>BB</b>	WETHEPEOPLE „COMPACT“ bb, 22mm, press fit, sealed bearing
<b>PEDALS</b>	ÉCLAT „CONTRA“ pedals, nylon/fiberglass
<b>CHAIN</b>	ÉCLAT "DIESEL" chain
<b>SPROCKET</b>	ÉCLAT „ABYSS“ sprocket, cnc, 6061-T6 alloy, 28t
<b>DRIVER</b>	1pc cassette driver, 9t, full bushing, SDS (RSD/LSD switchable)
<b>FRONT HUB</b>	ÉCLAT "PULSE" hub, fully sealed, 3/8"s axle, 36h
<b>REAR HUB</b>	ÉCLAT "PULSE" cassette hub, fully sealed, 9t, 14mm axle, 36h, SDS driver
<b>HUB GUARDS</b>	ÉCLAT „PULSE“ hub guards - 4140 crmo front (1x), 4140 crmo rear (1x)
<b>FRONT RIM</b>	WETHEPEOPLE „LOGIC“ rim, double wall, welded, 36h
<b>REAR RIM</b>	WETHEPEOPLE „LOGIC“ rim, double wall, welded, 36h
<b>SEAT</b>	ÉCLAT „BIOS“ pivotal seat, slim padded
<b>SEAT POST</b>	WETHEPEOPLE „TEAM“ pivotal seat post, 200mm long, 6061-T6 alloy
<b>SEAT CLAMP</b>	WETHEPEOPLE „SUPREME“ seat clamp, cnc alloy
<b>TIRES</b>	WETHEPEOPLE "OVERBITE" tire, 2.35" front & rear
<b>PEGS</b>	ÉCLAT „DURA“ pegs, 4140 heat-treated crmo pegs, 4.6" long, x2
<b>WEIGHT</b>	11.72kg / 25.85lbs



## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	21"
<b>B - CHAIN STAY LENGTH</b>	13.4" (13.25"-13.75")
<b>C - HEAD TUBE ANGLE</b>	74.85°
<b>D - SEAT TUBE ANGLE</b>	71°
<b>E - BB HEIGHT</b>	11.47"
<b>F - STANDOVER HEIGHT</b>	9.1"

## BAR GEOMETRY

<b>G - BAR RISE</b>	9.25"
<b>H - BAR WIDTH</b>	29.7"
<b>I - BAR BACKSWEEP</b>	11°
<b>J - BAR UPSWEEP</b>	2.5°

ENVY 20"  
ARTWORK



EST. XCVI

—

# 20" ENVY





**PLEASE NOTE:**  
Final product may vary in appearance.

# ENVY 20"



COLORS ● black chrome

<b>FRAME</b>	WETHEPEOPLE "ENVY XLT", 4130 full crmo, hydroformed gussets, lasercut 6.0mm dropouts, 120mm head tube
<b>FORK</b>	ÉCLAT "STORM XLT" fork, post liquid heat-treated & butted sanko tubing, 24mm offset
<b>BAR</b>	WETHEPEOPLE "ENVY XLT" bar, 4130 full butted sanko, post liquid heat-treated, 25.4mm clamping
<b>GRIPS</b>	ÉCLAT „SHOGUN“ grips, flangeless, with ÉCLAT „TECH-BOLT“ barends
<b>STEM</b>	ÉCLAT „DUNE“ topload stem, cnc alloy, 50mm reach, 25.4mm clamping
<b>HEADSET</b>	WETHEPEOPLE "COMPACT" int. headset, sealed bearing
<b>GYRO</b>	holes for removable gyro tabs
<b>LEVER</b>	ÉCLAT „SNIPER“ hinged brake lever, alloy, two finger version
<b>BRAKES</b>	ÉCLAT „TALON“ u-brake rear, alloy, with SALTPLUS „PROPELLER“ clear brakepads
<b>CRANKS</b>	ÉCLAT „TIBIA“ tubular 2.5pc crank, 22mm, crmo, 170mm, 48 spline
<b>BB</b>	ÉCLAT „CNC“ bb, 22mm, press fit, sealed bearing
<b>PEDALS</b>	ÉCLAT „CONTRA“ pedals, nylon/fiberglass
<b>CHAIN</b>	WETHEPEOPLE "DEMAND" chain, K1 type
<b>SPROCKET</b>	ÉCLAT „ABYSS“ sprocket, cnc, 6061-T6 alloy, 25t
<b>DRIVER</b>	1pc cassette driver, 9t, sealed bearing, TCS System
<b>FRONT HUB</b>	ÉCLAT „SEISMIC“ hub, fully sealed, 3/8“s female bolts, 36h
<b>REAR HUB</b>	ÉCLAT „SEISMIC“ cassette hub, fully sealed, 9t, 14mm axle, 36h, TCS driver (available in RSD or LSD)
<b>HUB GUARDS</b>	ÉCLAT hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
<b>FRONT RIM</b>	ÉCLAT „E440“ rim, double wall, welded, 36h
<b>REAR RIM</b>	ÉCLAT „E440“ rim, double wall, welded, 36h
<b>SEAT</b>	ÉCLAT „BIOS“ pivotal seat, fat padded
<b>SEAT POST</b>	ÉCLAT "TORCH" 230mm alloy pivotal seat post
<b>SEAT CLAMP</b>	integrated seat clamp
<b>TIRES</b>	ÉCLAT „MIRAGE“ tires - 2.45“ front, 2.35“ rear
<b>PEGS</b>	-
<b>WEIGHT</b>	TBC kg / TBC lbs



## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	20.5"   21"
<b>B - CHAIN STAY LENGTH</b>	13.1" (12.95"-13.35")
<b>C - HEAD TUBE ANGLE</b>	75.5°
<b>D - SEAT TUBE ANGLE</b>	71°
<b>E - BB HEIGHT</b>	11.7"
<b>F - STANDOVER HEIGHT</b>	8.75"

## BAR GEOMETRY

<b>G - BAR RISE</b>	9.4"
<b>H - BAR WIDTH</b>	29.8"
<b>I - BAR BACKSWEEP</b>	10.5°
<b>J - BAR UPSWEEP</b>	2°

AUDIO 22"  
ARTWORK



A

9 6



EST. XCVI

# 22" AUDIO





**PLEASE NOTE:**  
Final product may vary in appearance.

# AUDIO 22"



COLORS ● matt aqua red

<b>FRAME</b>	WETHEPEOPLE "AUDIO" frame, 4130 full sanko, tapered CS & SS, removable brake pivots & guides
<b>FORK</b>	WETHEPEOPLE "AUDIO" fork, butted crmo tubing, 32mm offset
<b>BARS</b>	WETHEPEOPLE "AUDIO" bar, 4130 full crmo
<b>GRIPS</b>	SALT „EX“ grips, 154mm, flangless
<b>STEM</b>	WETHEPEOPLE „LOGIC“ topload stem, cnc alloy, 50mm reach
<b>HEADSET</b>	SALT "PRO" int. headset, sealed bearing
<b>GYRO</b>	holes for removable gyro tabs
<b>LEVER</b>	SALT „MOTO“ brake lever, alloy
<b>BRAKES</b>	ÉCLAT "TALON" u-brake, alloy, rear
<b>CRANKS</b>	SALTPLUS „PRO48“ tubular 3pc crank, crmo, 175mm, 48 spline
<b>BB</b>	SALT „MID“ bb, 19mm, press fit, sealed bearing
<b>PEDALS</b>	ÉCLAT „SLASH“ pedals, nylon/fiberglass
<b>CHAIN</b>	WETHEPEOPLE "SUPPLY" chain, Z510HX type
<b>SPROCKET</b>	WETHEPEOPLE „LOGIC“ sprocket, cnc, 6061-T6 alloy, 25t
<b>DRIVER</b>	1pc cassette driver, 9t, sealed bearing
<b>FRONT HUB</b>	SALT „EX“ hub, fully sealed, 3/8"s male axle, 36h
<b>REAR HUB</b>	SALT „EX“ cassette hub, fully sealed, 9t, hollow 14mm axle, 36h
<b>HUB GUARDS</b>	-
<b>FRONT RIM</b>	WETHEPEOPLE „LOGIC“ rim, double wall, sleeved, 36h
<b>REAR RIM</b>	WETHEPEOPLE „LOGIC“ rim, double wall, sleeved, 36h
<b>SEAT</b>	ÉCLAT „BIOS“ pivotal seat, mid padded
<b>SEAT POST</b>	SALT „AM“ pivotal seat post, 150mm, alloy
<b>SEAT CLAMP</b>	integrated seat clamp
<b>TIRES</b>	WETHEPEOPLE „OVERBITE“ 22" tires, 2.3", front & rear
<b>PEGS</b>	-
<b>WEIGHT</b>	11.73kg / 25.86lb



## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	21.9"
<b>B - CHAIN STAY LENGTH</b>	14.2"
<b>C - HEAD TUBE ANGLE</b>	74.5°
<b>D - SEAT TUBE ANGLE</b>	71°
<b>E - BB HEIGHT</b>	12.4"
<b>F - STANDOVER HEIGHT</b>	9.15"

## BAR GEOMETRY

<b>G - BAR RISE</b>	9"
<b>H - BAR WIDTH</b>	29.4"
<b>I - BAR BACKSWEEP</b>	11°
<b>J - BAR UPSWEEP</b>	2.5°

ATLAS 24"  
ARTWORK



WETHEPEOPLE

EST. XCVI



**PLEASE NOTE:**  
Final product may vary in appearance.

24"  
**ATLAS**



65 ← **P**

# ATLAS 24"



COLORS  white

<b>FRAME</b>	WETHEPEOPLE "ATLAS" frame, 4130 full crmo race inspired frame, tapered CS & SS
<b>FORK</b>	WETHEPEOPLE "ATLAS" fork, butted crmo tubing, cnc steerer
<b>BARS</b>	WETHEPEOPLE "ATLAS" bar, 4130 full crmo
<b>GRIPS</b>	SALT „EX“ grips, 155mm, with flange
<b>STEM</b>	WETHEPEOPLE „PATROL“ topload stem, cnc alloy, 28mm rise, 53mm reach
<b>HEADSET</b>	SALT "PRO" int. headset, sealed bearing
<b>GYRO</b>	-
<b>LEVER</b>	SALT „ATLAS“ v-brake lever, alloy
<b>BRAKES</b>	SALT „ATLAS“ v-brake, alloy
<b>CRANKS</b>	SALTPLUS „PRO48“ tubular 3pc crank, crmo, 175mm, 48 spline
<b>BB</b>	SALTPLUS „EURO“ bb, 19mm, euro threaded, sealed bearing
<b>PEDALS</b>	ÉCLAT „CONTRA“ pedals, nylon/fiberglass
<b>CHAIN</b>	WETHEPEOPLE "SUPPLY" chain, Z510HX type
<b>SPROCKET</b>	WETHEPEOPLE „PATROL“ sprocket, cnc, 6061-T6 alloy, 33t
<b>DRIVER</b>	cassette driver, 14t cog, sealed bearing
<b>FRONT HUB</b>	SALTPLUS "PRO" hub, fully sealed, M6 female bolts, 36h
<b>REAR HUB</b>	SALTPLUS "PRO" cassette hub, fully sealed, M6 female bolts, 36h
<b>HUB GUARDS</b>	-
<b>FRONT RIM</b>	SALTPLUS „DB32“ aero rim, double wall, 36h
<b>REAR RIM</b>	SALTPLUS „DB32“ aero rim, double wall, 36h
<b>SEAT</b>	ÉCLAT „BIOS“ pivotal seat, slim padded
<b>SEAT POST</b>	SALT „AM“ pivotal seat post, 27.2mm, alloy
<b>SEAT CLAMP</b>	SALT „PRO“ seat clamp, alloy
<b>TIRES</b>	TIOGA „POWER BLOCK“ tires, 1.75“, front & rear
<b>PEGS</b>	-
<b>WEIGHT</b>	12.27kg / 27.06lbs



## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	21.75"
<b>B - CHAIN STAY LENGTH</b>	15"
<b>C - HEAD TUBE ANGLE</b>	74°
<b>D - SEAT TUBE ANGLE</b>	72.25°
<b>E - BB HEIGHT</b>	12.25"
<b>F - STANDOVER HEIGHT</b>	9.5"

## BAR GEOMETRY

<b>G - BAR RISE</b>	7.1"
<b>H - BAR WIDTH</b>	28"
<b>I - BAR BACKSWEEP</b>	12°
<b>J - BAR UPSWEEP</b>	3°

AVENGER 27.5"  
ARTWORK



WETHE  
PEOPLE  
BIKE.CO  
CGN  
ESTD.96



**W**

EST. XCVI

27.5" **AVENGER**





**PLEASE NOTE:**  
Final product may vary in appearance.

# AVENGER 27.5"



COLORS ● matt phosphate

<b>FRAME</b>	WETHEPEOPLE "AVENGER" frame, 4130 full crmo
<b>FORK</b>	WETHEPEOPLE „AVENGER“ fork, 4130 full crmo, 33mm offset
<b>BAR</b>	WETHEPEOPLE "AVENGER" bar, 4130 full crmo
<b>GRIPS</b>	SALT "CLAMP ON" grips, 145mm, flangeless
<b>STEM</b>	WETHEPEOPLE „AVENGER“ topload stem, cnc, 1-1/8", 49mm reach
<b>HEADSET</b>	FSA "ORBIT UF-NO.2N" headset
<b>GYRO</b>	-
<b>LEVER</b>	SHIMANO "BL-MT200", disc brake lever
<b>BRAKES</b>	SHIMANO "BL-MT200", hydraulic disc brake with 160 mm rotors
<b>CRANKS</b>	SALT „AVENGER“ tubular 3pc „TSS“ crank, crmo, 175mm, 8 spline
<b>BB</b>	SALTPLUS „BSA“ (68mm) bb, 19mm, external, sealed bearing
<b>PEDALS</b>	WETHEPEOPLE „LOGIC“ pedals, nylon/fiberglass
<b>CHAIN</b>	WETHEPEOPLE "SUPPLY" chain, Z510HX type
<b>SPROCKET</b>	WETHEPEOPLE „PATROL“ sprocket, cnc, 6061-T6 alloy, 42t
<b>DRIVER</b>	cassette driver, 18t cog, sealed bearing
<b>FRONT HUB</b>	WETHEPEOPLE "AVENGER" disc front hub, fully sealed, M6 female bolts, 36h
<b>REAR HUB</b>	WETHEPEOPLE "AVENGER" disc cassette hub, fully sealed, 3/8" female bolts, 36h
<b>HUB GUARDS</b>	-
<b>FRONT RIM</b>	WETHEPEOPLE „AVENGER-DB-32“ rim, double wall, 27.5", 36h
<b>REAR RIM</b>	WETHEPEOPLE „AVENGER-DB-32“ rim, double wall, 27.5", 36h
<b>SEAT</b>	WETHEPEOPLE "AVENGER" railed seat
<b>SEAT POST</b>	WETHEPEOPLE „AVENGER“ seat post, 27.2mm, alloy
<b>SEAT CLAMP</b>	WETHEPEOPLE „AVENGER“ seat clamp, 29.8mm, forged alloy
<b>TIRES</b>	WTB „RANGER“ tires, 27.5"x 2.25", front & rear
<b>PEGS</b>	-
<b>WEIGHT</b>	14.88kg / 32.84lbs




## FRAME GEOMETRY

<b>A - TOP TUBE LENGTH</b>	24.5"
<b>B - CHAIN STAY LENGTH</b>	18.75"
<b>C - HEAD TUBE ANGLE</b>	70°
<b>D - SEAT TUBE ANGLE</b>	68°
<b>E - BB HEIGHT</b>	bb drop 63mm
<b>F - STANDOVER HEIGHT</b>	-

## BAR GEOMETRY

<b>G - BAR RISE</b>	4.3"
<b>H - BAR WIDTH</b>	31.1"
<b>I - BAR BACKSWEEP</b>	14°
<b>J - BAR UPSWEEP</b>	4°

# 20



WETHEPEOPLE  
PRO TEAM

- Jordan Godwin
- Dillon Lloyd
- Dan Kruk
- Felix Prangenberg



WTP



-

WE MAKE THINGS GmbH,  
all rights reserved © 2020

# 21