









2019 PRODUCT INFORMATION

















### HARO BMX / FREESTYLE, RACE, YOUTH

We could go on and on about the role our brand played by introducing to the world the very first freestyle specific frame and fork 36 years ago. About how Haro has become the trusted brand in BMX for four decades spanning three generations of loyal and satisfied customers. Or about how Haro continues to attract the finest world class athletes that ride and promote the brand because they love Haro and love what they do. Those are all true and as a result, Haro is sold in the finest retailers world wide. But what you might not know, is that while Haro is synonymous with BMX, we are not just BMX. We are so much more....



### PREWHEELZ BY HARO / BALANCE BIKES

Time for your child to embark on a journey of a lifetime! PreWheelz Balance Bikes are a durable, affordable, and stylish way to start your child off in the living room and lead them all the way to an Olympic podium, all on a trusted brand that's been around for more than 40 years, and all on the same brand you carry in your store. Packed full with features, PreWheelz boasts an industry leading Limited Lifetime Warranty. PreWheelz by Haro, Balance that Counts!



### PREMIUM PRODUCTS / STREET INSPIRED FREESTYLE, INNOVATIVE PARTS AND ACCESSORIES

By collaborating with a team of exceptional riders, Premium has lived up to the definition of its name by innovating and setting the standard in the ever changing world of BMX for more than a decade. Small and core by design, Premium appeals to riders that are unique and prefer obscurity over popularity, and non-conformity over size. Bred for the streets, by riders, for riders.



# HARO MTB / PAVEMENT, MTB FREESTYLE, HARDTAILS, FULL SUSPENSION, PLUS

Taking inspiration from Haro's heritage in BMX, Haro MTB features striking designs that dare to be different while maintaining performance capabilities well beyond its price range. Its playful and sometimes mischievous personality seeks to return the focus of Mountain biking to a free spirited and unencumbered source of entertainment and joy through its broad collection of Pavement, hardtail MTB, Plus size hard tails, and full suspension trail and all mountain bikes. Haro MTB. Refuse to Follow.



# **MASI BICYCLES** / CLASSIC STEEL ROAD, GRAVEL, COMMUTER, TOURING, ADVENTURE, PERFORMANCE ROAD, CYCLOCROSS

For more than 90 years, Cicli Masi has created cutting-edge racing bikes out of the most modern materials with a laser-focus on crafting the best ride in the industry. Steel has given way to aluminum and carbon, but we have never forgotten our roots. We continue to craft class-leading bikes from whatever material allows us to imbue that magical Masi ride. Masi Bicycles. "Its all about the ride."



### DEL SOL BICYCLES / LIFESTYLE COMFORT, CRUISER, HYBRIDS

Del Sol bikes are inspired by the Sun. From laid-back beach cruisers to comfort and hybrids. Del Sol boils the enjoyment of cycling down to its most simple form...a carefree lifestyle and riding experience where there is no room for status, and where nothing is owed and nothing promised... except good times and great rides fueled by the energy of the sun!



# D STREET BY DEL SOL / URBAN, TOWNE, AND CAFÉ

The D Street collection by Del Sol is your transportation solution for urban living. From functional commuters to eye catching Towne bikes, our fresh take on classic bike styles will let you human-power the errands in your locavore life, from the farmer's market, to the food truck, to the local grind house.



# I/O ELECTRIC / PAVEMENT, MTB HARDTAILS, MTB FULL SUSPENSION, PLUS, LIFESTYLE COMFORT, CRUISER

I/O Electric equipped bikes take input from your pedaling efforts and amplify output beyond that of conventional bicycles by way of its battery-powered motor. You can ride up hills easier, ride further, faster, and longer. With more than 40 years' experience in the conventional bicycle world, Haro and Del Sol have created a series of I/O Electric pedal assist models that are extensions of each brand's respective lines and are specifically suited for fun, commuting, and off road use. I/O Electric.


















BMX / Freestyle is deeply rooted in the DNA of our brand and that will never change. Introducing the worlds very first freestyle specific frame and fork to an emerging sport is something that we are very proud of, nearly as much as being the leading brand in freestyle 35 years later. Today BMX is not only a sport, it's a lifestyle. It's a choice you make to be a part of, a way you choose to express yourself, and it's the way you find your freedom. Haro builds a broad range of BMX freestyle bikes that help you do just that, from Pro builds all the way down to slightly more affordable yet fully capable machines. We have always had the best professional riders on our bikes which makes for a great research and development team (minus the white lab coats - see Team). *The result? See for yourself!* 







# HARO BMX **CK AM**

Matte Black: 20.75": 29381

	Frame	100% crmo w/ integrated HT & Mid BB shell
	Sizes	20.75" TT
	Colors	Matte Black
	Fork	100% crmo w/ 1-pc CNC steer tube & tapered legs
	Headset	1 1/8" integrated threadless
	Crankset	Haro 1978 3-pc crmo 8-spline 175mm
	ВВ	Sealed Mid
	Sprocket	Haro Team Disc 28T CNC alloy
	Gearing	28/9
	Chain	KMC Z410
	Pedals	Haro "1978" plastic
	Handlebar	100% crmo 8.75" rise
	Stem	Premium CK CNC alloy top load
0	Grips	Haro Team Flange-less
8	Saddle	Haro Pivotal
0	Seat Post	Alloy Pivotal 25.4mm
	Seat Post Clamp	Integrated welded to frame
	Front/Rear Axle	3/8" F / 14mm R straight axles
	Front Hub	36H alloy shell sealed bearing
	Rear Hub	36H alloy shell LSD free-coaster w/ 9T driver
	Front/Rear Rim	Haro Sata 36H alloy double wall F/R
	Front/Rear Tire	Premium CK 20x2.40 F/R
-		

Haro 1978 Alloy 990

Haro hinged lever

Hub guards



### FEATURES

- 100% chromoly frame with integrated head tube, tapered stays and investment cast dropouts
- 100% chromoly fork with internal threaded 1 piece CNC steer tube, tapered legs and 5mm dropouts
- 100% chromoly bars 8.75" with Premium CK CNC alloy top load stem
- Haro 1978 3-piece chromoly 8-spline 175mm cranks with sealed Mid BB
- Haro Team Disc 28T CNC alloy bolt drive sprocket
- Fully sealed wheels with Haro Sata double-wall alloy rims, alloy shell hubs with LSD free-coaster rear hub and 14mm axle, 9t driver and hub guards
- Premium CK tires 2.4" front and rear
- Haro Pivotal seat with alloy post
- Haro 1978 plastic pedals

## UPGRADES FROM MIDWAY

- 100% chromoly frame with removable brake and cable mounts
- 100% chromoly bars
- CNC alloy top load stem
- 100% chromoly fork with one piece CNC internal threaded steer tube and tapered legs
- 28/9 gearing with alloy CNC sprocket
- Haro Sata double wall rims





# HARO BMX SD AM

Gloss Metallic Red: 21": 29361

Gloss Metallic Red. 21 . 29301		
Frame	100% crmo w/ integrated HT & Mid BB shell	
Sizes	21" TT	
Colors	Gloss Metallic Red	
Fork	100% crmo w/ 1-pc CNC steer tube & tapered legs	
Headset	1 1/8" integrated threadless	
Crankset	Haro 1978 3-pc crmo 8-spline 175mm	
ВВ	Sealed Mid	
Sprocket	Haro Team Disc 28T CNC alloy	
Gearing	28/9	
Chain	KMC Z410	
Pedals	Haro "1978" plastic	
Handlebar	100% crmo 9" rise	

Haro Lineage CNC alloy top load Haro Team Flange-less Haro Pivotal

Alloy Pivotal 25,4mm Integrated welded to frame 3/8" F / 14mm R straight axles

36H alloy shell sealed bearing 36H alloy shell RSD free-coaster w/ 9T driver Haro Sata 36H alloy double wall F/R

Haro La Mesa 20x2.40 F/R

Haro 1978 Alloy 990 Haro hinged lever

Hub guards



- 100% chromoly frame with integrated head tube, tapered stays and removable brake and cable mounts
- 100% chromoly fork with internal threaded 1 piece CNC steer tube, tapered legs and 5mm dropouts
- 100% chromoly bars 9" with Haro Lineage CNC alloy top load stem
- Haro 1978 3-piece chromoly 8-spline 175mm cranks with sealed Mid BB
- · Haro Team Disc 28T CNC alloy bolt drive sprocket
- Fully sealed wheels with Haro Sata double-wall alloy rims, alloy shell hubs with RSD free-coaster rear hub and 14mm axle, 9t driver and hub guards
- Haro La Mesa tires 2.4" front and rear
- Demolition "Markit" padded Pivotal seat with alloy Pivotal post
- Haro 1978 plastic pedals

# UPGRADES FROM MIDWAY

- 100% chromoly frame with removable brake and cable mounts
- 100% chromoly bars
- CNC alloy top load stem
- 100% chromoly fork with one piece CNC internal threaded steer tube and tapered legs
- 28/9 gearing with alloy CNC sprocket
- · Haro Sata double wall rims

# **MIDWAY**

Chrome: 20.5": 29345 / 21": 29346 Gloss Black: 20.5": 29341 / 21": 29342 Matte Copper: 20.5": 29343 / 21": 29344

### **FEATURES**

- 3 tube chromoly frame (top tube, down tube & seat tube) with integrated head tube, mid BB shell, welded seat clamp and a 20.5" or 21" top tube length
- Internal threaded chromoly steer tube fork with hi-ten tapered legs
- Hi-ten bars 8.75" (on 20.5") or 9" (on 21") with Haro 1978 alloy top load stem
- Haro 1978 3-piece chromoly 8-spline 175mm cranks with steel 25T sprocket and sealed Mid BB
- 25/9 gearing
- Alloy single wall rims with alloy hubs and sealed rear free-coaster with 9T driver
- Haro La Mesa tires 2.4" front and rear
- Haro padded Pivotal seat with alloy Pivotal post
- Haro 1978 plastic pedals
- Haro Team grips
- Haro 1978 alloy brakes with hinge clamp lever

### UPGRADES FROM BOULEVARD

- 3 tubes chromoly frame with 20.5" or 21" top tube length
- Free-coaster rear hub
- Internal threaded chromoly steer tube fork with hi-ten tapered legs
- Hi-ten 8.75" or 9" bars
- Pivotal seat with alloy Pivotal post

	Frame	3 tube crmo w/ integrated HT & Mid BB shell
	Sizes	20,5" TT or 21" TT
	Colors	Gloss Black, Matte Copper, Chrome
	Fork	Crmo steer tube w/ hi-ten tapered legs
	Headset	1 1/8" integrated threadless
	Crankset	3-pc crmo 8 spline 175mm
	ВВ	Mid sealed
	Sprocket	Haro stamped steel 25t Team Disc
	Gearing	25/9
	Chain	KMC 410
	Pedals	Haro 1978 plastic 9/16"
	Handlebar	Hi-ten 8.75" or 9" rise
	Stem	Haro alloy top load
0	Stem Grips	Haro alloy top load Haro Team
88		• •
888	Grips	Haro Team
888	Grips Saddle	Haro Team
888	Grips Saddle Seat Post	Haro Team Haro padded Pivotal Alloy Pivotal 25.4mm
888	Grips Saddle Seat Post Seat Post Clamp	Haro Team Haro padded Pivotal Alloy Pivotal 25.4mm Integrated welded to frame
888 888	Grips Saddle Seat Post Seat Post Clamp Front/Rear Axle	Haro Team  Haro padded Pivotal  Alloy Pivotal 25.4mm  Integrated welded to frame  3/8" F, 14mm R straight axles
888 88	Grips Saddle Seat Post Seat Post Clamp Front/Rear Axle Front Hub	Haro Team  Haro padded Pivotal  Alloy Pivotal 25.4mm  Integrated welded to frame  3/8" F, 14mm R straight axles  36h alloy shell loose ball  36H alloy shell RSD free-coaster w/
888 888	Grips Saddle Seat Post Seat Post Clamp Front/Rear Axle Front Hub Rear Hub	Haro Team  Haro padded Pivotal  Alloy Pivotal 25.4mm  Integrated welded to frame  3/8" F, 14mm R straight axles  36h alloy shell loose ball  36H alloy shell RSD free-coaster w/9T driver
88 888	Grips Saddie Seat Post Seat Post Clamp Front/Rear Axle Front Hub Rear Hub Front/Rear Rim	Haro Team  Haro padded Pivotal  Alloy Pivotal 25.4mm  Integrated welded to frame  3/8" F, 14mm R straight axles  36h alloy shell loose ball  36H alloy shell RSD free-coaster w/9T driver  36h alloy single wall
88 888	Grips Saddie Seat Post Clamp Front/Rear Axle Front Hub Rear Hub Front/Rear Rim Front/Rear Rim	Haro Team  Haro padded Pivotal  Alloy Pivotal 25.4mm  Integrated welded to frame  3/8" F, 14mm R straight axles  36h alloy shell loose ball  36H alloy shell RSD free-coaster w/9T driver  36h alloy single wall  Haro La Mesa 20x2.40 F/R



# **BOULEVARD**

Gloss Black: 20.5": 29321 Matte Rootbeer: 20.5": 29322 Matte Olive: 20.5": 29323

### **FEATURES**

- Full hi-ten frame with integrated head tube, Mid BB shell and 20.5" top tube
- Full hi-ten fork with tapered legs
- Hi-ten 8.50" bars with Haro 1978 alloy top load stem
- Haro 1978 3-piece chromoly
   8-spline 175mm cranks with sealed
   Mid BB
- 25/9 gearing with sealed bearing rear hub and driver
- Haro La Mesa tires 2.4" front and rear
- Haro padded one piece seat with built-in alloy post
- Haro Team grips
- Haro 1978 alloy brakes with hinge clamp lever

# UPGRADES FROM DOWNTOWN

- Haro La Mesa tires 2.40 front and rear
- $\bullet$  Padded one piece seat with built in alloy post
- · Alloy shell front hub
- Sealed bearing rear hub
- Haro 1978 alloy 990 brakes

	Frame	Hi-ten w/ integrated HT & Mid BB shell
	Sizes	20.5" TT
	Colors	Gloss Black, Matte Rootbeer, Matte Olive
	Fork	Hi-ten 1 1/8" threadless w/ tapered legs
	Headset	1 1/8" integrated threadless
	Crankset	3-pc crmo 8 spline 175mm
	ВВ	Mid sealed
	Sprocket	Haro stamped steel 25t Team Disc
	Gearing	25/9
	Chain	KMC 410
	Pedals	Haro 1978 plastic 9/16"
н	land lebar	Hi-ten 8,5" rise
	Stem	Haro alloy top load
	Grips	Haro Team
	Saddle	Haro padded 1-pc
\$	Seat Post	Alloy 25.4mm
Seat	Post Clamp	Integrated welded to frame
Fror	ıt/Rear Axle	3/8" F, 14mm R straight axles
F	ront Hub	36h alloy shell loose ball
F	Rear Hub	36h alloy shell sealed cassette w/ 9t sealed driver
Froi	nt/Rear Rim	36h alloy single wall
From	nt/Rear Tire	Haro La Mesa 20x2.40 F/R
	Pegs	N/A
	Brakes	Haro 1978 alloy 990
В	rake Lever	Haro hinged lever



# **DOWNTOWN DLX**

Matte Black: 19.5": 29301 / 20.5": 29302 Matte Blue: 20.5": 29303 Gloss Mirra Red: 20.5": 29304

### **FEATURES**

- Full hi-ten frame with integrated head tube, Mid BB shell and 19.5" or 20.5" top tube
- Full hi-ten fork with tapered legs
- Hi-ten bars 8" (on 19.5") or 8.25" (on 20.5") with Haro alloy top load stem
- Haro 1978 3-piece chromoly 8-spline 165mm (on 19.5") or 175mm (on 20.3") cranks with sealed Mid BB
- 25/9 gearing with sealed bearing 9T driver
- Kenda Kontact tires 2.25" front and rear
- Haro padded fully adjustable seat
- Haro Team grips
- Four pegs, front brakes and a gyro

# UPGRADES FROM LEUCADIA DLX

- Full Hi-ten frame with integrated head tube and Mid BB shell
- Integrated headset
- Wider rims
- Sealed bearing Mid BB
- Haro 1978 plastic pedals

	Frame	Hi-ten w/ integrated HT & Mid BB shell
	Sizes	19.5" TT or 20.5" TT
		Matte Black, Matte Blue, Gloss Mirra Red
	Fork	Hi-ten 1 1/8" threadless w/ tapered legs
	Headset	1 1/8" integrated threadless
	Crankset	Haro 1978 3-pc crmo 8 spline 165mm (19.5" frame) or 175mm (20.3" frame)
	ВВ	Mid sealed
	Sprocket	Haro stamped steel 25t Team Disc
	Gearing	25/9
	Chain	KMC 410
0	Pedals	Haro 1978 plastic 9/16"
	Handlebar	Hi-ten 8" rise (19.5" frame) or 8.25" rise (20.3" frame size)
	Stem	Haro alloy top load
	Tape/Grips	Haro Team
	Saddle	Haro padded
	Seat Post	Steel 25.4mm
	Seat Post Clamp	Integrated welded to frame
	Front/Rear Axje	3/8" F, 14mm R straight axles
	Front Hub	36h steel shell loose ball
	Rear Hub	36h alloy shell loose ball cassette w/ 9t sealed driver
	Front/Rear Rim	36h alloy single wall
	Front/Rear Tire	Kenda Kontact 20x2,25 F/R
	Pegs	4 steel pegs
	Brakes	Tektro alloy 990 F/R
0	Brake Lever	Haro hinged levers



# **DOWNTOWN**

Matte Black: 19.5": 29281 / 20.5": 29282 Matte Blue: 20.5": 29283 Gloss Mirra Red: 20.5": 29284

### **FEATURES**

- Full hi-ten frame with integrated head tube, Mid BB shell and 19.5" or 20.5" top tube
- Full hi-ten fork with tapered legs
- Hi-ten bars 8" (on 19.5") or 8.25" (on 20.5") with Haro 1978 alloy top load stem
- Haro 1978 3-piece chromoly 8-spline 165mm (on 19.5") or 175mm (on 20.5") cranks with sealed Mid BB
- 25/9 gearing with sealed bearing 9T driver
- Kenda Kontact tires 2.25" front and rear
- Haro padded fully adjustable seat
- Haro Team grips

# UPGRADES FROM LEUCADIA

- Full Hi-ten frame with integrated head tube and Mid BB shell
- Integrated headset
- Wider rims
- Sealed bearing Mid BB
- Haro 1978 plastic pedals

		Hi-ten w/ integrated HT & Mid BB shell
	Sizes	19.5" TT or 20.5" TT
	Colors	Matte Black, Matte Blue, Gloss Mirra Red
	Fork	Hi-ten 1 1/8" threadless w/ tapered legs
	Headset	1 1/8" integrated threadless
	Crankset	3-pc crmo 8 spline
	ВВ	Mid sealed
	Sprocket	Haro stamped steel 25t Team Disc
	Gearing	25/9
	Chain	KMC 410
0	Pedals	Haro 1978 plastic 9/16"
	Handjebar	Hi-ten 8" or 8.25" rise
	Stem	Haro alloy top load
	Tape/Grips	Haro Team
	Saddle	Haro padded
	Seat Post	Steel 25,4mm
	Seat Post Clamp	Integrated welded to frame
	Front/Rear Axle	3/8" F, 14mm R straight axles
	Front Hub	36h steel shell loose ball
	Rear Hub	36h alloy shell loose ball cassette w/ 9t sealed driver
	Front/Rear Rim	36h alloy single wall
	Front/Rear Tire	Kenda Kontact 20x2.25 F/R
	Pegs	N/A
	Brakes	Tektro alloy 990

Brake Lever Haro hinged levers





# **DOWNTOWN 26**

Matte Black: 29266

	Frame	Hi-ten w/ integrated HT & Mid BB shell
	Sizes	22" TT
	Colors	Matte Black
	Fork	Hi-ten 1 1/8" threadless w/ tapered legs
	Headset	1 1/8" integrated threadless
	Crankset	3-pc crmo 8 spline 175mm
	ВВ	Mid sealed
	Sprocket	Haro stamped steel 25t Team Dis
	Gearing	25/10
	Chain	KMC 410
0	Pedals	Haro 1978 plastic 9/16"
	Handlebar	Hi-ten 7" rise
	Stem	Haro alloy top load
	Tape/Grips	Haro Team
	Saddle	Haro padded
	Seat Post	Steel 25.4mm
	Seat Post Clamp	Integrated welded to frame
	Front/Rear Axle	3/8" F, 14mm R straight axles
	Front Hub	36h steel shell loose ball
	Rear Hub	36h alloy shell loose ball cassette w/ 10t sealed driver
	Front/Rear Rim	36h alloy single wall
	Front/Rear Tire	Kenda Kranium 26x2.1 F/R
	Pegs	N/A
	Brakes	Tektro alloy 990

Haro hinged lever



- Hi-ten 26" freestyle frame with integrated head tube, Mid BB shell, welded seat clamp and 22" top tube
- Full hi-ten fork with tapered legs
- Hi-ten 7" bars with Haro 1978 alloy top load stem
- Haro 1978 3-piece chromoly 8-spline 175mm cranks with sealed Mid BB
- 25/10 gearing with sealed bearing 10T driver
- Kenda Kranium tires 26 x 2.1" front and rear
- Haro padded fully adjustable seat
- Haro Team grips



# **DOWNTOWN 24**

Matte Black: 29261

		Hi-ten w/ integrated HT & Mid BB shell
	Sizes	21.7" TT
	Colors	Matte Black
	Fork	Hi-ten 1 1/8" threadless w/ tapered legs
		1 1/8" integrated threadless
	Crankset	3-pc crmo 8 spline 175mm
	ВВ	Mid sealed
	Sprocket	Haro stamped steel 25t Team Disc
	Gearing	25/10
	Chain	KMC 410
0	Pedals	Haro 1978 plastic 9/16"
	Handlebar	Hi-ten 7" rise
	Stem	Haro alloy top load
	Tape/Grips	Haro Team
	Saddle	Haro padded
	Seat Post	Steel 25,4mm
	Seat Post Clamp	Integrated welded to frame
	Front/Rear Axle	3/8" F, 14mm R straight axles
	Front Hub	36h steel shell loose ball



### FEATURES

- Hi-ten 24" freestyle frame with integrated head tube, Mid BB shell, welded seat clamp and 21.6" top tube
- Full hi-ten fork with tapered legs
- Hi-ten 7" bars with Haro 1978 alloy top load stem
- Haro 1978 3-piece chromoly 8-spline 175mm cranks with sealed Mid BB
- 25/10 gearing with sealed bearing 10T
- Kenda Kranium tires 24 x 2.1" front and rear
- Haro padded fully adjustable seat
- Haro Team grips

### UPGRADES FROM SHREDDER PRO 24

- Hi-ten frame with integrated head tube and Mid BB shell
- Integrated headset
- Haro branded 3-piece chromoly 8 spline 175mm cranks with sealed Mid BB
- Hi-ten fork with tapered legs
- 25/10 gearing
- Haro Team grips

Brake Lever

Tektro alloy 990 Haro hinged lever

36h alloy single wall

Kenda Kranium 24x2.1 F/R

36h alloy shell loose ball cassette w/ 10t sealed driver

# **DOWNTOWN 18**

Matte Black: 29241 Matte Blue: 29242

### **FEATURES**

- Hi-ten 18" freestyle frame with integrated head tube, Mid BB shell and welded seat clamp
- Full hi-ten fork with tapered legs
- Hi-ten 7" bars with Haro 1978 alloy top load stem
- Haro 1978 3-piece chromoly 8-spline 145mm cranks with sealed Mid BB
- 25/9 gearing with sealed bearing 9T driver
- Kenda Kontact tires 18 x 2.25" front and rear
- Haro padded fully adjustable seat

### UPGRADES FROM SHREDDER 18

- Frame has more aggressive freestyle geometry and features
- Hi-ten fork with tapered legs
- Kenda Kontact 18x2.25" tires
- Alloy 990 brake
- Haro branded 3-piece chromoly 8 spline 145mm cranks with sealed Mid BB
- 25/9 gearing

Frame	Hi-ten w/ integrated HT & Mid BB shell
Sizes	18" TT
Colors	Matte Black, Matte Blue
Fork	Hi-ten 1 1/8" threadless w/ tapered legs
Headset	1 1/8" integrated threadless
Crankset	3-pc crmo 8 spline 145mm
ВВ	Mid sealed
Sprocket	Haro stamped steel 25t Team Disc
Gearing	25/9
Chain	KMC 410
Pedals	Wellgo plastic 9/16"
Handlebar	Hi-ten 7" rise
Stem	Haro alloy top load
Tape/Grips	Haro stripe
Saddle	Haro padded
Seat Post	Steel 25.4mm
Seat Post Clamp	Integrated welded to frame
Front/Rear Axle	3/8" F, 14mm R straight axles
Front Hub	36h steel shell loose ball
Rear Hub	36h alloy shell loose ball cassette w/ 9t sealed driver
Front/Rear Rim	36h alloy single wall
Front/Rear Tire	Kenda Kontact 18x2,25 F/R
Pegs	N/A
Brakes	Tektro alloy 990
Brake Lever	Haro hinged lever



# **DOWNTOWN 16**

Matte Black: 29221 Matte Blue: 29222

### **FEATURES**

- Hi-ten 16" freestyle frame with integrated head tube, Mid BB shell and welded seat clamp
- Full hi-ten fork with tapered legs
- Hi-ten 7" bars with Haro 1978 alloy top load stem
- Haro 1978 3-piece chromoly 8-spline 135mm cranks with sealed Mid BB
- 25/9 gearing with sealed bearing 9T driver
- Kenda Kontact tires 16 x 2.25" front and rear
- Haro padded fully adjustable seat

# UPGRADES FROM LEUCADIA 16

- Frame has integrated head tube and Mid BB shell
- Integrated headset
- Sealed bearing Mid BB

	Frame	Hi-ten w/ integrated HT & Mid BB shell
	Sizes	16.4" TT
	Colors	Matte Black, Matte Blue
	Fork	Hi-ten 1 1/8" threadless w/ tapered legs
	Headset	1 1/8" integrated threadless
	Crankset	3-pc crmo 8 spline 135mm
	ВВ	Mid sealed
	Sprocket	Haro stamped steel 25t Team Disc
	Gearing	25/9
	Chain	KMC 410
	Pedals	Wellgo plastic 9/16"
	Handlebar	Hi-ten 7" rise
	Stem	Haro alloy top load
	Tape/Grips	Haro stripe
	Saddle	Haro padded
	Seat Post	Steel 25.4mm
	Seat Post Clamp	Integrated welded to frame
	Front/Rear Axle	3/8" F, 14mm R straight axles
	Front Hub	36h steel shell loose ball
	Rear Hub	36h alloy shell loose ball cassette w/ 9t sealed driver
	Front/Rear Rim	36h alloy single wall
	Front/Rear Tire	Kenda Kontact 16x2.25 F/R
	Pegs	N/A
	Brakes	Tektro alloy 990
0	Brake Lever	Haro hinged lever



# LEUCADIA DLX

Gloss Black: 18.5": 29213 / 20.5": 29214 Gloss Blue: 20.5": 29215 Gloss White: 20.5": 29216

### FEATURES

- Hi-ten frame with 18.5" or 20.5" top tube
- Full hi-ten fork with tapered legs
- Hi-ten bars 7.50" (on 18.5") or 8.25" (on 20.5") with Haro 1978 alloy top load stem
- Haro 1978 3-piece chromoly 8-spline 165mm (on 18.5") or 175mm (on 20.3") cranks with loose ball USA BB
- 25/9 gearing with sealed bearing 9T driver
- Haro padded fully adjustable seat
- Kenda Kontact tires 20 x 2.25" front and rear
- Haro Team grips
- Four pegs, front brakes and a gyro

# UPGRADES FROM SHREDDER PRO DLX

- Haro branded 3-piece chromoly 8 spline 165mm or 175mm cranks with looseball USA BB
- Hi-ten fork with tapered legs
- Haro Team grips

	Frame	Hi-ten
0		18.5" TT or 20.5" TT
		Gloss Black, Gloss Blue, Gloss White
	Fork	Hi-ten 1 1/8" threadless w/ tapered legs
	Headset	1 1/8" threadless
	Crankset	3-pc crmo 8 spline
	ВВ	USA loose ball
	Sprocket	Haro stamped steel 25t Team Disc
	Gearing	25/9
	Chain	KMC 410
	Pedals	Wellgo plastic 9/16"
	Handlebar	Hi-ten 7.5" or 8.25" rise
	Stem	Haro alloy top load
	Tape/Grips	Haro Team
	Saddle	Haro padded
	Seat Post	Steel 25.4mm
	Seat Post Clamp	Integrated welded to frame
	Front/Rear Axle	3/8" F, 14mm R straight axles
	Front Hub	36h steel shell loose ball
	Rear Hub	36h alloy shell loose ball cassette w/ 9t sealed driver
	Front/Rear Rim	36h alloy single wall
	Front/Rear Tire	Kenda Kontact 20x2.25 F/R
	Pegs	N/A
	Brakes	Tektro alloy 990 F/R
0	Brake Lever	Haro hinged levers
	Extras	Gyro



# **LEUCADIA**

Gloss Black: 18.5": 29204 / 20.5": 29207 Gloss Blue: 18.5": 29205 / 20.5": 29208 Gloss White: 18.5": 29206 / 20.5": 29209

### **FEATURES**

- Hi-ten frame with 18.5" or 20.5" top tube
- Full hi-ten fork with tapered legs
- Hi-ten bars 7.50" (on 18.5") or 8.25" (on 20.5") with Haro 1978 alloy top load stem
- Haro 1978 3-piece chromoly 8-spline 165mm (on 18.5") or 175mm (on 20.5") cranks with loose ball USA BB
- 25/9 gearing with sealed bearing 9T driver
- Haro padded fully adjustable seat
- Kenda Kontact tires 20 x 2.25" front and rear
- Haro Team grips

# UPGRADES FROM SHREDDER PRO 20

- Haro branded 3-piece chromoly 8 spline 165mm or 175mm cranks with loose ball USA BB
- Hi-ten fork with tapered legs
- Haro Team grips





# **LEUCADIA 16**

Gloss Black: 29201 Gloss Blue: 29202

### **FEATURES**

- Hi-ten 16" freestyle frame with welded seat clamp
- $\bullet$  Full hi-ten fork with tapered legs
- Hi-ten 7" bars with Haro 1978 alloy top load stem
- Haro 1978 3-piece chromoly 8-spline 135mm cranks with loose ball USA BB
- 25/9 gearing with sealed bearing 9T driver
- Kenda Kontact tires 16 x 2.25" front and rear
- Haro padded fully adjustable seat

# UPGRADES FROM SHREDDER 16

- Frame has more aggressive freestyle geometry and features
- Hi-ten fork with tapered legs
- Kenda Kontact 16x2.25" tires
- Alloy 990 brake
- Haro branded 3-piece chromoly 8 spline 135mm cranks
- 25/9 gearing

Frame	Hi-ten
Sizes	16.4" TT
Colors	Gloss Black, Gloss Blue
Fork	Hi-ten 1 1/8" threadless w/ tapered legs
Headset	1 1/8" threadless
Crankset	3-pc crmo 8 spline 135mm
ВВ	USA loose ball
Sprocket	Haro stamped steel 25t Team Disc
Gearing	25/9
Chain	KMC 410
Pedals	Wellgo plastic 9/16"
Handlebar	Hi-ten 7" rise
Stem	Haro alloy top load
Tape/Grips	Haro stripe
Saddle	Haro padded
Seat Post	Steel 25.4mm
Seat Post Clamp	Integrated welded to frame
Front/Rear Axle	3/8" F, 14mm R straight axles
Front Hub	36h steel shell loose ball
Rear Hub	36h alloy shell loose ball cassette w/ 9t sealed driver
Front/Rear Rim	36h alloy single wall
Front/Rear Tire	Kenda Kontact 16x2,25 F/R
Pegs	N/A
Brakes	Tektro alloy 990
Brake Lever	Haro hinged lever





# LINEAGE MASTER

Trq/Mnt/CP: 29404

Frame	100% chromoly Lineage Team Master frame
Sizes	20.5" TT
Fork	100% heat treated chromoly Lineage fork
Headset	1 1/8" integrated threadless
Crankset	Lineage heat treated 3-piece chromoly 48-spline 175mm cranks
ВВ	Sealed Mid BB
Sprocket	Haro Lineage Compact Disc 28T CNC alloy bolt drive sprocket
Gearing	28/9
Chain	KMC K710SL super light chain
Pedals	Haro "1978" plastic pedals
Handlebar	Lineage Kneesaver bars 8.5"
Stem	Haro Lineage CNC alloy top load stem
Grips	Haro Team grips
Saddle	Haro Lineage padded Pivotal seat
Seat Post	Lineage Pivotal fluted post
Seat Post Clamp	Haro Lineage alloy seat post clamp
Front/Rear Axle	3/8" F / 14mm R straight axles
Front Hub	36H alloy Lineage high flange sealed
Rear Hub	36H alloy Lineage high flange sealed cassette w/ 9t sealed driver
Front/Rear Rim	36H Lineage alloy double wall
Front/Rear Tire	Haro HPF 100 psi tires 20 x 2.2" front and rear
Pegs	4 CNC alloy pegs
Brakes	Dia-Compe "Hombre" FS996 brakes front and rear
Brake Lever	Tech 77 levers front and rear

CNC alloy gyro with Teflon bearing



### FEATURE

- 100% chromoly Lineage Team Master frame with twin top tube, hour glass Mid BB shell, integrated head tube and Lineage cast dropouts with integrated chain tensioners -20.5" top tube length
- 100% heat treated chromoly Lineage fork with CNC 1 piece internal threaded steer tube, integrated bearing race, tapered legs, investment cast dropouts and 990 brake mounts with internal brake cable routing
- 100% heat treated and butted chromoly Lineage Kneesaver bars 8.5" with Haro Lineage CNC alloy top load stem
- Lineage heat treated 3-piece chromoly 48-spline 175mm cranks with Haro Lineage Compact Disc 28T CNC alloy bolt drive sprocket and sealed Mid BB
- 28/9 gearing

- Fully sealed wheels with Lineage high flange hubs and double-wall alloy rims
- Haro HPF 100 psi tires 20 x 2.2" front and rear
- Haro Lineage padded Pivotal seat with alloy Lineage Pivotal fluted post
- Haro "1978" plastic pedals
- CNC alloy pegs
- CNC alloy gyro with Teflon bearing
- Haro Team grips
- KMC K710SL super light chain
- Dia-Compe "Hombre" FS996 brakes with Tech 77 levers
- Haro Lineage alloy seat post clamp

# LINEAGE SPORT Black/CP: 29405

HARO BMX

Віаск/СР: 29405	
Frame	100% chromoly Lineage Team Sport frame
Sizes	20.75" TT
Fork	100% heat treated chromoly Lineage fork
Headset	1 1/8" integrated threadless
Crankset	Lineage heat treated 3-piece chromoly 48-spline 175mm cranks
ВВ	Sealed Mid BB
Sprocket	Haro Lineage Compact Disc 28T CNC alloy bolt drive sprocket
Gearing	28/9
Chain	KMC K710SL super light chain
Pedals	Haro "1978" plastic pedals
Handlebar	Lineage Kneesaver bars 8.5"
Stem	Haro Lineage CNC alloy top load stem
Grips	Haro Team grips
Saddle	Haro Lineage padded Pivotal seat
Seat Post	Lineage Pivotal fluted post
Seat Post Clamp	Haro Lineage alloy seat post clamp
Front/Rear Axle	3/8" F / 14mm R straight axles
Front Hub	36H alloy Lineage high flange sealed
Rear Hub	36H alloy Lineage high flange sealed cassette w/ 9t sealed driver
Front/Rear Rim	36H Lineage alloy double wall
Front/Rear Tire	Haro HPF 100 psi tires 20 x 2.2"
Pegs	4 CNC alloy pegs
Brakes	Dia-Compe "Hombre" FS996 brakes front and rear

Tech 77 levers front and rear

CNC alloy gyro with Teflon bearing



- 100% chromoly Lineage Team Sport frame with wishbone top tube, hour glass Mid BB shell, integrated head tube and Lineage cast dropouts with integrated chain tensioners
- 100% heat treated chromoly Lineage fork with CNC 1 piece internal threaded steer tube, integrated bearing race, tapered legs, investment cast dropouts and 990 brake mounts
- 100% heat treated and butted chromoly Lineage Kneesaver bars 8.5" with Haro Lineage CNC alloy top load stem
- Lineage heat treated 3-piece chromoly 48-spline 175mm cranks with sealed Mid BB
- Haro Lineage Compact Disc 28T CNC alloy bolt drive sprocket
- Fully sealed wheels with Lineage high flange hubs and double-wall alloy rims
- Haro HPF 100 psi tires 20 x 2.2" front and rear
- Haro Lineage padded Pivotal seat with alloy Lineage Pivotal fluted post and Lineage alloy seat post clamp
- Haro "1978" plastic pedals
- Dia-Compe "Hombre" FS996 brakes with Tech 77 levers

# LINEAGE MASTER 26"

Trq/Mnt/CP: 29406

Frame	100% chromoly Lineage Team Master 26" frame
Sizes	22.5" TT
Fork	100% chromoly 26" fork
Headset	1 1/8" integrated threadless
Crankset	Lineage heat treated 3-piece chromoly 48-spline 175mm cranks
ВВ	Sealed Mid BB
Sprocket	Haro Team Disc 41T CNC alloy bolt drive sprocket
Gearing	41/17
Chain	KMC K710SL super light chain
Pedals	Haro "1978" plastic pedals
Handlebar	Lineage Kneesaver bars 8.5"
Stem	Haro Lineage CNC alloy top load ste
Grips	Haro Team grips
Saddle	Haro Lineage padded Pivotal seat
Seat Post	Lineage Pivotal fluted post
Seat Post Clamp	Haro Lineage alloy seat post clamp
Front/Rear Axle	3/8" F/R straight axles
Front Hub	36H alloy Lineage high flange seale
Rear Hub	36H alloy Lineage high flange sealed w, 17t freewheel
Front/Rear Rim	36H Lineage alloy double wall
Front/Rear Tire	Kenda Kranium tires 26 x 2,1" front and rear
Pegs	Folding pegs mounted to fork legs
Brakes	Dia-Compe "Hombre" FS996 brakes front and rear
Brake Lever	Tech 77 levers front and rear



- 100% chromoly Lineage Team Master 26" frame with twin top tube, hour glass Mid BB shell, integrated head tube and 1988 style vintage platform dropouts
- 100% chromoly 26" fork with internal threaded steer tube, tapered legs, 1988 style vintage dropouts, folding peg mount bosses and 990 brake mounts with internal brake
- 100% heat treated and butted chromoly Lineage Kneesaver bars 8.5" with Haro Lineage CNC alloy top load stem
- · Lineage heat treated 3-piece chromoly 48-spline 175mm cranks with Haro Team Disc 41T CNC alloy bolt drive sprocket and sealed Mid BB
- 41/17 gearing
- Fully sealed wheels with Lineage high flange hubs and double-wall alloy rims

- Kenda Kranium tires 26 x 2.21" front and rear
- Haro Lineage padded Pivotal seat with alloy Lineage Pivotal fluted post
- Haro "1978" plastic pedals
- 1988 style vintage folding front pegs
- · CNC alloy gyro with Teflon bearing
- · Haro Team grips
- KMC K710SL super light chain
- Dia-Compe "Hombre" FS996 brakes with Tech 77 levers front and rear
- Haro Lineage alloy seat post clamp

# HARO BMX

# LINEAGE SPORT 26"

CNC alloy gyro with Teflon bearing

Black/CP: 29407

Frame	100% chromoly Lineage Team Sport 26" frame
Sizes	22.5" TT
Fork	100% chromoly 26" fork
Headset	1 1/8" integrated threadless
Crankset	Lineage heat treated 3-piece chromoly 48-spline 175mm cranks
ВВ	Sealed Mid BB
Sprocket	Haro Team Disc 41T CNC alloy bolt drive sprocket
Gearing	41/17
Chain	KMC K710SL super light chain
Pedals	Haro "1978" plastic pedals
Handlebar	Lineage Kneesaver bars 8.5"
Stem	Haro Lineage CNC alloy top load ster
Grips	Haro Team grips
Saddle	Haro Lineage padded Pivotal seat
Seat Post	Lineage Pivotal fluted post
Seat Post Clamp	Haro Lineage alloy seat post clamp
Front/Rear Axle	3/8" F/R straight axles
Front Hub	36H alloy Lineage high flange sealed
Rear Hub	36H alloy Lineage high flange sealed w/ 17t freewheel
Front/Rear Rim	36H Lineage alloy double wall
Front/Rear Tire	Kenda Kranium tires 26 x 2.1"
Pegs	Folding pegs mounted to fork legs
Brakes	Dia-Compe "Hombre" FS996 brakes front and rear
Brake Lever	Tech 77 levers front and rear
Extras	CNC alloy gyro with Teflon bearing



- 100% chromoly Lineage Team Sport 26" frame with wishbone top tube, hour glass Mid BB shell, integrated head tube and 1988 style vintage platform dropouts
- 100% chromoly 26" fork with internal threaded steer tube, tapered legs, 1988 style vintage dropouts, folding peg mount bosses and 990 brake mounts
- 100% heat treated and butted chromoly Lineage Kneesaver bars 8.5" with Haro Lineage CNC alloy top load stem
- Lineage heat treated 3-piece chromoly 48-spline 175mm cranks with sealed Mid BB
- · Haro Team Disc 41T CNC alloy bolt drive sprocket
- Fully sealed wheels with Lineage high flange hubs and double-wall alloy rims
- Kenda Kranium tires 26 x 2.1" front and rear
- Haro Lineage padded Pivotal seat with alloy Lineage Pivotal fluted post with Lineage alloy seat post clamp
- Haro "1978" plastic pedals
- 1988 style vintage folding front pegs
- Dia-Compe "Hombre" FS996 brakes with Tech 77 levers





# DAVE MIRRA TRIBUTE SERIES

Dave Mirra played a huge role in the growth of BMX freestyle and the worldwide media exposure the sport has attained. And he wrote much of the sport's history while he rode for Haro.

In celebrating Dave's long career with that other brand, Haro and Mirraco Corporation have teamed up to create bikes that reflect that history and pay tribute to the bikes Dave rode during his career with Haro. In keeping with Haro/Mirraco's focus on giving back to the sport, a portion of the revenue generated through the sales of these Haro models will be donated to DaveMirra.com to support organizations that support youth cycling

These second models will be released in September 2018 that will duplicate the bikes Dave also rode late 1999. These bikes have been designed to look like the original and perform like today's high-end freestyle bikes.

Check www.harobikes.com or www.davemirra.com for availability and information on additional Haro/Mirra models being planned.

# DAVE MIRRA TRIBUTE SERIES

# MIRRA 16

Mirra 16" Mirra Red: 29431

Mirra 16" Mirra Red: 29431	
Frame	Hi-ten Mirra 16 frame w/ integrated HT & Mid BB shell
	16.4" TT
Colors	Gloss Mirra Red
Fork	Hi-ten 1 1/8" threadless w/ tapered legs
Headset	1 1/8" integrated threadless
Crankset	3-pc crmo 8 spline 135mm
ВВ	Mid sealed
Sprocket	25t steel
Gearing	25/9
Chain	KMC 410
Pedals	Wellgo plastic 9/16"
Handlebar	Hi-ten 7" rise
Stem	Haro alloy top load
Tape/Grips	Haro stripe
Saddle	Haro padded
Seat Post	Steel 25.4mm
Seat Post Clamp	Integrated welded to frame
Front/Rear Axle	3/8" F, 14mm R straight axles
Front Hub	36h steel shell loose ball
Rear Hub	36h alloy shell loose ball cassette w/ 9t sealed driver
Front/Rear Rim	36h alloy single wall
Front/Rear Tire	Kenda Kontact 16x2.25 F/R
Pegs	N/A

Tektro alloy 990 Haro Hinged Lever


# MIRRA RED NEW YORK OF THE PROPERTY OF THE PRO

- Hi-ten Mirra 16" freestyle frame with integrated head tube, Mid BB shell and welded seat clamp
- Full hi-ten fork with tapered legs
- Hi-ten 7" bars with Haro 1978 alloy top load stem
- Haro 1978 3-piece chromoly 8-spline 135mm cranks with sealed Mid BB
- 25/9 gearing with sealed bearing 9T driver
- Kenda Kontact tires 16 x 2.25" front and rear
- Haro padded fully adjustable seat

# DAVE MIRRA TRIBUTE SERIES

Gloss Black: 20.5": 29432 / 21": 29433 Mirra Blue: 20.5": 29434 / 21": 29435 Gloss White: 20.5": 29432 / 21": 29433

- 100% chromoly Mirra Tribute frame with integrated head tube, pierced top tube, wishbone seat stays, MID BB shell and 20.5" or 21" top tube length
- 100% chromoly fork with internal threaded 1 piece CNC steer tube, tapered legs and 5mm dropouts
- 100% chromoly bars 8.75" with Haro Lineage Hevron CNC alloy top load stem
- Haro 1978 3-piece chromoly 8-spline 175mm cranks with Haro Radiation 28T CNC alloy bolt drive sprocket and sealed Mid BB
- Fully sealed wheels with Haro Sata double-wall alloy rims, Lineage high flange alloy shell sealed hubs with 14mm rear axle and 9t driver
- Haro La Mesa tires 2.4" front and rear
- Haro "Mirra saddle" padded Pivotal seat with alloy Pivotal post
- Haro 1978 plastic pedals
- Haro Team flangeless grips
- Dia-Compe "Hombre" 990 rear brakes with Tech-77 lever







# **GROUP 1 RS-2 24"**

Red / Black: 29421	
Frame	6061 Alloy w/ integrated head tube and MID BB shell
Sizes	24" (22" TT)
Colors	Gloss Black/Red two tone
Fork	100% crmo w/ internal threaded stee tube & tapered legs
Headset	1 1/8" integrated threadless
Crankset	Haro 1978 3-pc crmo 8 spline 175mm
ВВ	Mid sealed
Sprocket	39t steel
Gearing	39/17
Chain	KMC 410
Pedals	Haro 1978 plastic 9/16"
Handlebar	100% crmo Haro Freestyler bar
Stem	Haro 1978 alloy top load
Grips	Haro Team
Saddle	Haro Lineage Pivotal
Seat Post	Pivotal alloy
Seat Post Clamp	Alloy pinch bolt
Front/Rear Axle	3/8"
Front Hub	Alloy high flange sealed bearing
Rear Hub	Alloy high flange sealed bearing w/ threaded body
Front/Rear Rim	Alex DM24 24" x 36H alloy double wa
Front/Rear Tire	Kenda Kranium 24 x 2.1
Pegs	N/A
Brakes	Promax MV-295L V-brake

Promax XL-378 lever



- 100% 6061 alloy Group 1 RS-2 24" frame with Mid BB shell, integrated head tube and 7mm Group 1 dropouts - 22" TT
- 100% chromoly 24" fork with internal threaded steer tube, tapered legs and 5mm dropouts
- 100% chromoly Haro Freestyler cruiser bars with Haro 1978 alloy top load stem
- Haro 1978 3-piece chromoly 175mm cranks with Haro 39T sprocket and sealed Mid BB
- 39/17 gearing

- Fully sealed wheels with high flange hubs and double-wall
- $\bullet$  Kenda Kranium tires 24 x 2.1" front and rear
- Haro Lineage padded Pivotal seat with alloy Pivotal post
- Haro "1978" plastic pedals
- Haro Team grips
- Promax alloy V-brake and lever

# **GROUP 1 RS-2 26"**

Red / Black: 29423	
Frame	6061 Alloy w/ integrated head tube and MID BB shell
Sizes	26" (22.5" TT)
Colors	Gloss Black/Red two tone
Fork	100% crmo w/ internal threaded steer tube & tapered legs
Headset	1 1/8" integrated threadless
Crankset	Haro 1978 3-pc crmo 8 spline 175mm
ВВ	Mid sealed
Sprocket	39t steel
Gearing	39/17
Chain	KMC 410
Pedals	Haro 1978 plastic 9/16"
Hand lebar	100% crmo Haro Freestyler bar
Stem	Haro 1978 alloy top load
Grips	Haro Team
Saddle	Haro Lineage Pivotal
Seat Post	Pivotal alloy
Seat Post Clamp	Alloy pinch bolt
Front/Rear Axle	3/8"
Front Hub	Alloy high flange sealed bearing
Rear Hub	Alloy high flange sealed bearing w/ threaded body
Front/Rear Rim	Alex DM24 26" x 36H alloy double wall
Front/Rear Tire	Kenda Kranium 26 x 2.1
Pegs	N/A
Brakes	Promax MV-295L V-brake
Brake Lever	Promax XL-378 lever



### **FEATURES**

- 100% 6061 alloy Group 1 RS-2 26" frame with Mid BB shell, integrated head tube and 7mm Group 1 dropouts 22.5" TT
- 100% chromoly 26" fork with internal threaded steer tube, tapered legs and 5mm dropouts
- 100% chromoly Haro Freestyler cruiser bars with Haro 1978 alloy top load stem
- Haro 1978 3-piece chromoly 175mm cranks with Haro 39T sprocket and sealed Mid BB
- 39/17 gearing

- Fully sealed wheels with high flange hubs and double-wall alloy rims
- Kenda Kranium tires 26 x 2.1" front and rear
- Haro Lineage padded Pivotal seat with alloy Pivotal post
- Haro "1978" plastic pedals
- Haro Team grips
- Promax alloy V-brake and lever

### HARO BMX

# **GROUP 1 RS-2 29"**

Red / Black: 29425

Frame	6061 Alloy w/ integrated head tube and MID BB shell
Sizes	29" (23.5" TT)
Colors	Gloss Black/Red two tone
Fork	100% crmo w/ internal threaded stee tube & tapered legs
Headset	1 1/8" integrated threadless
Crankset	Haro 1978 3-pc crmo 8 spline 175mm
ВВ	Mid sealed
Sprocket	36t steel
Gearing	36/16
Chain	KMC 410
Pedals	Haro 1978 plastic 9/16"
Handlebar	100% crmo Haro Freestyler bar
Stem	Haro 1978 alloy top load
Grips	Haro Team
Saddle	Haro Lineage Pivotal
Seat Post	Pivotal alloy
Seat Post Clamp	Alloy pinch bolt
Front/Rear Axle	3/8"
Front Hub	Alloy high flange sealed bearing
Rear Hub	Alloy high flange sealed bearing w/ threaded body
Front/Rear Rim	Alex DM24 29" x 36H alloy double w

Kenda Kranium 29 x 2.2

Promax MV-295L V-brake

Promax XL-378 lever



- 100% 6061 alloy Group 1 RS-2 29" frame with Mid BB shell, integrated head tube and 7mm Group 1 dropouts - 23.5" TT
- 100% chromoly 29" fork with internal threaded steer tube, tapered legs and 5mm dropouts
- 100% chromoly Haro Freestyler cruiser bars with Haro 1978 alloy top load stem
- Haro 1978 3-piece chromoly 175mm cranks with Haro 36T sprocket and sealed Mid BB
- 36/16 gearing

- Fully sealed wheels with high flange hubs and double-wall
- Kenda Kranium tires 29 x 2.25" front and rear
- Haro Lineage padded Pivotal seat with alloy Pivotal post
- Haro "1978" plastic pedals
- Haro Team grips
- Promax alloy V-brake and lever

# HARO BMX GROUP 1 RS-1 TRAILS

Blue / Black: 21" 29427

Blue / Black: 21" 29427	
Frame	100% crmo Lineage Group 1 RS-1 Trails frame
Sizes	21" TT
Colors	Gloss Black/Blue two tone
Fork	100% crmo fork w/ internal threaded 1-pc CNC steer tube, tapered legs and 5mm dropouts
Headset	1 1/8" integrated threadless
Crankset	Haro 1978 3-pc crmo 8-spline 175mm
ВВ	Sealed Mid
Sprocket	Haro Team Disc 28T CNC alloy
Gearing	28/9
Chain	KMC Z410
Pedals	Haro "1978" plastic
Handlebar	100% crmo 9" rise
Stem	Haro 1978 alloy top load
Grips	Haro Team Grips
Saddle	Haro Lineage Pivotal
Seat Post	Pivotal alloy
Seat Post Clamp	Integrated welded to frame
Front/Rear Axle	3/8" F / 14mm R straight axles
Front Hub	36H alloy shell sealed bearing

 Front/Rear Rim
 Haro Sata 36H alloy double wall F/R

 Front/Rear Tire
 Haro La Mesa 20x2.40 F/R

 Pegs
 N/A

 Brakes
 Haro 1978 Alloy 990

36h alloy shell sealed cassette w/ 9t

Brakes Haro 1978 Alloy 990
Brake Lever Haro Hinged Lever



### EEATURE

- 100% chromoly frame with integrated head tube, MID BB shell, welded seat clamp, removable brake and cable mounts and 21" top tube length
- 100% chromoly fork with internal threaded 1 piece CNC steer tube, tapered legs and 5mm dropouts
- 100% chromoly bars 9" with Haro Lineage CNC alloy top load stem
- Haro 1978 3-piece chromoly 8-spline 175mm cranks with Haro Team Disc 28T CNC alloy bolt drive sprocket and sealed Mid BB
- Fully sealed wheels with Haro Sata double-wall alloy rims, alloy shell sealed hubs with 14mm rear axle and 9t driver
- Haro La Mesa tires 2.4" front and rear
- Haro Lineage padded Pivotal seat with alloy Pivotal post
- Haro 1978 plastic pedals
- · Haro Team grips
- Haro 1978 alloy brakes with hinge clamp lever

HARO BMX

GROUP 1 RS-1 29" "PISTOL"

Blue / Black: 29" 29429

100% chromoly Group 1 RS-1 29" Pistol frame s 23.5" TT Black/Blue 100% chromoly 29" Group 1 fork 1 1/8" integrated threadless Lineage heat treated 3-piece chromoly 48-spline 175mm cranks Haro Team Disc 41T CNC alloy bolt drive sprocket 41/18 KMC 410 chain Haro "1978" plastic pedals 100% chromoly Haro Freestyler cruiser bars Haro Lineage CNC alloy top load stem Haro Team grips Haro Lineage padded Pivotal seat Alloy Pivotal post Haro Lineage alloy seat post clamp 3/8" F/R straight axles 36H alloy Lineage high flange sealed 36H alloy Lineage high flange sealed w/ 36H Lineage alloy double wall Kenda Kranium tires 29 x 2.25"



### **FEATURES**

- 100% chromoly Group 1 RS-1 29" Pistol frame with Mid BB shell, integrated head tube and 1988 style vintage dropouts
- 100% chromoly 29" Group 1 fork with internal threaded steer tube, tapered legs and 1988 style vintage dropouts
- 100% chromoly Haro Freestyler cruiser bars with Haro Lineage CNC alloy top load stem
- Lineage heat treated 3-piece chromoly 48-spline 175mm cranks with Haro Team Disc 41T CNC alloy bolt drive sprocket and sealed Mid BB
- 41/18 gearing

- Fully sealed wheels with Lineage high flange hubs and double-wall alloy rims
- $\bullet$  Kenda Kranium tires 29 x 2.25" front and rear
- Haro Lineage padded Pivotal seat with alloy Pivotal post
- Haro "1978" plastic pedals
- Haro Team grips
- Dia-Compe "Hombre" FS996 brakes with Tech 77 lever
- Haro Lineage alloy seat post clamp

N/A

Tech 77 lever

Dia-Compe "Hombre" FS996 brake rear only















# **PRO 24**

Gloss Black: 29171 Matte Pewter: 29172

### **FEATURES**

- Hi-ten frame with 21" top tube
- 1 1/8" hi-ten threadless fork
- 7" hi-ten bars with Haro alloy top load stem
- 39/16t gearing
- · Haro padded fully adjustable seat
- Kenda K-Rad 24 x 1.95" tires
- · Alloy 990 brake





# BRED TO SHRED.

Remember your first bike? Of course, you do. We all do! And Haro wants to help make those memories the best that they can possibly be for your kids as well. We understand that owning a good quality bike for your child is reassuring. Every Haro bike we make is safe, strong, and reliable. All standard Shredders feature a lightweight and rust free 6000 series aluminum frame backed by a limited lifetime warranty. We are well aware that a bike not only needs to function but it also needs to feel good and look cool. That's why we make sure that every Shredder series bike carries the same DNA as our flagship models costing much more.



# PRO DLX

Gloss Black: 29161 Gloss Metallic Blue: 29162 Matte Pewter: 29163

### **FEATURES**

- Hi-ten frame with 20.3" top tube
- 1 1/8" hi-ten threadless fork
- 7.5" hi-ten bars with Haro alloy top load stem
- 25/9 gearing with sealed bearing 9T driver
- Haro padded fully adjustable seat
- Kenda Kontact tires 20 x 2.25" front and rear
- Alloy 990 brake
- Four pegs, front brakes and a gyro

# UPGRADES FROM SHREDDER PRO

- 4 steel pegs
- Gyro
- Front brake

Frame	Hi-ten
Sizes	20.3" TT
Colors	Gloss Black, Gloss Metallic Blue, Matte Pewter
Fork	Hi-ten 1 1/8" threadless
Headset	1 1/8" threadless
Crankset	1-pc 175mm
ВВ	USA loose ball
Sprocket	25t steel
Gearing	25/9
Chain	KMC 410
Pedals	Wellgo plastic 1/2"
Handjebar	Hi-ten 7,5" rise
Stem	Haro alloy top load
Grips	Haro stripe
Saddle	Haro padded
Seat Post	Steel 25.4mm
Seat Post Clamp	Alloy pinch bolt
Front/Rear Axle	3/8" straight axles
Front Hub	36h steel shell loose ball
Rear Hub	36h alloy shell loose ball cassette w/ 9t sealed driver
Front/Rear Rim	36h alloy
Front/Rear Tire	Kenda Kontact 20x2.25 F/R
Pegs	4 steel pegs
Brakes	Alloy 990 F/R
Brake Lever	Alloy lever R/L



Extras Gyro

# **PRO**

Gloss Black: 29151 Gloss Metallic Blue: 29152 Matte Pewter: 29153

### **FEATURES**

- Hi-ten frame with 20.3" top tube
- 1 1/8" hi-ten threadless fork
- 7.5" hi-ten bars with Haro alloy top load stem
- 25/9 gearing with sealed bearing 9T driver
- Haro padded fully adjustable seat
- Kenda Kontact tires 20 x 2.25" front and rear
- Alloy 990 brake

### UPGRADES FROM SHREDDER 20

- Frame has more aggressive freestyle geometry and features
- 25/9 gearing
- Kenda Kontact tires
- Alloy 990 brake
- Hand brakes only, no coaster brake

Frame	Hi-ten
Sizes	20.3" TT
Colors	Gloss Black, Gloss Metallic Blue, Matte Pewter
Fork	Hi-ten 1 1/8" threadless
Headset	1 1/8" threadless
Crankset	1-pc 175mm
ВВ	USA loose ball
Sprocket	25t steel
Gearing	25/9
Chain	KMC 410
Pedals	Wellgo plastic 1/2"
Handjebar	Hi-ten 7.5" rise
Stem	Haro alloy top load
Grips	Haro stripe
Saddle	Haro padded
Seat Post	Steel 25.4mm
Seat Post Clamp	Alloy pinch bolt
Front/Rear Axle	3/8" straight axles
Front Hub	36h steel shell loose ball
Rear Hub	36h alloy shell loose ball cassette w/ 9t sealed driver
Front/Rear Rim	36h alloy
Front/Rear Tire	Kenda Kontact 20x2.25 F/R
Pegs	N/A
Brakes	Alloy 990
Brake Lever	Alloy lever



# 20

Gloss Black: 29131 Gloss Bad Apple: 29132 Gloss Ruby Red: 29133 Pearl Pink: 29134 Pearl Teal: 29135

- 6061 alloy Shredder lo-profile frame
- Haro alloy top load stem
- 1-1/8 threadless headset
- Sure stop coaster brake and linear pull v-brake with adjustable lever
- 36-spoke wheels with 20" alloy rims
- Also available in a step thru model for girls
- Full matching pad set

Frame	Alloy 6061 low profile
Sizes	20"
Colors	Gloss Black, Gloss Bad Apple, Gloss Ruby Red, Pearl Pink, Pearl Teal
Fork	Hi-ten 1 1/8" threadless
Headset	1 1/8" threadless
Crankset	1-pc 140mm
ВВ	USA loose ball
Sprocket	40t steel
Gearing	40/16
Chain	KMC 410
Pedals	Wellgo plastic 1/2"
Handlebar	Hi-ten 7.5" rise
Stem	Haro alloy top load
Grips	Haro stripe
Saddle	Haro padded
Seat Post	Steel 25.4mm
Seat Post Clamp	Alloy pinch bolt
Front/Rear Axle	3/8" straight axles
Front Hub	36h steel shell loose ball
Rear Hub	36h steel shell loose ball coaster brake
Front/Rear Rim	36h alloy
Front/Rear Tire	Wanda 20"
Pegs	N/A
Brakes	Alloy V-brake and coaster brake
Brake Lever	Alloy lever







# 18

Gloss Black: 29111 Gloss Bad Apple: 29112 Pearl Pink: 29113 Pearl Teal: 29114

- 6061 alloy Shredder lo-profile frame
- 1-1/8 threadless headset
- 28-spoke wheels with 18" alloy rims
- Sure stop coaster brake and linear pull v-brake with adjustable lever
- Padded Jr. seat and Jr. plastic pedals
- Full matching pad set
- Also available in a step thru model for girls

Frame	Alloy 6061 low profile
Sizes	18"
Colors	Gloss Black, Gloss Bad Apple, Gloss Pearl Pink, Gloss Pearl Teal
Fork	Hi-ten 1 1/8" threadless
Headset	1 1/8" threadless
Crankset	1-pc 140mm
ВВ	USA loose ball
Sprocket	36t steel
Gearing	36/16
Chain	KMC 410
Pedals	VP plastic 1/2"
Handlebar	Hi-ten 6.5" rise
Stem	Haro alloy top load
Grips	Haro Krayton Jr.
Saddle	Haro Jr, padded
Seat Post	Steel 25.4mm
Seat Post Clamp	Alloy pinch bolt
Front/Rear Axle	3/8" straight axles
Front Hub	28h steel shell loose ball
Rear Hub	28h steel shell loose ball coaster brake
Front/Rear Rim	28h alloy
Front/Rear Tire	Wanda 18"
Pegs	N/A
Brakes	Alloy V-brake and coaster brake
Brake Lever	Alloy lever













# 16

Gloss Black: 29091 Gloss Metallic Blue: 29092 Gloss Bad Apple: 29093 Pearl Pink: 29094 Pearl Teal: 29095

- 6061 alloy Shredder lo-profile frame
- 1-1/8 threadless headset
- 28-spoke wheels with 16" alloy rims
- Sure stop coaster brake and linear pull v-brake with adjustable lever
- Padded Jr. seat and Jr. plastic pedals
- Heavy duty training wheels and full matching pad set
- Also available in a step thru model for girls

Frame	Alloy 6061 low profile
Sizes	16"
Colors	Gloss Black, Gloss Bad Apple, Gloss Metallic Blue,
Fork	Hi-ten 1 1/8" threadless
Headset	1 1/8" threadless
Crankset	1-pc 114mm
ВВ	USA loose ball
Sprocket	36t steel
Gearing	36/16
Chain	KMC 410
Pedajs	VP plastic 1/2"
Handlebar	Hi-ten 6.5" rise
Stem	Haro alloy top load
Grips	Haro Krayton Jr.
Saddle	Haro Jr. padded
Seat Post	Steel 22.2mm
Seat Post Clamp	Alloy pinch bolt
Front/Rear Axie	3/8" straight axles
Front Hub	28h steel shell loose ball
Rear Hub	28h steel shell loose ball coaster brake
Front/Rear Rim	28h alloy
Front/Rear Tire	Wanda 16"
Pegs	N/A
Brakes	Alloy V-brake and coaster brake
Brake Lever	Alloy lever





TRAINING WHEELS

INCLUDED



PEARL PINK



## 12

Gloss Bad Apple: 29081 Pearl Pink: 29082

#### **FEATURES**

- 6061 alloy Shredder lo-profile frame
- 1-1/8 threadless headset
- 16-spoke wheels with 12" alloy rims
- Padded Jr. seat and Jr. plastic pedals
- Heavy duty training wheels and full matching pad set
- Rear coaster brake

Frame	Alloy 6061 low profile
Sizes	12"
Colors	Gloss Bad Apple, Gloss Pearl Pink
Fork	Hi-ten 1 1/8" threadless
Headset	1 1/8" threadless
Crankset	1-pc 90mm
ВВ	USA loose ball
Sprocket	28t steel
Gearing	28/16
Chain	KMC 410
Pedals	VP plastic 1/2"
Handjebar	3/8" straight axles
Stem	16h steel shell loose ball
Grips	16h steel shell loose ball coaster brake
Saddle	16h alloy
Seat Post	Wanda 12"
Seat Post Clamp	N/A
Seat Post Clamp Front/Rear Axle	N/A 3/8" / 14mm straight axles
Front/Rear Axle	3/8" / 14mm straight axles
Front/Rear Axle	3/8" / 14mm straight axles 36H alloy shell, sealed bearing 36H Alloy Shell RSD free-coaster, 9T
Front/Rear Axle Front Hub Rear Hub	3/8" / 14mm straight axles 36H alloy shell, sealed bearing 36H Alloy Shell RSD free-coaster, 9T driver
Front/Rear Axle Front Hub Rear Hub Front/Rear Rim	3/8" / 14mm straight axles 36H alloy shell, sealed bearing 36H Alloy Shell RSD free-coaster, 9T driver Haro Sata 36H alloy double wall F/R
Front/Rear Axle Front Hub Rear Hub Front/Rear Rim Front/Rear Tire	3/8" / 14mm straight axles 36H alloy shell, sealed bearing 36H Alloy Shell RSD free-coaster, 9T driver Haro Sata 36H alloy double wall F/R Haro La Mesa 20x2.40 F/R
Front/Rear Axle Front Hub Rear Hub Front/Rear Rim Front/Rear Tire Pegs	3/8" / 14mm straight axles 36H alloy shell, sealed bearing 36H Alloy Shell RSD free-coaster, 9T driver Haro Sata 36H alloy double wall F/R Haro La Mesa 20x2.40 F/R N/A





COME WITH A FULL GET OF MATCHING PADS TRAINING WHEELS



















# BLACKOUT

Pro XL Gloss Black/Gold: 21": 29631 Pro XXL Gloss Black/Gold: 21.5": 29633

Frame	Blackout PTC w/ tapered integrated head tube
	Blackout XL: 21" TT Blackout XXL: 21.5" TT
Colors	Gloss Black/Gold
Fork	CLiQ Citizen carbon
	CLiQ tapered integrated
Crankset	CLiQ Weaponz 175mm
ВВ	CLiQ BB86 sealed
Sprocket	44T alloy
Gearing	44/16
Chain	KMC Z33
Pedals	N/A
Handlebar	CLiQ Addict 8"
Stem	Haro CNC top load
Grips	Promax Click clamp on grip 130m
Saddle	Box Echelon plastic one piece
Seat Post	Carbon 27.2mm

Alloy quick release

20mm F, 3/8" R 36h alloy shell sealed bearing

36h alloy shell sealed bearing cassette Alienation Deviant F, Runaway R Kenda Konversion 20x1.95 F/20x1.65 R

Promax P-1 CNC Alloy V-brake Promax V-Point CNC Alloy Lever

# • Blackout PTC (Power Transfer Center)

- frame with lightweight HSR alloy construction, integrated tapered head tube, tapered seat tube, air-formed triplebutted top tube, over-sized triple butted down tube. BB86 BB shell and 20mm / 15mm / 3/8" axle compatible dropouts with integrated chain tensioners. Available in 21" or 21.5" TT
- CLiQ Citizen carbon fork with alloy tapered steer tube and 20mm thru axle dropouts
- CLiQ tapered integrated sealed bearing headset 1 1/8" x 1.5"
- 100% heat treated chromoly CLiQ Addict 8" bars and Haro alloy CNC top load stem

#### **FEATURES**

- · CLiQ Weaponz 2-piece CNC alloy crank 175mm with sealed CLiQ BB86 bottom bracket
- Fully sealed wheels with Alienation Deviant front and Runaway rear double-wall rims, cassette rear hub and 20mm thru axle front hub
- Promax Click clamp on grips
- Promax "P-1" V-brake and "V-Point" brake lever
- Kenda Konversion 20 x 1.95" front and 1.65" rear skin-wall tires
- Box Echelon plastic seat/carbon seat post combo

#### UPGRADES FROM RACE LITE

- Blackout PTC frame with tapered head tube, tapered seat tube and 20mm slotted dropouts
- CLiQ tapered integrated headset
- CLiQ "Citizen" carbon fork with tapered steer tube
- 100% heat treated chromoly CLiQ Addict bars
- 2 piece CNC alloy CLiQ Weaponz crank set with CLiQ sealed bearing press-fit BB86 bottom bracket
- 3/8", 15mm and 20mm axle adapters/ chain tensioners included
- Quick release seat post clamp



#### RACELITE

Pro 24 Gloss Black: 29541 Pro XL Gloss Black: 29521 Pro Gloss Black: 29501 Expert XL Gloss Black: 29491 Expert Gloss Black: 29481 Junior Gloss Black: 29471 Mini Gloss Black: 29465

Micro Mini Gloss Black: 29461

#### **FEATURES**

- 6061 series alloy frame with integrated head tube, butted down tube, tapered chain stays, 3D dropouts with integrated chain tensioners
- PTC (Power Transfer Center), triple butted air formed top tube, over sized triple butted down tube, BB86 bottom bracket shell (Expert XL, Pro, Pro XL, Pro 24)
- 100% chromoly fork with tapered legs (tapered legs on Expert XL, Pro, Pro XL, Pro 24)
- 100% chromoly bars (Expert XL, Pro, Pro XL, Pro 24) or alloy bars (Expert, Junior, Mini, Micro Mini) and Haro CNC alloy front load stem
- 2-piece alloy cranks with sealed press fit BB86 (Expert XL, Pro, Pro XL, Pro 24) / 3-piece alloy race cranks with sealed Euro BB (Expert, Junior, Mini, Micro Mini)
- Fully sealed wheels with double wall alloy rims, a sealed rear cassette hub and alloy nipples
- Kenda Konversion (Expert XL, Pro, Pro XL, Pro 24) or Kenda Kontact (Expert, Junior, Mini) tires
- Micro Mini features Vee Rubber Speedster tires
- Plastic Pivotal seat with alloy post on Expert XL, Pro, Pro XL, Pro 24
- · Promax V-Brake and lever

#### UPGRADES FROM ANNEX

- 6061 alloy frame with integrated head tube, 3D dropouts and integrated chain tensioners
- 100% chromoly forks with tapered legs (Expert XL, Pro, Pro XL and Pro 24)
- $\bullet$  100% chromoly bars (Pro, Pro XL and Pro 24)
- Haro CNC machined stem
- 2 piece alloy crank set with press fit BB86 sealed bottom bracket (Expert XL, Pro, Pro XL and Pro 24)
- Sealed bearing wheel set with alloy shell hubs (cassette rear), double wall rims and anodized alloy spoke nipples
- Kenda Konversion tires (Expert XL, Pro, Pro XL and Pro 24)
- Plastic Pivotal seat with alloy Pivotal post (Expert XL, Pro, Pro XL and Pro 24)
- KMC Z33 chain

#### **RACELITE**

The Haro Race Lite line draws on our deep knowledge of proven BMX racing formulas. The extensive range of sizing and geometry makes the Race Lite one of the most versatile and innovative aluminum completes on the market. Whether you're a beginner or an aspiring pro lining up with big ambitions, Haro Race Lite line, complete with sealed bearing cassette wheels throughout, is a born and bred winner that punches way above its weight.



6061 Alloy w/ integrated head tube and chain adjusters Micro Mini: 16,75" TT Mini: 17,75" TT Junior: 18,25" TT Expert: 18,9" TT Expert XL: 20" TT Pro: 20,75 TT" Pro XL: 2!" TT Pro 24: 21,75" TT Gloss Black Micro Mini, Mini, Junior, Expert: Crmo 1" threadless Expert XL, Pro, Pro XL, Pro 24: Crmo 1 1/8" threadless w/ tapered legs Integrated threadless Micro Mini: 3-pc alloy 130mm Mini: 3-pc alloy 130mm Junior: 3-pc alloy 145mm Expert: 3-pc alloy 155mm Expert XL: 2-pc alloy 170mm Pro: XL: 2-pc alloy 175mm Pro: XL: 2-pc alloy 175mm Pro: XL: 2-pc alloy 175mm Micro Mini, Mini, Junior, Expert: Threaded Euro sealed Expert XL, Pro, Pro XL, Pro 24: Press-fit BB86 sealed Micro Mini, Mini, Junior, Expert, Expert XL: 38T alloy Pro, Pro XL: 44T alloy Pro 24: 40T alloy Micro Mini, Mini, Junior: 38/14 Expert, Expert XL: 38/15 Pro, Pro XL: 44/16 Pro 24: 40/18 KMC Z33 Micro Mini, Mini, Junior, Expert: Mini DX alloy Expert XL, Pro, Pro XL, Pro 24: DX alloy Micro Mini: Mini alloy
Mini: Mini alloy
Junior: Junior alloy 5" rise
Expert: Expert alloy 6,75" rise
Expert XL: Expert alloy 6,75" rise
Pro: Crmo 8" rise
Pro XL: Crmo 8" rise
Pro 24: Crmo 5,25" rise Micro Mini, Mini, Junior, Expert: Velo unibody seat/post Expert XL, Pro, Pro XL, Pro 24: Pivotal Micro Mini, Mini, Junior, Expert: Alloy 22.2mm Expert XL, Pro, Pro XL, Pro 24: Alloy 27.2mm Pivotal Seat Post Clamp Alloy pinch bolt Front/Rear Axle 3/8" straight axles Micro Mini, Mini, Junior, Expert: 28h alloy shell sealed bearing Expert XL, Pro, Pro XL, Pro 24: 36h alloy shell sealed bearing Front Hub Micro Mini, Mini, Junior, Expert: 28h alloy shell sealed bearing cassette Expert XL, Pro, Pro XL, Pro 24: 36h alloy shell sealed bearing cassette Rear Hub Micro Mini, Mini, Junior, Expert: Double wall alloy 28h Expert XL, Pro, Pro XL, Pro 24: Double wall alloy 36h Front/Rear Rim Micro Mini: Vee Rubber "Speedster" 18x1"
Mini: Kenda Kompact 20x1 1/8"
Junior Kenda Kompact 20x1 1/8"
Expert Kenda Kompact 20x1 3/8"
Expert XI: Kenda Kompact 20x1 3/8"
Pro: Kenda Konversion 20x1.65 F/20x1.50 R
Pro: Kenda Konversion 20x1.95 F/20x1.75 R
Pro: XL: Kenda Konversion 20x1.95 F/20x1.75 R
Pro: ZL: Kenda Konversion 24x1.75 F/R Front/Rear Tire Pegs N/A Micro Mini: Tektro 926AL alloy V-brake Mini, Junior, Expert: Promax MV-85 Alloy V-brake Expert XL, Pro, Pro XL, Pro 24: Promax MV-85 Alloy V-brake Brakes Micro Mini; Tektro 317A alloy lever Mini, Junior, Expert, Expert XL, Pro. Pro XL, Pro 24: Promax XL-373 Alloy Lever Brake Lever







#### **ANNEX**

24 Gloss Black: 29721 / Race Red: 29722 Pro XL Gloss Black: 29711 / Race Red: 29712 Pro Gloss Black: 29701 / Race Red: 29702 Expert Gloss Black: 29691 / Race Red: 29692 Junior Gloss Black: 29681 / Race Red: 29682 Mini Gloss Black: 29671 / Race Red: 29672 Micro Mini Gloss Black: 29661 / Race Red: 29662

#### FEATURES

- 6061 series alloy frame
- 100% chromoly fork
- Alloy (Micro Mini, Mini, Junior, Expert, 24)
   / Hi-ten (Pro, Pro XL) bars and Haro alloy front load stem
- 3-piece alloy (Micro Mini, Mini, Junior, Expert) / chromoly (Pro, Pro XL, 24) race cranks
- 28-spoke wheels with 20" DA16 double wall alloy rims (Mini, Junior, Expert)
- Kenda Kompact (Mini, Junior, Expert, 24) / Kontact (Pro, Pro XL) tires
- Velo Unibody (Micro Mini, Mini, Junior, Expert)
   / padded one piece (Pro, Pro XL) with built in alloy post
- Promax V-Brake and lever

#### UPGRADES FROM ANNEX SI

- 3 piece crank set with threaded Euro sealed bottom bracket
- · Alloy front sprocket
- · Alloy shell hubs
- Padded one piece seat with built in alloy post (Pro/Pro XL)

#### **ANNEX**

The Race Lite's understudy is the Haro Annex line. Utilizing a 6061 aluminum frame, the Annex harnesses the winning combination of lightness and durability to become the perfect partner for novice and intermediate racers of all ages. If you're looking for a machine that crushes the competition rather than your wallet, this is the series to check out.

All Annex models available in Gloss Black and Race Red



Good series alloy frame   Micro Mini, 16,75: TT	
Sizes Sizes (18.7) TI Junior (18.25 TI Junior) (	loy frame
Headset	т тт тт
Threadless  Micro Mini: 3-pc alloy race 130mm Mini: 3-pc alloy race 150mm Mini: 3-pc alloy race 150mm Expert: 3-pc alloy race 170mm Pro Haro 3-pc alloy 75mm Pro Haro 3-pc alloy 75mm Pro Haro 3-pc alloy 75mm Pro Pro XL. 24: 44T alloy  Micro Mini, Mini, Mini, Junior Expert: Mini DX alloy Pro, Pro XL. 24: DX alloy  Micro Mini, Mini, Mini alloy Junior: Junior alloy 5' rise Pro Hinten 8' rise Pro Hinten 8' rise Pro Hinten 8' rise Pro Harten 8' rise Pro Harten 8' rise Pro, Pro XL. 24: Haro alloy front load 45mm ext Pro, Pro XL. 24: Haro padded one piece  Seat Post Micro Mini, Mini, Junior Expert: Velo unilody seat/post Pro, Pro XL. 24: Alloy 27:2mm Alloy pinch bolt  Front/Rear Axle  Front Hub Micro Mini, Mini, Junior Expert: 28h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL. 24: 36h alloy shell loose ball Pro, Pro XL.	ce Red
Crankset  Micro Mini: 3-pc alloy race 130mm Mini: 3-pc alloy race 145mm Junior. 3-pc alloy race 170mm Pro: Haro 3-pc crmo 175mm Pro: Nat. 24: 44T alloy    Micro Mini, Mini, Mini, Mini, Mini Pro: Haro 100 pc   Micro Mini, Mini, Mini, Mini Pro: Haro 100 pc   Micro Mini Pro: Haro 100 pc   Micro M	ini, Junior, Expert: Crmo 1" threadless 24: Crmo 1 1/8" threadless
Crankset  Mini: 3-pc alloy race 145mm Junior. 3-pc alloy race 155mm Expert: 3-pc alloy race 170mm Pro: KL-Haro 3-pc crmo 175mm Az: Haro 3-pc crmo 175mm Amicro Mini, Mini, Junior Expert: 36T alloy Amicro Mini, Mini, Junior Expert: Mini DX alloy Amicro Mini, Mini, Junior Expert: Mini DX alloy Amicro Mini, Mini, Junior Expert: Mini DX alloy Amicro Mini, Mini, Junior Expert: Haro mini alloy front load 45mm ext Aro, Pro XL, 24: Haro alloy front load 52mm ext Amicro Mini, Mini, Junior Expert: Velo unibody seat/post Amicro Mini, Mini, Junior Expert: Velo unibody seat/post Alloy pinch bolt Alloy pinch bolt Front/Rear Axle Front Hub Amicro Mini, Mini, Junior Expert: Alloy 22.2mm Alloy pinch bolt Alloy pinch bolt Amicro Mini, Mini, Junior Expert: Alloy 22.2mm Alloy pinch bolt Amicro Mini, Mini, Junior Expert: 28h alloy shell loose ball Amicro Mini, Mini, Junior Expert: 28h alloy shell loose ball Amicro Mini, Mini, Junior Expert: 28h alloy shell loose ball Amicro Mini, Mini, Junior Expert: 28h alloy shell loose ball Amicro Mini, Mini, Junior Expert: 28h alloy shell loose ball Amicro Mini, Mini, Junior Expert: 28h alloy shell loose ball Amicro Mini, Mini, Junior Expert: 28h alloy shell loose ball Amicro Mini, Mini, Junior Expert: 28h alloy shell loose ball Amicro Mini, Mini, Junior Expert: 28h alloy shell loose ball Amicro Mini, Mini, Junior Expert: 28h alloy shell loose ball Amicro Mini, Mini, Junior Expert: 28h alloy shell loose ball Amicro Mini, Mini, Junior Expert: 28h alloy shell loose ball Amicro Mini, Mini, Junior Expert: 28h alloy shell loose ball Amicro Mini, Mini, Junior Expert: 28h alloy shell loose ball Amicro Mini, Mini, Junior Expert: 28h al	
Micro Mini, Mini, Junior, Expert: 36T alloy Pro, Pro XL, 24: 44T alloy  Micro Mini, Mini: 36/14 Junior, Expert: 36/13 Pro, Pro XL: 44/16 24: 40/18  Chain  KMC 410  Pedals  Micro Mini, Mini: Junior, Expert: Mini DX alloy Pro, Pro XL, 24: DX alloy  Micro Mini, Mini: Mini alloy Junior, Junior alloy 5' rise Expert: 24: Expert alloy 6,75' rise Pro III-ten 8' rise Pro III-ten 8' rise Pro III-ten 8' rise Pro, Pro XL, 24: Haro alloy front load 52mm ext  Micro Mini, Mini, Junior, Expert: Haro mini alloy front load 45mm ext Pro, Pro XL, 24: Haro alloy front load 52mm ext  Micro Mini, Mini, Junior, Expert: Velo unibody seat/post Pro, Pro XL, 24: Alloy 27:2mm  Seat Post  Micro Mini, Mini, Junior, Expert: Alloy 22:2mm Pro, Pro XL, 24: Alloy 27:2mm  Seat Post Clamp  Front Hub  Micro Mini, Mini, Junior, Expert: 28h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell sose ball Pro, Pro XL, 24: 36h alloy shell sose ball Pro, Pro XL, 24: 36h alloy shell sose ball Pro, Pro XL, 24: 36h alloy shell sose ball Pro, Pro XL, 24: 36h alloy shell sose ball Pro, Pro XL, 24: 36h alloy shell sose ball Pro, Pro XL, 24: 36h alloy shell sose ball Pro, Pro XL, 24: 36h alloy shell sose ball Pro, Pro XL, 24: 36h alloy shell sose ball Pro, Pro XL, 24: 36h alloy shell sose ball Pro, Pro XL, 24: 36h alloy shell sose ball Pro, Pro XL, 24: 36h alloy shell sose ball Pro, Pro XL, 24: 36h alloy shell sose ball Pro, Pro XL, 24: 36h alloy shell sose ball Pro, Pro XL, 24: 36h alloy shell sose ball Pro, Pro XL, 24: 36h alloy shell sose ball Pro, Pro XL, 24: 36h alloy shell sose ball Pro, Pro XL, 24: 36h alloy shell sose ball Pro, Pro XL, 24: 36h alloy shell sose bal	oy race 145mm alloy race 155mm oc crmo 175mm 3-pc crmo 175mm
Gearing  Micro Mini, Mini, Junior, Expert: Mini DX alloy Pedals  Chain  KMC 410  Pedals  Micro Mini, Mini, Junior, Expert: Mini DX alloy Pro, Pro XL: 24: DX alloy  Micro Mini, Mini, Junior, Expert Mini DX alloy Pro, Pro XL: 24: DX alloy  Micro Mini, Mini, Mini alloy Junior: Junior alloy 5' rise Expert: 24: Expert alloy 6,75' rise Pro: NI-ten 8' rise  Micro Mini, Mini, Junior, Expert: Haro mini alloy front load 45mm ext Pro, Pro XL: 24: Haro alloy front load 52mm ext  Micro Mini, Mini, Junior, Expert: Velo unibody seat/post Pro, Pro XL: 24: Haro padded one piece  Seat Post  Micro Mini, Mini, Junior, Expert: Alloy 22.2mm Pro, Pro XL: 24: Alloy 27.2mm  Alloy pinch bolt  Front/Rear Axle  3/8' straight axles  Front/Rear Axle  Micro Mini, Mini, Junior, Expert: 28h alloy shell loose ball Pro, Pro XL: 24: 36h alloy shell loose ball Pro, Pro XL: 24: 36h alloy shell loose ball Pro, Pro XL: 24: 36h alloy shell loose ball Pro, Pro XL: 24: 36h alloy shell loose ball Pro, Pro XL: 24: 36h alloy shell loose ball Pro, Pro XL: 24: 36h alloy shell loose ball Pro, Pro XL: 24: 36h alloy shell loose ball Pro, Pro XL: 24: 36h alloy shell loose ball Pro, Pro XL: 24: 36h alloy shell sose ball Pro, Pro XL: 24: 36h alloy shell sose ball Pro, Pro XL: 24: 36h alloy shell sose ball Pro, Pro XL: 24: 36h alloy shell sose ball Pro, Pro XL: 24: 36h alloy shell sose ball Pro, Pro XL: 24: 36h alloy shell sose ball Pro, Pro XL: 24: 36h alloy shell sose ball Pro, Pro XL: 24: 36h alloy shell sose ball Pro, Pro XL: 24: 36h alloy shell sose ball Pro, Pro XL: 24: 36h alloy shell sose ball Pro, Pro XL: 24: 36h alloy shell sose ball Pro, Pro XL: 24: 36h alloy shell sose ball Pro, Pro XL: 24: 36h alloy shell sose ball Pro, Pro XL: 24: 36h alloy shell sose ball Pro, Pro XL: 24: 36h alloy shell sose ball Pro, Pro XL: 24: 36h alloy shell sose ball Pro, Pro XL: 24: 36h alloy shell sose ball Pro, Pro XL: 24: 36h alloy shell sose ball Pro, Pro XL: 24: 36h alloy shell sose ball Pro, Pro XL: 24: 36h alloy shell sose ball Pro, Pro XL: 24: 36h alloy shell sose ball	uro sealed
Chain   KMC 410	ini, Junior, Expert: 36T alloy 24: 44T alloy
Micro Mini, Mini, Junior, Expert: Mini DX alloy Pro, Pro XL, 24: DX alloy Pro, Pro XL, 24: DX alloy Pro, Pro XL, 24: DX alloy	ini: 36/14 :: 36/13 :4/16
## Pro, Pro XL, 24: DX alloy  ## Micro Mini, Mini: Mini alloy  ## Junior: Junior alloy 5' rise  ## Expert, 24: Expert alloy 6,75" rise  ## Pro: Hi-ten 8" rise  ## Micro Mini, Mini, Junior, Expert: Haro mini alloy front load 45mm ext  ## Micro Mini, Mini, Junior, Expert: Velo unibody seat/post  ## Pro, Pro XL, 24: Haro padded one piece  ## Micro Mini, Mini, Junior, Expert: Velo unibody seat/post  ## Pro, Pro XL, 24: Alloy 27:2mm  ## Pro Pro XL, 24: Alloy 27:2mm  ## Seat Post Clamp  ## Micro Mini, Mini, Junior, Expert: 28h alloy shell loose ball  ## Pront/Rear Axle  ## Front Hub  ## Micro Mini, Mini, Junior, Expert: 28h alloy shell loose ball  ## Micro Mini, Mini, 28h alloy shell loose ball  ## Micro Mini, Mini, 28h alloy shell loose ball  ## Pro, Pro XL, 24: 36h alloy shell loose ball  ## Micro Mini, Mini, Junior, Expert: 28h alloy be alloose ball  ## Micro Mini, Mini, Junior, Expert: 28h alloy double wall  ## Pro, Pro XL, 24: 36h alloy single wall  ## Micro Mini, Vee Rubber "Speedster" l8x1"  ## Mini: Kenda Kompact 20x1 1/8"  ## Expert: Kenda Kompact 20x1 1/	
Handlebar   Junior Junior alloy 5' rise   Expert. 24: Expert alloy 6,75' rise   Fro: Hi-ten 8' rise   Micro Mini, Mini, Junior, Expert: Haro mini alloy front load 45mm ext   Fro, Pro XL, 24: Haro alloy front load 52mm ext   Micro Mini, Mini, Junior, Expert: Velo unibody seat/post   Fro, Pro XL, 24: Haro padded one piece   Micro Mini, Mini, Junior, Expert: Alloy 22:2mm   Front/Rear Axle   Micro Mini, Mini, Junior, Expert: Alloy 22:2mm   Front/Rear Axle   Alloy pinch bolt   Micro Mini, Mini, Junior, Expert: 28h alloy shell loose ball   Fro, Pro XL, 24: 36h alloy shell loose ball   Fro, Pro XL, 24: 36h alloy shell loose ball   Fro, Pro XL, 24: 36h alloy shell loose ball   Fro, Pro XL, 24: 36h alloy shell loose ball   Fro, Pro XL, 24: 36h alloy shell loose ball   Fro, Pro XL, 24: 36h alloy shell loose ball   Fro, Pro XL, 24: 36h alloy shell loose ball   Fro, Pro XL, 24: 36h alloy shell loose ball   Fro, Pro XL, 24: 36h alloy shell loose ball   Fro, Pro XL, 24: 36h alloy shell loose ball   Fro, Pro XL, 24: 36h alloy shell loose ball   Fro, Pro XL, 24: 36h alloy shell loose ball   Fro, Pro XL, 24: 36h alloy shell loose   Fro, Pro XL, Pro, Pro XL, 24: 36h alloy shell loose   Fro, Pro XL, Pro, Pro XL, Pro, Pro XL, 24: 36h alloy shell loose   Fro, Pro, XL, Pro, Pro, YL, Pro, Pro, Pro, Pro, Pro, Pro, Pro, Pro	<i>ini, Junior, Expert</i> : Mini DX alloy <i>24:</i> DX alloy
Micro knni   Mini   M	r alloy 5" rise opert alloy 6,75" rise " rise
Seat Post   Micro Mini, Mini, Junior, Expert. Velo unibody seat/post   Pro, Pro XL, 24: Haro padded one piece	ini, Junior, Expert: Haro mini alloy front load 45mm ext 24: Haro alloy front load 52mm ext
Seat Post	
Seat Post Clamp  Alloy pinch bolt  Front/Rear Axle  Front Hub  Micro Mini, Mini, Junior, Expert: 28h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball flip-flop Junior, Expert: 28h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro, Pro, Pro, Pro, Pro, Pro, Pro,	ini, Junior, Expert: Velo unibody seat/post 24: Haro padded one piece
Front/Rear Axle  Front Hub  Micro Mini, Mini, Junior, Expert: 28h alloy shell loose ball Pro, Pro XI., 24: 36h alloy shell loose ball looped in Micro Mini, Mini: 28h alloy shell loose ball looped in Junior, Expert: 28h alloy shell loose ball looped in Pro, Pro XI., 24: 36h alloy shell loose ball looped in Micro Mini, Mini, Junior, Expert: 28h alloy shell loose ball looped in Micro Mini, Mini, Junior, Expert: 28h alloy shell loose ball looped in Micro Mini, Mini, Junior, Expert: 28h alloy shell loose ball looped in Micro Mini, Veni, Veni, Venide in Ve	ini, Junior, Expert: Alloy 22.2mm 24: Alloy 27.2mm
Front Hub Micro Mini, Mini, Junior, Expert: 28h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball flor-flop Junior, Expert: 28h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, Pro, YL, 24: 36h alloy shell loose ball loose ball pro, Pro, YL, 24: 36h alloy shell loose ball loose ball pro, Pro, YL, 24: 36h alloy shell loose ball loose ball pro, Pro, YL, 24: 36h alloy shell loose ball loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell loose ball pro, Pro, YL, 24: 36h alloy shell lo	polt
Pro, Pro, XI., 24: 36h alloy shell loose ball  Micro Mini, Mini: 28h alloy shell loose ball flip-flop Junior, Expert: 28h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro Mini, Mini, Junior, Expert: 28h alloy double wall Pro, Pro Mini, Mini, Junior, Expert: 28h alloy double wall Pro, Pro, Mini, Junior, Expert: 28h alloy double wall Pro, Pro, Mini, Junior, Expert: 28h alloy double wall Pro, Pro, Mini, Junior, Expert: 28h alloy double wall Pro, Pro, Mini, Junior, Expert: 28h alloy double wall Pro, Pro, Mini, Junior, Expert: 28h alloy double wall Pro, Pro, Mini, Junior, Expert: 28h alloy double wall Pro, Pro, Mini, Junior, Expert: 28h alloy double wall Pro, Pro, Mini, Junior, Expert: 28h alloy double wall Pro, Pro XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro, XL, 24: 36h alloy shell loose ball Pro, Pro,	t axles
Rear Hub	ini, Junior, Expert: 28h alloy shell loose ball 24: 36h alloy shell loose ball
Pro, Pro XL, 24: 36h alloy single wall  Micro Mini. Vee Rubber "Speedster" 18x1"  Mini: Kenda Kompact 20x1 1/8"  Junior. Kenda Kompact 20x1 1/8"  Expert: Kenda Kompact 20x1 1/8"  Expert: Kenda Kompact 20x1 3/8"  Pro: Kenda Kontact 20x2.25 F/20x1.95 R  Pro XL: Kenda Kontact 20x2.25 F/20x1.95 R  24: Kenda Kontact 24x1.75 F/R  N/A	t: 28h alloy shell loose ball
Mini: Kenda Kompact 20x1 I/8"   Junior: Kenda Kompact 20x1 I/8"   Junior: Kenda Kompact 20x1 I/8"   Expert: Kenda Kompact 20x1 3/8"   Pro: Kenda Kontact 20x2.25 F/20x1.95 R   Pro: XL: Kenda Kontact 20x2.25 F/20x1.95 R   24: Kenda Kontact 24x1.75 F/R   N/A   N/A	ini, Junior, Expert: 28h alloy double wall 24: 36h alloy single wall
	Kompact 20x1 I/8" a Kompact 20x1 I/8" a Kompact 20x1 3/8" (ontact 20x2,25 F/20x1,95 R a Kontact 20x2,25 F/20x1,95 R
Brokes Pro, Pro XL, 24: Promax MV-295L alloy V-brake	
	<i>ini, Junior, Expert:</i> Promax MV-87 alloy V-brake <i>24:</i> Promax MV-295L alloy V-brake
Brake Lever Promax XL-378 alloy Lever	





## ANNEX Si

Gloss Black: 29651 Race Red: 29652

#### **FEATURES**

- 6061 alloy frame with 19.5" top tube
- Full hi-ten fork with 11/8" threadless steer tube
- Hi-ten 7.5" bar and Haro alloy front load stem
- 1-piece 165mm crank with USA loose ball BB
- 40/16t gearing
- Haro padded fully adjustable seat
- Kenda Kontact 20 x 1.95" front and 1.75" rear tires
- Promax V-Brake and lever

Frame	6061 series alloy frame
Sizes	19.5" TT
Colors	Black or Race Red
Fork	Hi-ten fork w/ 1 1/8" threadless steer tube
Headset	1 1/8" threadless
Crankset	1-pc 165mm
ВВ	USA loose ball
Sprocket	40T steel
Gearing	40/16
Chain	KMC 410
Pedals	Wellgo plastic
Handlebar	Hi-ten 7.5"
Stem	Haro alloy front load
Grips	Micro knurl
Saddle	Padded adjustable seat
Seat Post	Steel 25.4mm
Seat Post Clamp	Alloy pinch bolt
Front/Rear Axle	3/8" straight axles
Front Hub	36h steel shell loose ball
Rear Hub	36h steel shell loose ball
Front/Rear Rim	36H alloy single wall
Front/Rear Tire	Kenda Kontact 20x1.95 F/20x1.75 R
Pegs	N/A
Brakes	Promax MV-295L Alloy V-brake

Brake Lever Promax XL-378 Alloy Lever





















Time for your child to embark on the journey of a lifetime! A PreWheelz Balance Bike by Haro is a durable, affordable, and stylish way to start your child off in the living room and lead them all the way to an Olympic podium, all from a trusted brand that's been around for nearly 40 years. PreWheelz come complete with features you won't often find on competitor's models. Scuff free and lightweight EVA tires won't damage floors and are tough enough for outdoors. EZ quick release allows for tool free saddle height adjustment while an oversize padded saddle has a convenient grab handle standard. All this bolted to a lightweight and rust-free 6000 series aluminum frame that boasts an industry leading Limited



WHY (

Some 30 years ago, at the dawn of BMX Freestyle, Haro Bikes established itself as the pioneer, the trailblazer: the "First in Freestyle." Some of the most talented riders of that era rode Haro bikes and now, as they find themselves buying bikes for their own kids, we proudly offer the limited edition Freestyler model. You only ever have one first bike so why not give your child something that they can really remember? Give them the very, very best: PreWheelz limited edition Freestyler by Haro!

Made from lightweight 6000 series aluminum, it brings all of the features of the popular PreWheelz range as well as Haro's iconic twin top tube! Until now there has been no such thing as a high-end balance bike for 2-5 year olds but the lightweight Limited Edition Alloy has changed all that!



- 6061 alloy crank-less "Balance Bike" SE frame design with foot rests
- 6061 alloy fork
- High impact 12" mag wheels
- Scuff-resistant tubeless tires
- Adjustable handlebar height
- Ball bearing headset
- Oversized padded seat with rider-assist grab handle
- Quick release height adjust seat post clamp



#### PREWHEELZ

# 10 & 12

Black: 10": 29011 / 12": 29031 Bright Red: 10": 29012 / 12": 29032 Bad Apple: 10": 29013 / 12": 29033 Metallic Blue: 10": 29014 / 12": 29034 Pearl Pink: 10": 29015 / 12": 29035 Pearl Teal: 10": 29016 / 12": 29036





#### **FEATURES**

- 6061 alloy crank-less "Balance Bike" frame design with foot rests
- High impact mag wheels
- Scuff-resistant tubeless tires
- Adjustable handlebar height
- Ball bearing headset
- Oversized padded seat with rider-assist grab handle
- Quick release height adjust seat post
- Available in 10" and 12" sizes




# PREMIUM C T S














# PREMIUM PRODUCTS



Born from the needs of the world's most innovative street riders, Premium represents our belief that riding is about freedom, independence, and the relentless pursuit of your riding ambitions. Whether it's a mellow session at your favorite spot or a mission to find a legendary line in a new city, it all boils down to being creative and having fun; the very things that Premium has stood for since its inception almost 15 years ago.





#### PREMIUM

# **BROADWAY**

Matte Copper: 21": 29771		
Frame	100% crmo w/ integrated HT & Mid BB shell	
Sizes	21" TT	
Colors	Matte Copper	
Fork	100% crmo w/ tapered legs	
Headset	1 1/8" integrated threadless	
Crankset	3-pc crmo 8 spline 175mm	
ВВ	Mid sealed	
Sprocket	28t alloy	
Gearing	28/9	
Chain	KMC 410	
Pedals	Premium Kinectic plastic 9/16"	
Handlebar	9" rise	
Stem	Premium alloy top load	
Grips	Premium Team flangeless	
Saddle	Premium Fat Capitol Pivotal	
Seat Post	Pivotal alloy 25.4mm	
Seat Post Clamp	Integrated welded to frame	
Front/Rear Axle	3/8" F, 14mm R straight axles	
Front Hub	36h alloy shell sealed	
Rear Hub	36H alloy shell RSD free-coaster w/ 9T driver	
Front/Rear Rim	Premium Samsara 36h alloy double wall	
Front/Rear Tire	Premium CK 20x2.40 F/R	



- 100% crmo frame with integrated head tube, Mid BB shell, integrated seat clamp and removable brake and cable mounts - 21" top tube
- 100% crmo fork with internal threaded steer tube and tapered legs
- 100% crmo bars 9" with Premium top load stem
- Premium Team Grips flangeless
- Three-piece crmo 175mm 8-spline cranks with sealed Mid BB
- 28/9 gearing with alloy sprocket
- Fully sealed wheels with Samsara doublewall rims and free-coaster rear hub
- Premium CK tires 2.4" front and rear
- Premium Fat Capitol Pivotal seat with alloy Pivotal post
- Premium Kinetic plastic pedals

- Full CRMO frame w/ integrated HT, cast Mid BB shell and removable brake hardware 21" TT
- Full CRMO fork w/ internal threaded steer tube and tapered legs
- Full CRMO bars 9" rise
- 28/9 gearing with alloy 28T sprocket
- Premium Samsara double wall rims
- · Alloy Pivotal seat post

## SUBWAY

**Chrome:** 20.5": 29763 / 21": 29764 **Matte Black:** 20.5": 29761 / 21": 29762

#### **FEATURES**

- Premium Crmo downtube frame with integrated head tube, Mid BB shell and integrated seat clamp – 20.5" or 21" top tube
- Internal threaded crmo steer tube fork with hi-ten tapered legs
- 8.75" (on 20.5") or 9" (on 21") with Premium top load stem
- Premium Team grips flangeless
- Three-piece crmo 175mm 8-spline cranks with sealed Mid BB
- 25/9 gearing
- 36 hole alloy single wall rims with sealed free-coaster rear hub
- Premium CK tires 2.4" front and rear
- Premium Fat Capitol Pivotal seat and Pivotal post
- Premium Kinetic plastic pedals

#### UPGRADES FROM INSPIRED

- 4130 CRMO DT frame 20.5" or 21" TT
- Internal threaded CRMO steer tube, Hi-ten taper leg fork
- Hi-Ten bars 8.75" rise(20.5" TT) / 9" rise (21" TT)
- Premium Fat Capitol Pivotal seat w/ Pivotal steel post
- Sealed bearing free-coaster rear hub

	Frame	Crmo downtube w/ integrated HT & Mid BB shell
	Sizes	20.5" or 21" TT
	Colors	Matte Black, Chrome
	Fork	Crmo steer tube w/ hi-ten tapered legs
	Headset	1 1/8" integrated threadless
	Crankset	3-pc crmo 8 spline 175mm
	ВВ	Mid sealed
	Sprocket	25t steel
	Gearing	25/9
	Chain	KMC 410
	Pedals	Premium Kinectic plastic 9/16"
	Handlebar	Hi-ten 8.75" or 9" rise
	Stem	Premium alloy top load
0	Grips	Premium Team flangeless
	Saddle	Premium Fat Capitol Pivotal
	Seat Post	Pivotal 25,4mm
	Seat Post Clamp	Integrated welded to frame
	Front/Rear Axle	3/8" F, 14mm R straight axles
0	Front Hub	36h alloy shell loose ball
0	Rear Hub	36H alloy shell RSD free-coaster w/ 9T driver
	Front/Rear Rim	36h alloy single wall
	Front/Rear Tire	Premium CK 20x2.40 F/R
	Pegs	N/A
	Brakes	Tektro alloy 990
0	Brake Lever	Radius hinge clamp lever



#### PREMIUM

## **INSPIRED**

Matte Black: 20.5": 29751 Gloss Olive: 20.5": 29752

#### **FEATURES**

- Full hi-ten frame with integrated head tube and integrated seat clamp, Mid BB shell and 20.5" top tube
- Full hi-ten fork with tapered legs
- Hi-ten 8.75" bars with Premium alloy top load stem
- Premium Team grips flangeless
- 3-piece chromoly 8-spline 175mm cranks with sealed Mid BB
- 25/9 gearing
- Alloy front hub with alloy sealed bearing rear hub
- Premium CK tires 2.4" front and rear
- Premium padded one piece seat with built-in alloy post
- Premium Kinetic plastic pedals

#### UPGRADES FROM STRAY

- Hi-ten frame with integrated HT and Mid BB shell
- 3 pc CRMO 8 spline 175mm w/ Mid sealed bearing BB
- Premium "Kinetic" plastic loose ball pedals
- Hi-ten 8.75" rise bar
- Padded one piece seat w/ built in post
- Premium CK tires 20x2.40 F/R





#### PREMIUM

## STRAY

Matte Black: 20.5": 29731 Matte Blue: 20.5": 29732

#### **FEATURES**

- Full hi-ten frame with integrated seat clamp and 20.5" top tube
- Full hi-ten fork with tapered legs
- Hi-ten bars 8.50" with Premium alloy top load stem
- Premium Team grips flangeless
- 3-piece chromoly 8-spline 175mm cranks with loose ball USA BB
- 25/9 gearing
- Kenda Kranium tires 2.25" front and rear
- Premium padded fully adjustable seat

	Frame	Hi-ten
	Sizes	20.5" TT
	Colors	Matte Black, Matte Blue
	Fork	Hi-Ten 1 1/8" threadless w/ tapered legs
	Headset	1 1/8" threadless
	Crankset	3-pc crmo 8 spline 175mm
	ВВ	USA loose ball
	Sprocket	25t steel
	Gearing	25/9
	Chain	KMC 410
	Pedals	Wellgo plastic 9/16"
	Handlebar	Hi-ten 8.5" rise
	Stem	Premium alloy top load
0	Grips	Premium Team flangeless
	Saddle	Premium padded
	Seat Post	Steel 25.4mm
	Seat Post Clamp	Integrated welded to frame
	Front/Rear Axle	3/8" F, 14mm R straight axles
	Front Hub	36h steel shell loose ball
	Rear Hub	36h alloy shell loose ball cassette w/ 9t sealed driver
	Front/Rear Rim	36h alloy single wall
	Front/Rear Tire	Kenda Kranium 20x2.25 F/R
	Pegs	N/A
	Brakes	Tektro alloy 990
0	Brake Lever	Radius hinge clamp lever

